N. J. A. C. 7:9B

Surface Water Quality Standards

Statutory Authority: N.J.S.A. 58:10A-1 et seq., 58:11A-1 et seq., and 13:1D-1 et seq.

Re-adopted: July 17, 2023 Last Amended – December 18, 2023

For regulatory history and effective dates, see the New Jersey Administrative Code

Table of Contents

7:9B-1.1	Scope of subchapter
7:9B-1.2	Construction
7:9B-1.3	Severability
7:9B-1.4	Definitions
7:9B-1.5	Statements of policy
7:9B-1.6	Establishment of water quality-based effluent limitations
7:9B-1.7	Waterway loadings in areawide water quality management plans
7:9B-1.8	Procedures for modifying water quality-based effluent limitations for individual
	dischargers to Category One waters
7:9B-1.9	Procedures for modifying water quality-based effluent limitations for individual
	dischargers to Category Two waters
7:9B-1.10	Procedures for reclassifying specific segments for less restrictive uses
7:9B-1.11	Procedures for reclassifying specific segments for more restrictive uses
7:9B-1.12	Designated uses of FW1, PL, FW2, SE1, SE2, SE3, and SC waters
7:9B-1.13	Designated uses of mainstem Delaware River and Delaware Bay
7:9B-1.14	Surface water quality criteria
7:9B-1.15	Surface water classifications for the waters of the State of New Jersey
7:9B-1.16	Water quality standards variances

CHAPTER 9B SURFACE WATER QUALITY STANDARDS

SUBCHAPTER 1. SURFACE WATER QUALITY STANDARDS

7:9B-1.1 Scope of subchapter

Unless otherwise provided by rule or statute, this subchapter shall constitute the rules of the Department of Environmental Protection governing matters of policy with respect to the protection and enhancement of surface water resources, class definitions, quality criteria, use designation and quality criteria for the mainstem of the Delaware River including the Delaware Bay, the classification of surface waters of the State, procedures for establishing water quality-based effluent limitations, modification of water quality-based effluent limitations, procedures for reclassifying specific segments for less restrictive uses, procedures for reclassifying specific segments for more restrictive uses, and procedures for establishing water quality standards variances, pursuant to N.J.S.A. 13:1D-1 et seq., the New Jersey Water Pollution Control Act, 58:10A-1 et seq., and the Water Quality Planning Act, 58:11A-1 et seq.

7:9B-1.2 Construction

This subchapter shall be liberally construed to permit the Department and its various divisions to discharge their statutory functions.

7:9B-1.3 Severability

If any subchapter, section, subsection, provision, clause, or portion of this chapter, or the application thereof to any person, is adjudged unconstitutional or invalid by a court of competent jurisdiction, such judgment shall be confined in its operation to the subchapter, section, subsection, clause, portion, or application directly involved in the controversy in which such judgment shall have been rendered and it shall not affect or impair the remainder of this chapter or the application thereof to other persons.

7:9B-1.4 Definitions

The following words and terms, when used in this subchapter, shall have the following meanings, unless the context clearly indicates otherwise.

"Acute toxicity" means a lethal or severe adverse sublethal effect (for example, immobilization of daphnids) to an organism exposed to a toxic substance for a relatively short period of time. Acute toxicity is measured by short-term bioassays, generally of 48 or 96 hour duration.

"Agricultural water supply" means water used for field crops, livestock, horticulture, and silviculture.

"Best management practices" or "BMPs" means the methods, measures or practices to prevent or reduce the amount of pollution from point or nonpoint sources including structural and nonstructural controls and operation and maintenance procedures.

"Bioaccumulation" means the increase of the concentration of a substance within the tissues of an organism, to levels in excess of that substance's ambient environmental concentration, directly from the water or through the ingestion of food (usually other organisms).

"Bioassay" means a toxicity test using aquatic organisms to determine the concentration or amount of a toxic substance causing a specified response in the test organisms under stated test conditions.

"Biota" means the animal and plant life of an ecosystem; flora and fauna collectively.

"Calculable changes" means changes to water quality characteristics as demonstrated by any acceptable mathematical, predictive method.

"Carcinogen" means a toxic substance capable of inducing a cancer response, including Group A (human carcinogen), Group B (probable human carcinogen) or Group C (possible human carcinogen) categorized in accordance with the USEPA Guidelines for Carcinogen Risk Assessment, 51 Fed. Reg. 33992, 1986 incorporated herein by reference, as amended or supplemented.

"C1" means Category One waters.

"C2" means Category Two waters.

"Category one waters" means those waters designated in the tables in N.J.A.C. 7:9B-1.15(c) through (i), for purposes of implementing the antidegradation policies set forth at N.J.A.C. 7:9B-1.5(d), for protection from measurable changes in water quality based on exceptional ecological significance, exceptional recreational significance, exceptional water supply significance or exceptional fisheries resource(s) to protect their aesthetic value (color, clarity, scenic setting) and ecological integrity (habitat, water quality and biological functions).

"Category two waters" means those waters not designated as Outstanding National Resource Waters or Category One at N.J.A.C. 7:9B-1.15 for purposes of implementing the antidegradation policies set forth at N.J.A.C. 7:9B-1.5(d).

"Chlorine produced oxidants" means the sum of free and combined chlorine and bromine as measured by the methods approved under N.J.A.C. 7:18. In fresh waters the oxidants measured are comprised predominantly of hypochlorous acid (HOCl), hypochlorite ion (OCl⁻), monochloramine and dichloramine. In saline waters the oxidants measured are comprised predominantly of the oxidants listed for fresh waters plus hypobromous acid (HOBr), hypobromite ion (OBr⁻) and bromamines.

"Chronic toxicity" means death or other adverse impacts that affect the growth, survival, or reproductive success of an organism or its progeny after a relatively long exposure period to toxic substances. Chronic toxicity is measured using intermediate-term or long-term bioassays.

"Complete mix" means a twenty five percent (25%) or less variation in concentration across the transect of the water body.

"Criteria" means those elements of the Surface Water Quality Standards, expressed as constituent concentrations, levels, or narrative statements, representing a quality of water that supports a particular use. When the criteria are met, water quality will generally protect the designated use.

"Department" means the New Jersey Department of Environmental Protection.

"Designated use" means those surface water or ground water uses, both existing and potential, that have been established by the Department for waters of the State.

"Diadromous fish" means fish that spend most of their life in one type of water, either fresh or saline, and migrate to the other type to spawn.

"Discharge" has the same meaning as the term defined in the New Jersey Pollutant Discharge Elimination System rules at N.J.A.C. 7:14A-1.2.

"Discharger" has the same meaning as the term defined in the New Jersey Pollutant Discharge Elimination System rules at N.J.A.C. 7:14A-1.2.

"Disinfection" means the removal, destruction, or inactivation of pathogenic and indicator organisms.

"Dissolved metal" means the concentration of metal that passes through a 0.45 µm membrane filter (as defined in "Methods for Chemical Analysis of Water and Wastes," EPA-600/4-79-020, March 1979).

"DRBC" means Delaware River Basin Commission.

"DRBC Water Quality Regulations" means the DRBC Administrative Manual – Part III Water Quality Regulations including all amendments and supplements thereto.

"EC50" means the median effective concentration of a toxic substance expressed as a statistical estimate of the concentration that has a specified adverse effect on 50 percent of the test organisms under specified test conditions, based on the results of an acute bioassay.

"Exceptional ecological significance" means:

- 1. Waterbodies with suitable habitat verified by the Department to support Bog Turtle, Brook Floater, Dwarf Wedgemussel, Eastern Pondmussel, Eastern Lampmussel, Green Floater, and/or Triangle Floater and documented occurrence(s) of at least one of these species verified by the Department for inclusion in the Biotic database; or
- 2. A waterbody supporting an exceptional aquatic community as demonstrated by a nonimpaired benthic macroinvertebrate community as measured by the Department's Rapid Bioassessment Protocol (see http://www.state.nj.us/dep/wms/bfbm/rbpinfo.html) and at least two of the following factors:

- i. Optimal habitat as measured by the Department's Stream Habitat Assessment (see http://www.state.nj.us/dep/wms/bfbm/rbpinfo.html);
- ii. Excellent fish community as measured by the Fish Index of Biotic Integrity (see http://www.state.nj.us/dep/wms/bfbm/fishibi.html);
- iii. Water quality data that demonstrates compliance with aquatic life criteria pursuant to N.J.A.C. 7:9B-1.14(d) for dissolved oxygen, temperature, total phosphorus, and total suspended solids; or
- iv. Impervious surface that is:
 - (1) less than two percent for a HUC 14 of less than five square miles; or
 - (2) less than or equal to 10 percent for a HUC 14 of greater than or equal to five square miles.

"Exceptional fisheries resource(s)" means waterbodies confirmed by the Department as supporting trout production and classified as FW2-TP or waterbodies approved by the Department for unrestricted shellfish harvest pursuant to Shellfish Growing Water Classification rules at N.J.A.C 7:12.

"Exceptional water supply significance" means a water supply system that serves a population greater than 100,000, including any reservoirs and their natural tributaries from source to the reservoir.

"Existing uses" means those uses actually attained in the waterbody on or after November 28, 1975, whether or not they are included in the Surface Water Quality Standards.

"Federal Act" means the "Federal Water Pollution Control Act" (33 U.S.C. § 1251 et seq.), commonly referred to as the Clean Water Act, including all subsequent supplements and amendments.

"Fresh water(s)" means all nontidal and tidal waters generally having a salinity, due to natural sources, of less than or equal to 3.5 parts per thousand at mean high tide.

"FW" means the general surface water classification applied to fresh waters.

"FW1" means those fresh waters, as designated in N.J.A.C. 7:9B-1.15(j), that are to be maintained in their natural state of quality (set aside for posterity) and not subjected to any man-made wastewater discharges or increases in runoff from anthropogenic activities. These waters are set aside for posterity because of their clarity, color, scenic setting, other characteristic of aesthetic value, unique ecological significance, exceptional recreational significance, exceptional water supply significance or exceptional fisheries resource(s).

"FW2" means the general surface water classification applied to those fresh waters that are not designated as FW1 or Pinelands Waters.

"Groundwater" means that portion of water beneath the land surface that is within the zone of saturation (below the water table) where pore spaces are filled with water.

"Heat dissipation area" means a mixing zone, as may be designated by the Department, into which thermal effluents may be discharged for the purpose of mixing, dispersing, or dissipating such effluents without creating nuisances, hazardous conditions, or violating the provisions of this chapter, the Surface Water Quality Standards.

"HUC 14" or "hydrologic unit code 14" means an area within which water drains to a particular receiving surface water body, also known as a subwatershed, which is identified by a 14 digit hydrologic unit boundary designation, delineated within New Jersey by the United States Geological Survey.

"Important species" means species that are commercially valuable (for example, within the top 10 species landed, by dollar value); recreationally valuable; threatened or endangered; critical to the organization and/or maintenance of the ecosystem; or other species necessary in the food web for the well-being of the species identified in this definition.

"Industrial water supply" means water used for processing or cooling.

"Intermittent stream" means a stream with a MA7CD10 flow of less than one-tenth (0.1) cubic foot per second.

"Lake, pond, or reservoir" means any impoundment, whether naturally occurring or created in whole or in part by the building of structures for the retention of surface water, excluding sedimentation control and stormwater retention/detention basins and ponds designed for treatment of wastewater. Lakes, ponds, and reservoirs are characterized by a long term or permanent downgradient restriction of surface water flow from the impoundment and areas of quiescent water within the body of the impoundment. Lakes, ponds, and reservoirs are frequently characterized by greater water depths within the impoundment than either the upgradient or downgradient surface water flow and by shallow water lateral edges containing emergent or submerged plant species. For regulatory purposes, the upgradient boundary of a lake, pond, impoundment, or reservoir shall be considered to be the point at which areas of greater depth and relatively quiescent water can be differentiated from the upgradient surface water input into the impoundment under average flow conditions.

"LC50" means the median lethal concentration of a toxic substance, expressed as a statistical estimate of the concentration that kills 50 percent of the test organisms under specified test conditions, based on the results of an acute bioassay.

"Load allocation" means the portion of a receiving water's total maximum daily load (TMDL) for a specific pollutant that is allocated to existing or future nonpoint sources of pollution.

"MA1CD10" means the minimum average one day flow with a statistical recurrence interval of 10 years.

"MA7CD10" means the minimum average seven consecutive day flow with a statistical recurrence interval of 10 years.

"MA30CD10" means the minimum average 30 consecutive day flow with a statistical recurrence interval of ten years.

"Measurable changes" means changes measured or determined by a biological, chemical, physical, or analytical method, conducted in accordance with USEPA approved methods as identified in 40 C.F.R. 136 or other analytical methods (for example, mathematical models, ecological indices) approved by the Department, that might adversely impact a water use (including, but not limited to, aesthetics).

"Natural flow" means the water flow that would exist in a waterway without the addition of flow of artificial origin.

"Natural water quality" means the water quality that would exist in a waterway or a waterbody without the addition of water or waterborne substances from artificial origin.

"New discharger" has the same meaning as the term defined in the New Jersey Pollutant Discharge Elimination System rules at N.J.A.C. 7:14A-1.2.

"NJPDES" means New Jersey Pollutant Discharge Elimination System.

"Non-carcinogen" means a toxic substance not categorized as a carcinogen, including Group D (not classifiable as to human carcinogenicity) or Group E (evidence of non-carcinogenicity for humans) categorized in accordance with the USEPA Guidelines for Carcinogen Risk Assessment, 51 Fed. Reg. 33992, 1986 incorporated herein by reference, as amended or supplemented.

"Nondegradation waters" means those waters set aside for posterity because of their clarity, color, scenic setting, other characteristic of aesthetic value, unique ecological significance, exceptional recreational significance, or exceptional water supply significance. These waters include all waters designated as FW1 in this subchapter.

"Nonpersistent" means degrading relatively quickly, generally having a half-life of less than 96 hours.

"Nonpoint source" or "NPS" means:

- 1. Any man-made or man-induced activity, factor, or condition, other than a point source, from which pollutants are or may be discharged;
- 2. Any man-made or man-induced activity, factor, or condition, other than a point source, that may temporarily or permanently change any chemical, physical, biological, or radiological characteristic of waters of the State from what was or is the natural, pristine condition of such waters, or that may increase the degree of such change; or
- 3. Any activity, factor, or condition, other than a point source, that contributes or may contribute to water pollution.

"Nontrout waters" means fresh waters that have not been designated in N.J.A.C. 7:9B-1.15(c) through (i) as trout production or trout maintenance. These waters are generally not suitable for

trout because of their physical, chemical or biological characteristics, but are suitable for a wide variety of other fish species.

"NT" means nontrout waters.

"Nutrient" means a chemical element or compound, such as nitrogen or phosphorus, which is essential to and promotes the growth and development of organisms.

"Outstanding National Resource Waters" or "ONRW" means high quality waters that constitute an outstanding national resource (for example, waters of National/State Parks and Wildlife Refuges and waters of exceptional recreational or ecological significance). Waters classified as FW1 waters and Pinelands waters are Outstanding National Resource Waters.

"Permittee" has the same meaning as the term defined in the New Jersey Pollutant Discharge Elimination System rules at N.J.A.C. 7:14A-1.2.

"Persistent" means relatively resistant to degradation, generally having a half life of over 96 hours.

"Pinelands waters" means all waters within the boundaries of the Pinelands Area, except those waters designated as FW1 in N.J.A.C. 7:9B-1.15(j), as established in the Pinelands Protection Act (N.J.S.A. 13:18A-1 et seq.) and shown on Plate 1 of the "Comprehensive Management Plan" adopted by the New Jersey Pinelands Commission in November 1980.

"PL" means the general surface water classification applied to Pinelands Waters.

"Point source" or "PS" means any discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, landfill leachate collection system, vessel, or other floating craft, from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

"Pollutant" means any dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, refuse, oil, grease, sewage sludge, munitions, chemical wastes, biological materials, medical wastes, radioactive substance (except those regulated under the Atomic Energy Act of 1954, as amended (42 U.S.C. § 2011 et. seq.)), thermal waste, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal, agricultural and construction waste or runoff or other residue discharged directly or indirectly to the land, ground waters or surface waters of the State, or to a domestic treatment works as defined at N.J.A.C. 7:14A-1.2. "Pollutant" includes both hazardous and nonhazardous pollutants.

"Pollutant Minimization Program" or "PMP" means a structured set of activities including an implementation schedule to improve processes and pollutant controls that will prevent and reduce pollutant loadings. For the purposes of any such PMP, pollutant shall refer to any substance as specified at N.J.A.C. 7:9B-1.14.

"Potable surface water intake" means any structure or apparatus used to withdraw surface waters directly or indirectly that is conveyed to a potable treatment plant or is used for other potable purposes.

"Primary contact recreation" means water related recreational activities that involve significant ingestion risks and includes, but is not limited to, wading, swimming, diving, surfing, and water skiing.

"Public hearing" means a legislative type hearing before a representative or representatives of the Department providing the opportunity for public comment, but does not include cross-examination.

"Regulatory mixing zones" means areas of surface waters established pursuant to this chapter for the purpose of initial mixing, dispersion, or dissipation of wastewater effluent at or near the discharge point. Regulatory mixing zones may be established for applicable criteria.

"River mile" or "R.M." means the distance, measured in statute miles, between two locations on a stream, with the first location designated as mile zero. For example, mile zero for the Delaware River is located at the intersection of the center line of the navigation channel and a line between the Cape May Light, New Jersey, and the tip of Cape Henlopen, Delaware.

"Saline waters" means waters having salinities generally greater than 3.5 parts per thousand at mean high tide.

"SC" means the general surface water classification applied to coastal saline waters.

"SE" means the general surface water classification applied to saline waters of estuaries.

"Secondary contact recreation" means recreational activities where the probability of water ingestion is minimal and includes, but is not limited to, boating and fishing.

"Shellfish" means those mollusks commonly known as clams, oysters, or mussels.

"Shellfish waters" means waters classified as Approved, Seasonally Approved, Special Restricted, Seasonally Special Restricted or Condemned in accordance with the Shellfish Growing Water Classification rules N.J.A.C. 7:12.

"Site-specific criteria" means an alternative criterion established, at N.J.A.C. 7:9B-1.14(g), in place of an existing Statewide criterion, to protect existing or designated uses for specified waterbody(ies).

"State Act" means the New Jersey "Water Pollution Control Act," N.J.S.A. 58:10A-1 et seq., as amended.

"Statistical Threshold Value" or "STV" means the value that approximates the 90th percentile of the water quality distribution and is not exceeded by more than 10 percent of the samples used to

calculate the geometric mean for the purposes of bacterial quality criteria pursuant to N.J.A.C. 7:9B-1.14(d)1ii.

"Stream temperature" means the temperature of a stream outside of a designated heat dissipation area.

"Surface water classifications" means names assigned by the Department as set forth at N.J.A.C. 7:9B-1.15(c) through (j) to waters having the same designated uses and water quality criteria (for example, FW1, PL, FW2-NT, SE1, SC).

"Surface Water Quality Standards" (SWQS) means the rules, in this chapter, N.J.A.C. 7:9B, which set forth, designated uses, use classifications, and water quality criteria for the State's waters based upon such uses, and the Department's policies concerning these uses, classifications and criteria.

"Surface waters" means water at or above the land's surface which is neither groundwater nor contained within the unsaturated zone, including, but not limited to, the ocean and its tributaries, all springs, streams, rivers, lakes, ponds, wetlands, and artificial waterbodies.

"Thermal alterations" means the increase or decrease in the temperature of surface waters, above or below the natural temperature, that may be caused by the activities of man.

"Thermal discharge" has the same meaning as the term defined in the Pollutant Discharge Elimination System rules at N.J.A.C. 7:14A-1.

"Tidal waters" means fresh or saline water under tidal influence, up to the head of tide.

"TM" means trout maintenance.

"Total maximum daily load" or "TMDL" means a total maximum daily load formally established pursuant to Section 7 of the Water Quality Planning Act (N.J.S.A. 58:11A-7) and Section 303(d) of the Clean Water Act, 33 U.S.C. §§1251 et seq. A TMDL is the sum of individual wasteload allocations for point sources, load allocations for nonpoint sources of pollution, other sources such as tributaries, or adjacent segments, and allocations to a reserve or margin of safety for an individual pollutant.

"Total recoverable metal" means the concentration of metal in an unfiltered sample following treatment with hot dilute mineral acid (as defined in "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1979, incorporated herein by reference).

"Toxic substance" or "toxic pollutant" means any pollutant identified pursuant to the Federal Act, or any pollutant or combination of pollutants, including disease causing agents, which after discharge and upon exposure, ingestion, inhalation or assimilation into any organism, either directly or indirectly by ingestion through food chains, may, on the basis of the information available to the Department, cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions, including malfunctions in reproduction, or physical deformation, in such organisms or their offspring. Toxic pollutants shall, include but not be

limited, to those pollutants identified pursuant to Section 307 of the Federal Act or Section 4 of the State Act, or in the case of "sludge use or disposal practices," any pollutant identified pursuant to Section 405(d) of the Federal Act.

"TP" means trout production.

"Trout maintenance waters" means waters designated at N.J.A.C. 7:9B-1.15(c) through (i) for the support of trout throughout the year.

"Trout production waters" means waters designated at N.J.A.C. 7:9B-1.15(c) through (i) for use by trout for spawning or nursery purposes during their first summer.

"Unsaturated zone" means the subsurface volume between the land's surface and the top of the saturated zone (water table), where moisture does not fill all the pore spaces in the formation or soil.

"USEPA" means the United States Environmental Protection Agency.

"Wasteload allocation" or "WLA" means the portion of a receiving water's total maximum daily load for a specific pollutant that is allocated to one of its existing or future point sources of pollution. WLAs constitute a type of water quality-based effluent limitation.

"Water effect ratio" or "WER" means the ratio of an acute (or chronic) toxicity value derived from a site study to the acute (or chronic) toxicity value derived from a laboratory study for a particular toxic substance. The WER is multiplied by the aquatic life protection criterion for a given toxic substance to derive a site-specific aquatic life protection criterion.

"Water quality-based effluent limitations" means effluent limitations established so that the quality of the waters receiving a discharge will meet the surface water quality criteria and policies of this chapter after the introduction of the effluent.

"Water Quality Standards variance" or "WQS variance" means a time-limited designated use and criterion for a specific pollutant or pollutants that reflect the highest attainable condition during the term of the WQS variance. For the purposes of any such WQS variance, pollutant shall refer to any substance, as specified at N.J.A.C. 7:9B-1.14.

"Watershed-specific translators" means numeric translators developed, as part of a total maximum daily load (TMDL) in accordance with N.J.A.C. 7:15-5, to demonstrate compliance with the narrative criterion pursuant to N.J.A.C. 7:9B-1.14(d)4i. to protect existing or designated uses for specified watershed(s).

"Waters of the State" means the ocean and its estuaries, all springs, streams, wetlands, and bodies of surface or ground water, whether natural or artificial, within the boundaries of the State of New Jersey or subject to its jurisdiction.

"Wetlands" means those areas that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions, commonly known as hydrophytic vegetation. The Department shall evaluate the parameters of hydrology, soils, and vegetation to determine the presence and extent of wetlands.

7:9B-1.5 Statements of policy

- (a) General policies are as follows:
 - 1. These Surface Water Quality Standards apply to all surface waters of the State.
 - 2. Water is vital to life and comprises an invaluable natural resource which is not to be abused by any segment of the State's population or economy. It is the policy of the State to restore, maintain and enhance the chemical, physical and biological integrity of its waters, to protect the public health, to safeguard the aquatic biota, protect scenic and ecological values, and to enhance the domestic, municipal, recreational, industrial, agricultural and other reasonable uses of the State's waters.
 - 3. The restoration, maintenance and preservation of the quality of the waters of the State for the protection and preservation of public water supplies is a paramount interest of the citizens of New Jersey. In order to provide adequate, clean supplies of potable water, it is the policy of the State that all fresh waters be protected as potential sources of public water supply. Therefore, point and nonpoint sources of pollutants shall be regulated to attain compliance with the Surface Water Quality Standards human health criteria outside of regulatory mixing zones.
 - 4. Toxic substances in waters of the State shall not be at levels that are toxic to humans or the aquatic biota, or that bioaccumulate in the aquatic biota so as to render them unfit for human consumption.
 - 5. The introduction of carcinogenic, mutagenic, or teratogenic substances into the environment is of particular concern to the Department. Human health-based ambient criteria have been established in freshwaters due to consumption of fish and water, and in saline water due to consumption of fish. For carcinogens, the criteria have been established at levels which would result in no greater than a one-in-one-million lifetime excess cancer risk. For non-carcinogens, the criteria have been established which would result in no appreciable risk of deleterious effect.
 - 6. Existing uses shall be maintained and protected. Designated uses shall, as soon as technically and economically feasible, be attained wherever these uses are not precluded by natural conditions. Where existing criteria are inadequate to support the existing or designated uses, the criteria shall be changed to support the existing uses.
 - 7. The restoration of saline waters to levels which permit unrestricted shellfish harvesting is an objective of the Department.
 - 8. The Department encourages the use of reclaimed water for beneficial reuse to help preserve the highest quality water and reduce the export of freshwater out of basins in support of meeting water supply needs and natural resource protection.
 - 9. The Department uses the Integrated Water Quality Monitoring and Assessment Methods developed pursuant to N.J.A.C. 7:15-5.2 to evaluate water quality data and

identify waters where water quality does not meet the Surface Water Quality Standards at N.J.A.C. 7:9B as required by Section 303(d) and 305(b) of the Federal Clean Water Act.

(b) Interstate waters policies are as follows:

- 1. The designated uses and water quality criteria for the fresh and saline waters under the jurisdiction of the Delaware River Basin Commission shall be as established in accordance with N.J.A.C. 7:9B-1.13 and 1.14I through (g).
- 2. The designated uses and water quality criteria for waters under the jurisdiction of the Interstate Environmental Commission in the New Jersey/New York metropolitan area shall be as established in this subchapter, or in accordance with the prevailing Water Quality Regulations of the Interstate Environmental Commission, including all amendments and future supplements thereto, whichever are more stringent.

(c) General technical policies are as follows:

- 1. The natural water quality shall be used in place of the promulgated water quality criteria of N.J.A.C. 7:9B-1.14 for all water quality characteristics that do not meet the promulgated water quality criteria as a result of natural causes.
- 2. Water quality criteria are expected to be maintained during periods when nontidal or small tidal stream flows are at or greater than the MA7CD10 flow, except as provided below:
 - i. For acute aquatic life protection criteria, the design flow shall be the MA1CD10 flow;
 - ii. For chronic aquatic life protection criteria for ammonia, the design flow shall be the MA30CD10 flow; and
 - iii. For human health criteria for carcinogens listed at N.J.A.C. 7:9B-1.14(f)7, the design flow shall be the flow which is exceeded 75 percent of the time for the appropriate "period of record" as determined by the United States Geological Survey.
- 3. Water quality criteria are expected to be maintained in intermittent streams during all natural flow conditions. When an intermittent stream does not contain natural flow of sufficient magnitude to determine water quality, the criteria to be maintained in the intermittent stream will be those pertaining to the measurable natural flow immediately downstream of the intermittent stream.
- 4. All analytical data to be incorporated by the Department in water quality monitoring or other activities shall be from laboratories approved or certified by the Department for the analysis of those specific parameters. If certification is not offered for the specific parameter, the laboratory performing the analysis shall, at a minimum, hold certification in the category of certification covering that type of parameter.
- 5. The Department shall utilize the parameter specific criteria contained in N.J.A.C. 7:9B-1.14 in the development of chemical specific water quality-based effluent limitations for point source discharges. Whenever parameter specific criteria have not been adopted, the Department will utilize the best available scientific information in the development of chemical specific water quality-based effluent limitations for

- point source discharges. Ambient criteria published by the United States Environmental Protection Agency pursuant to section 304(a) of the Federal Clean Water Act represent the minimum acceptable best scientific information to be used in the development of water quality-based effluent limitations for point source discharges.
- 6. When the Department promulgates a new or revised maximum contaminant level (MCL) in the Safe Drinking Water Act rules at N.J.A.C. 7:10 for a parameter for which there is an established human health based criterion at N.J.A.C. 7:9B-1.14(f)7, the Department shall modify the human health based criterion based on the toxicity factor used to establish the MCL and shall incorporate the modified criterion into N.J.A.C. 7:9B-1.14(f)7. The Department shall publish a notice of administrative change in the New Jersey Register.
- 7. The Department shall utilize a geometric mean to assess compliance with the bacterial quality indicators at N.J.A.C.7:9B-1.14(d)1ii-iii. The Department shall issue beach notifications in accordance with N.J.A.C. 8:26.
- 8. The Department shall implement the geometric mean and statistical threshold values (STV), where applicable, for bacterial quality criteria established at N.J.A.C. 7:9B1.14(d)1ii and iii, over a 30-day period in the NJPDES permits, in accordance with N.J.S.A. 58:10A-3 and N.J.A.C. 7:14A-13.15(a)2.
- 9. Temperature criteria at N.J.A.C. 7:9B-1.14(d) apply unless an alternative effluent limitation is approved in accordance with Section 316(a) of the Clean Water Act, 33 U.S.C. 1326(a).
 - i. Properly treated wastewater discharge shall be deemed in compliance with the temperature criteria if the ambient stream temperature measured outside the regulatory heat dissipation area does not increase by more than:
 - (1) 0.6 degrees Celsius in FW2-TP waters
 - (2) 1.2 degrees Celsius in FW2-TM waters
 - (3) 2.8 degrees Celsius in FW2-NT waters
 - (4) 2.2 degrees Celsius in SE and SC waters from September through May
 - (5) 0.8 degrees Celsius in SE and SC waters from June through August
 - ii. Thermal alterations to lakes, ponds, or reservoirs shall not be permitted unless it can be shown to be beneficial to the designated and existing uses.
- 10. The Department may adopt an alternative freshwater total ammonia criterion pursuant to the Aquatic Life Ambient Water Quality Criteria For Ammonia Freshwater 2013, EPA 822-R-13-001, April 2013, https://www.epa.gov/sites/default/files/2015-08/documents/aquatic-life-ambient-water-quality-criteria-for-ammonia-freshwater-2013.pdf, if a permittee demonstrates to the satisfaction of the Department, that an alternative criterion is applicable in place of the freshwater total ammonia criteria at N.J.A.C. 7:9B-1.14(e)2.
- (d) Antidegradation policies applicable to all surface waters of the State are as follows:
 - 1. Existing uses shall be maintained and protected. Designated uses shall be maintained or, as soon as technically and economically feasible, be attained wherever these uses are not precluded by natural conditions.

- i. The maintenance, migration, and propagation of threatened or endangered species (as defined under the Federal Endangered Species Act of 1973 as amended, 16 U.S.C. 1531 *et seq.*, and/or the New Jersey Endangered and Nongame Species Conservation Act N.J.S.A. 23:2A-1 et seq.) is considered an existing use that must be maintained.
- ii. No irreversible changes may be made to existing water quality that would impair or preclude attainment of the designated uses of a waterway.
- iii. No changes shall be allowed in waters which constitute an outstanding National or State resource or in waters that may affect these outstanding resource waters.
- iv. Where water quality exceeds levels necessary to support the designated uses, including but not limited to, propagation of fish, shellfish, and wildlife and recreation in and on the water, that quality shall be maintained and protected unless the Department finds, after full satisfaction of the intergovernmental coordination and public participation provisions of the Department's continuing planning process (see N.J.A.C. 7:15-2.2), which includes, but is not limited to, the NJPDES Regulations (N.J.A.C. 7:14A), that allowing lower water quality is necessary to accommodate important economic or social development in the area in which the waters are located.
- v. Where a lower classification of water (including the antidegradation designation) may impinge upon a higher classification/antidegradation designation of water, the Department shall ensure that the quality and uses of the higher classification/antidegradation water are protected.
- vi. A waterway or waterbody from which water is transferred to another waterway or waterbody shall be treated as a tributary to the waterway or waterbody receiving the transferred water.
- vii. Modifications of water quality-based effluent limitations established to implement the antidegradation policy may be granted pursuant to N.J.A.C. 7:9B-1.8 and 1.9.
- 2. Antidegradation policies applicable to a waterbody are as follows:
 - i. The quality of nondegradation waters shall be maintained in their natural state (set aside for posterity) and shall not be subject to any manmade wastewater discharges. The Department shall not approve any activity which, alone or in combination with any other activities, might cause changes, other than toward natural water quality, in the existing surface water quality characteristics.
 - ii. For Pinelands waters, the Department shall not approve any activity which alone or in combination with any other activities, might cause changes, other than toward natural water quality, in the existing surface water quality characteristics. This policy shall apply as follows:
 - (1) This policy is not intended to interfere with water control in the operation of cranberry bogs or blueberry production.
 - (2) New or expanded discharges are not allowed, unless authorized by the Pinelands Commission in accordance with Pinelands Comprehensive Management Plan, N.J.A.C. 7:50-4.61 through 4.70.
 - iii. Category One Waters shall be protected from any measurable changes (including calculable or predicted changes) to the existing water quality. Water quality characteristics that are generally worse than the water quality criteria,

- except as due to natural conditions, shall be improved to maintain or provide for the designated uses where this can be accomplished without adverse impacts on organisms, communities, or ecosystems of concern.
- iv. For Category Two Waters, water quality characteristics that are generally better than, or equal to the water quality standards shall be maintained within a range of quality that shall protect the existing/designated uses as determined by studies acceptable to the Department, relating existing/designated uses to water quality. Where such studies are not available or are inconclusive, water quality shall be protected from changes that might be detrimental to the attainment of the designated uses or maintenance of the existing uses. Water quality characteristics that are generally worse than the water quality criteria shall be improved to meet the water quality criteria.
- v. For waters of mainstem of the Delaware River designated as Special Protection Waters pursuant to the DRBC Water Quality Regulations Article 3 Section 3.10.3A2, the antidegradation policies are as specified in the DRBC Water Quality Regulations.

(e) Water quality-based effluent limitation policies are as follows:

- 1. Water quality-based effluent limitations may be established so as to minimize total expenditures, subject to social and environmental constraints, so that the provisions of the water quality standards (which includes the antidegradation policies) are met. This policy may result in the assignment of different levels of treatment to different dischargers where this proves more beneficial on a study area basis.
- 2. Modifications of water quality-based effluent limitations established to implement the water quality standards (which includes the antidegradation policies) granted pursuant to N.J.A.C. 7:9B-1.8 and 1.9, shall provide for effluent limits at least as stringent as those required pursuant to sections 301, 306, and 307 of the Federal Clean Water Act or the minimum BOD5 effluent standards at N.J.A.C. 7:14A-12.4, where applicable, whichever are more stringent.
- 3. Water quality-based effluent limitations developed in accordance with N.J.A.C. 7:14A-13.6 shall not interfere with the attainment of the Surface Water Quality Standards, including the antidegradation policies.
- 4. When a discharge is made to a tidal waterway in the reach where the salinity varies from less than 3.5 ppt. to greater than 3.5 ppt., or the salinity data are inconclusive, the Department shall establish as water quality-based effluent limitations the more stringent of the limitations, on a parameter specific basis, required for the upstream FW waters or the downstream SE waters.
- 5. Where the effluent limitations developed pursuant to N.J.A.C. 7:14A-13.6 are below the level of detectability of the procedures in N.J.A.C. 7:18 the Department will use an effluent limitation of nondetectable in any NJPDES permit.
- 6. Compliance schedules may be issued in accordance with N.J.A.C. 7:14A-6.4 when it is demonstrated by a discharger that new or revised water quality-based effluent limitations, based on ambient criteria adopted or revised after July 1, 1977, cannot be consistently met with the facility's existing treatment process. No schedule of compliance may be allowed for parameter specific water quality-based effluent

- limitations where the parameter specific ambient water quality criterion, which was the basis for developing that limitation, was adopted prior to July 1, 1977, and has not been revised since adoption.
- 7. The Department may require characterization monitoring in NJPDES permits for mercury and PCBs using the USEPA approved method 1631 for mercury (Guidelines Establishing Test Procedures for the Analysis of Pollutants; Measurement of Mercury in Water; Revisions to EPA Method 1631, 40 C.F.R. 136, Fed. Reg. 67:65876, October 29, 2002) incorporated herein by reference, as amended and supplemented, available at http://www.epa.gov/waterscience/methods/1631.html, as supplemented and amended and 1668A for PCBs (Method 1668, Revision A: Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by HRGC/HRMS. EPA-821-R-00-002, December 1999) incorporated herein by reference, as amended and supplemented,

 available

 at http://www.epa.gov/Region8/water/wastewater/biohome/biosolidsdown/methods/1668a5.pdf.
- (f) Whole Effluent Toxicity Requirements shall be established for NJPDES point sources in accordance with N.J.A.C. 7:14A–13.6(d).
- (g) Nutrient policies are as follows:
 - 1. These policies apply to all waters of the State.
 - 2. The Department may develop watershed-specific translators or site-specific criteria through a Total Maximum Daily Load (TMDL). Site specific criteria shall be incorporated at N.J.A.C. 7:9B-1.14(g).
 - 3. The Department shall establish water quality-based effluent limits for nutrients, in addition to or more stringent than the effluent standard in N.J.A.C. 7:14A-12.7, as necessary to meet a wasteload allocation established through a TMDL, or to meet the criteria at N.J.A.C. 7:9B-1.14(d)4.
 - 4. Activities resulting in the nonpoint discharge of nutrients shall implement the best management practices determined by the Department to be necessary to protect the existing or designated uses.
- (h) A permittee may request that a regulatory mixing zone be established by the Department for applicable criteria except as otherwise provided in this section. Regulatory mixing zones may be evaluated as part of the development of water quality-based effluent limitation(s) to provide for the initial dispersion of the effluent in the receiving water body at or near the discharge point.
 - 1. The following are the general conditions for establishing regulatory mixing zones:
 - i. Regulatory mixing zones shall be established in accordance with this subsection;
 - ii. Water quality criteria may be exceeded within the regulatory mixing zone; however, surface water quality criteria must be met at the edge of the regulatory mixing zone;

- iii. The regulatory mixing zone shall be no larger than that portion of the receiving water where complete mixing occurs;
- iv. Regulatory mixing zones shall not be used for, or considered as a substitute for, minimum treatment technology required by the Federal and State Acts or other applicable Federal or State laws or regulations;
- v. Regulatory mixing zones shall be established to assure that significant mortality does not occur to free swimming or drifting organisms;
 - (1) In individual regulatory mixing zones, discharges which meet acute effluent toxicity of $LC_{50} \ge 50\%$ shall be deemed to comply with this requirement.
 - (2) In cases of extended regulatory mixing zones resulting from multiple, conjoined individual regulatory mixing zones, site-specific studies to demonstrate no significant mortality shall be required, taking into account factors including, time of travel, concentration, and the toxicity of the parameters in question;
- vi. The existing and designated uses outside the regulatory mixing zone shall not be adversely affected;
- vii. The total area and volume of a waterbody assigned to a regulatory mixing zone shall be limited to that which will not adversely affect beneficial uses or interfere with biological communities or populations of important species (for example, commercially or recreationally significant species; or threatened or endangered species);
- viii. Regulatory mixing zones, including those for shore hugging plumes, shall not extend into recreational areas, potable surface water intakes (1,500 feet upstream and 500 feet downstream or to the farthest point of backwatering due to the intake, whichever is more protective), shellfish harvesting areas, threatened or endangered species habitat, and other important biological or natural resource areas;
- ix. The regulatory mixing zone shall not inhibit or impede the passage of aquatic biota; and
- x. Overlapping regulatory mixing zones shall not inhibit or impede the passage of aquatic biota.
- 2. Spatial limitations for regulatory mixing zones delineate the maximum area in which the initial mixing may occur. A site-specific study performed in accordance with (h)3 below will be used to determine dilution in tidal water bodies and in nontidal water bodies where mixing is not shown to be rapid and complete. A maximum area shall be applied in any one of the following four situations:
 - i. Heat dissipation areas shall be established as follows:
 - (1) For discharges to FW2-NT, FW2-TM, and SE waters, not more than one-quarter (1/4) of the cross section and/or volume of the water body at any time or more than two-thirds (2/3) of the surface from shore to shore at any time
 - (2) For discharges to lakes, ponds, reservoirs, bays or coastal waters, the heat dissipation areas shall be developed on a case-by-case basis.
 - (3) A discharger may be granted a larger heat dissipation area pursuant to 33 U.S.C. 1326(a) Section 316(a) of the Clean Water Act.
 - ii. For discharges to tidal water bodies:

- (1) Regulatory mixing zones for chronic and human health criteria are limited to one fourth of the distance between the discharge port closest to the shoreline and the shoreline during average tidal conditions, or 100 meters, whichever is greater; and
- (2) Regulatory mixing zones for acute criteria are limited by the distances calculated in accordance with the USEPA "Technical Support Document For Water Quality-Based Toxics Control" USEPA, EPA/505/2-90-001, March 1991, incorporated herein by reference. In no case shall a regulatory mixing zone for acute criteria extend more than 100 meters from the discharge point or include more than five percent of the total surface area of a water body based on critical ambient tidal conditions during low slack, astronomical spring tide for the applicable exposure period.
- iii. For discharges to non-tidal water bodies:
 - (1) Regulatory mixing zones for chronic and human health criteria shall be based on the design flows at (c)2 above. If rapid, complete mix is demonstrated, the entire available design flow may be used in dilution calculations. If rapid, complete mix is not demonstrated, only that portion of the design flow that can be demonstrated to mix with the effluent within 100 meters from the discharge point may be used in dilution calculations; and
 - (2) Regulatory mixing zones for acute criteria shall be based on the MA1CD10 design flow. If rapid, complete mix is demonstrated, the entire available design flow may be used in dilution calculations. If rapid, complete mix is not demonstrated, only that portion of the design flow that can be demonstrated to mix with the effluent within a downstream distance calculated in accordance with the USEPA "Technical Support Document For Water Quality-Based Toxics Control" USEPA, EPA/505/2-90-001, March 1991 may be used. In no case shall a regulatory mixing zone for acute criteria extend more than 100 meters from the discharge point or include more than five percent of the total surface area of a water body based on the design flow.
- iv. Site-specific spatial dimensions of the regulatory mixing zone for an approved multiport diffuser shall be determined by the Department. The dimensions of the site-specific regulatory mixing zone and the allowable dilution at the edge of the regulatory mixing zone may be established using appropriate diffuser models (for example, CORMIX, PLUMES), tracer studies, or other field studies approved by the Department in accordance with (h)3 below.
- 3. A regulatory mixing zone study shall be conducted in accordance with a workplan pre-approved by the Department. General protocols for conducting mixing zone studies are described in the USEPA "Technical Support Document For Water Quality-Based Toxics Control" USEPA, EPA/505/2-90-001, March 1991. In addition, the following principles apply:
 - i. The design flows to be used in calculating available dilution in nontidal waters shall be based on the design flows specified at (c)2 above; and
 - ii. In tidal waters, the regulatory mixing zone for an acute criteria shall be based on critical ambient tidal conditions during low slack, astronomical spring tide

for the applicable exposure period. Regulatory mixing zones for chronic and human health criteria shall be based on average conditions during a normal tidal cycle.

- 4. In order to determine waste load allocations and NJPDES/DSW permit effluent limitations that will comply with the regulatory mixing zone requirements, instream pollutant concentrations at the boundary of the regulatory mixing zone shall be determined as follows:
 - i. The instream concentrations shall be determined using either a general mass balance equation or a mathematical model, if available; or the information generated during the course of a study as described at (h)2 above.
 - ii. If the regulatory mixing zone is based upon the guidance and procedures in the USEPA "Technical Support Document For Water Quality-Based Toxics Control" USEPA, EPA/505/2-90-001, March 1991, the Technical Support Document will also be used to determine instream concentrations at the boundary of the regulatory mixing zone.
- 5. Regulatory mixing zones are prohibited as follows:
 - i. For indicators of pathogenic quality, including fecal coliform, E. Coli and enterococci;
 - ii. In intermittent streams;
 - iii. For new or increased discharges to lakes, ponds, and reservoirs;
 - iv. For discharges to areas of waters with documented occurrences of any threatened or endangered species listed pursuant to the Federal or State Threatened and Endangered Species Acts (Endangered Species Act of 1973, 16 U.S.C. § 1531 et seq.; New Jersey Endangered and Non Game Species Conservation Act of 1973, N.J.S.A. 23:2A-1 et seq.; Endangered Plant Species List Act, N.J.S.A. 13:1B-15.151 et seq.), if those discharges would likely have an adverse effect on the species or its associated habitat;
 - v. For heat dissipation areas in FW2-TP waters;
 - vi. For heat dissipation areas within 1,500 feet of the shoreline in SC waters;
 - vii. For new discharges of the following pollutants:
 - (1) alpha-BHC (alpha-HCH);
 - (2) beta-BHC (beta-HCH);
 - (3) gamma-BHC (gamma HCH / Lindane);
 - (4) Chlordane;
 - (5) 4,4'-DDD (p,p'-TDE);
 - (6) 4,4'-DDE;
 - (7) 4,4'-DDT;
 - (8) Dieldrin;
 - (9) Hexachlorobenzene;
 - (10) Hexachlorobutadiene;
 - (11) Mercury;
 - (12) Mirex;
 - (13) Pentachlorobenzene;
 - (14) Polychlorinated biphenyls (PCBs);
 - (15) 1,2,4,5-Tetrachlorobenzene;
 - (16) 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD); and

(17) Toxaphene; and

viii. For new or expanded discharges, within 1,500 feet upstream of a potable surface water intake (including any reservoir) and 500 feet downstream or to the farthest point of backwatering due to the intake, whichever is more protective.

7:9B-1.6 Establishment of water quality-based effluent limitations

- (a) Water quality-based effluent limitations shall be established for NJPDES point sources in accordance with N.J.A.C. 7:14A.
- (b) For new and/or expanding NJPDES point sources, the water quality-based effluent limitations shall comply with the antidegradation policies at N.J.A.C. 7:9B-1.5(d) above.
- (c) Water quality-based effluent limits for chlorine produced oxidants based on the criteria in N.J.A.C. 7:9B-1.14(f) are not applicable where:
 - 1. The aquatic community of a waterbody is exposed to one or more point source discharges of non-contact cooling water that is intermittently chlorinated to control condenser biofouling;
 - 2. The total period of such exposure to chlorinated wastewater is two hours per day or less; and
 - 3. The maximum concentration of chlorine produced oxidants in the effluents of such discharges shall not exceed 200 μ g/L.
- (d) The Department may authorize compliance schedules in accordance with individual NJPDES permits to allow the permittee time to comply with new effluent limitations.

7:9B-1.7 Waterway loadings in areawide water quality management plans

Any total maximum daily load, wasteload allocation, or load allocation established as an amendment to an areawide water quality management plan under N.J.A.C. 7:15-5.4 shall be consistent with all of the provisions of this subchapter.

7:9B-1.8 Procedures for modifying water quality-based effluent limitations for individual dischargers to Category One waters

- (a) An applicant requesting modification of a water quality-based effluent limitation, established on a case-by-case basis, must demonstrate, to the satisfaction of the Department, after public notice (including notice to affected municipalities) and a public hearing (where sufficient public interest exists), that:
 - 1. Some change in ambient water quality should be allowed because of necessary and justifiable social or economic development;
 - 2. Alternative effluent limitations, at least as stringent as the technology-based effluent limitations required by either sections 301, 306, and 307 of the Federal Clean Water Act, or the effluent limitations resulting from application of the minimum BOD5 effluent standards in N.J.A.C. 7:14A-12.4 (where applicable), whichever are more stringent, will not interfere nor be injurious to the existing or designated uses; and

- 3. Where the requested modified effluent limitations would result in contravention of the water quality criteria or the degradation of the natural water quality, whichever is less stringent:
 - i. The water quality criteria are not attainable because of natural background; or
 - ii. The water quality criteria are not attainable because of irretrievable maninduced conditions; or
 - iii. Natural, ephemeral, intermittent, or low flow conditions or water levels prevent the attainment of the use, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating State water conservation requirements to enable uses to be met; or
 - iv. Controls more stringent than those required by Sections 301(b) and 306 of the Federal Clean Water Act would result in substantial and widespread adverse social and economic impact.
- (b) It is the responsibility of the applicant to provide the Department with all the information needed to evaluate the requested modification(s).
- (c) Modified effluent limitations may be renewed if the discharger demonstrates, to the Department's satisfaction, after public notice (including notice to affected municipalities) and a public hearing (where sufficient interest exists), that the basis for issuing the modification still exists and there have been no adverse impacts on the existing uses.
- (d) Where water quality criteria are not currently met the Department shall not grant a modification, as set forth in this section, establishing an effluent limitation less stringent than the limitation(s) in the existing permit, unless the criteria are not met because of natural conditions.

7:9B-1.9 Procedures for modifying water quality-based effluent limitations for individual dischargers to Category Two waters.

- (a) The criteria for modifying water quality-based effluent limitations established on a caseby-case basis are:
 - 1. The applicant for modification of effluent limitations for parameters that are currently better than the water quality criteria must demonstrate, to the satisfaction of the Department, after public notice (including notice to affected municipalities) and a public hearing (where sufficient public interest exists), that:
 - i. Some degradation of water quality parameters currently better than the water quality criteria should be allowed because of necessary and justifiable social or economic development; and
 - ii. Alternative effluent limitations, at least as stringent as the technology-based effluent limitations required by either sections 301, 306, and 307 of the Federal Clean Water Act, or the effluent limitations resulting from application of the effluent standards (where applicable) in N.J.A.C. 7:14A-12, whichever are more stringent, will not interfere with nor be injurious to the existing or designated uses.
 - 2. The applicant for modification of effluent limitations for parameters that are currently equal to or currently do not meet the water quality criteria in this subchapter must demonstrate, to the satisfaction of the Department, after public notice (including

notice to affected municipalities) and a public hearing (where sufficient public interest exists), that:

- i. The water quality criteria are not attainable because of natural background; or
- ii. The water quality criteria are not attainable because of irretrievable maninduced conditions; or
- iii. Natural, ephemeral, intermittent, or low flow conditions or water levels prevent the attainment of the water quality criteria, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating State water conservation requirements to enable uses to be met; or
- iv. Controls more stringent than those required by Section 301(b) and 306 of the Federal Clean Water Act would result in substantial and widespread adverse social and economic impact.
- (b) Where water quality criteria are not currently met the Department shall not grant a modification, as set forth in this section, establishing an effluent limitation less stringent than the limitation(s) in the existing permit, unless the criteria are not met because of natural conditions.
- (c) Modified effluent limitations may be renewed if the discharger demonstrates, to the satisfaction of the Department, after public notice (including notice to affected municipalities) and a public hearing (where sufficient interest exists), that the basis for issuing the modification still exists and there have been no adverse impacts on the existing uses.

7:9B-1.10 Procedures for reclassifying specific segments for less restrictive uses

- (a) The Department will entertain petitions, for reclassification of specific segments to less restrictive uses, or may decide to initiate reclassification proceedings on its own, at any time.
- (b) Any reclassification proceedings will include full documentation of the items contained in (d) and (e) below. The documentation will be prepared by either the Department (where the Department has initiated the reclassification on its own) or the petitioner for the reclassification.
- (c) The Department shall issue public notice to all interested parties (including affected municipalities) and shall hold public hearing(s) as part of any reclassification proceeding.
- (d) The Department or the petitioner, as indicated in (b) above, shall include in the reclassification documentation appropriate water quality studies and analyses, biological studies and analyses, environmental, social, and economic studies as are necessary to demonstrate the satisfaction of (e)1 and 2 below, in addition to at least one of the remaining criteria in (e) below.
- (e) The Department may establish less restrictive uses than the designated uses only after it has been demonstrated to the satisfaction of the Department that:
 - 1. None of the uses being removed are existing uses; and
 - 2. The uses to be removed will not be attained by implementing effluent limits required by Sections 301(b) and 306 of the Federal Clean Water Act in conjunction with

- implementation of cost-effective and reasonable best management requirements for nonpoint source pollution control; and
- 3. The existing designated use is not attainable because of natural background; or
- 4. The existing designated use is not attainable because of irretrievable man-induced conditions; or
- 5. Natural, ephemeral, intermittent, or low flow conditions or water levels prevent the attainment of the use, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating State water conservation requirements to enable uses to be met; or
- 6. Physical conditions related to the natural features of the water body, such as the lack of a proper substrate, cover, flow, depth, pools, riffles, and the like, unrelated to water quality, preclude attainment of aquatic life protection uses; or
- 7. Controls more stringent than those required by Sections 301(b) and 306 of the Federal Clean Water Act would result in substantial and widespread adverse social and economic impact.
- (f) Any reclassification for less restrictive uses, established pursuant to this section shall be reviewed during each review of water quality standards pursuant to Section 303 of the Federal Clean Water Act (at least once every three years). Either the Department or the original petitioner, as indicated in (b) above, shall be responsible for supplying documentation showing that the bases for the reclassification still exist.
- (g) In those cases in which a thermal discharge is involved, the procedures for reclassifying segments for less restrictive use shall be consistent with section 316 of the Federal Clean Water Act.

7:9B-1.11 Procedures for reclassifying specific segments for more restrictive uses

- (a) The Department will entertain petitions, for reclassification of specific segments, pursuant to (e) below, or may decide to initiate reclassification proceedings on its own, at any time.
- (b) The Department may entertain petitions for reclassification of specific segments, pursuant to (f) below, at any time.
- (c) Documentation supporting the petition for reclassification for more restrictive use(s) shall be prepared by the petitioner for such reclassification, where one exists, or by the Department, where it decides to initiate such reclassification on its own.
- (d) The Department shall issue public notice to all interested parties (including affected municipalities and dischargers) and shall hold public hearing(s) as part of any reclassification proceeding.
- (e) A reclassification for more restrictive uses shall be made whenever:
 - 1. It is demonstrated to the satisfaction of the Department that there are existing uses of the specific segment that are not included in the designated uses; or
 - 2. Where a reclassification for less restrictive uses has been granted pursuant to N.J.A.C. 7:9B-1.10, the bases for the reclassification no longer exist; or
 - 3. It is demonstrated to the satisfaction of the Department that any uses in Section 101(a)(2) of the Federal Clean Water Act, protection and propagation of fish, shellfish, and wildlife, and recreation in and on the water, which are not included in the designated uses listed in this subchapter are attainable.

- (f) A reclassification for more restrictive uses may be made when:
 - 1. It is demonstrated to the satisfaction of the Department that the waters should be set aside to represent the natural aquatic environment and its associated biota; or
 - 2. It is demonstrated to the satisfaction of the Department that a more restrictive use is necessary to protect a unique ecological system or threatened/endangered species.
- (g) In those cases in which a thermal discharge is involved, the procedures for reclassifying segments for more restrictive uses shall be consistent with section 316 of the Federal Clean Water Act.

7:9B-1.12 Designated uses of FW1, PL, FW2, SE1, SE2, SE3, and SC waters

- (a) In all FW1 waters the designated uses are:
 - 1. Set aside for posterity to represent the natural aquatic environment and its associated biota;
 - 2. Primary contact recreation;
 - 3. Maintenance, migration and propagation of the natural and established aquatic biota; and
 - 4. Any other reasonable uses.
- (b) In all PL waters the designated uses are:
 - 1. Cranberry bog water supply and other agricultural uses;
 - 2. Maintenance, migration and propagation of the natural and established biota indigenous to this unique ecological system;
 - 3. Public potable water supply after conventional filtration treatment (a series of processes including filtration, flocculation, coagulation, and sedimentation, resulting in substantial particulate removal but no consistent removal of chemical constituents) and disinfection;
 - 4. Primary contact recreation; and
 - 5. Any other reasonable uses.
- (c) In all FW2 waters the designated uses are:
 - 1. Maintenance, migration and propagation of the natural and established biota;
 - 2. Primary contact recreation;
 - 3. Industrial and agricultural water supply;
 - 4. Public potable water supply after conventional filtration treatment (a series of processes including filtration, flocculation, coagulation, and sedimentation, resulting in substantial particulate removal but no consistent removal of chemical constituents) and disinfection; and
 - 5. Any other reasonable uses.
- (d) In all SE1 waters the designated uses are:
 - 1. Shellfish harvesting in accordance with N.J.A.C. 7:12;
 - 2. Maintenance, migration and propagation of the natural and established biota;
 - 3. Primary contact recreation; and

- 4. Any other reasonable uses.
- (e) In all SE2 waters the designated uses are:
 - 1. Maintenance, migration and propagation of the natural and established biota;
 - 2. Migration of diadromous fish;
 - 3. Maintenance of wildlife;
 - 4. Secondary contact recreation; and
 - 5. Any other reasonable uses.
- (f) In all SE3 waters the designated uses are:
 - 1. Secondary contact recreation;
 - 2 Maintenance and migration of fish populations;
 - 3 Migration of diadromous fish;
 - 4. Maintenance of wildlife; and
 - 5. Any other reasonable uses.
- (g) In all SC waters the designated uses are:
 - 1. Shellfish harvesting in accordance with N.J.A.C. 7:12;
 - 2. Primary contact recreation;
 - 3. Maintenance, migration and propagation of the natural and established biota; and
 - 4. Any other reasonable uses.

7:9B-1.13 Designated uses of mainstem Delaware River and Delaware Bay

- (a) The designated uses for the mainstem Delaware River and Delaware Bay are those contained in the DRBC Water Quality Regulations.
- (b) The designated uses for other waters under the jurisdiction of the DRBC are as set forth at N.J.A.C. 7:9B-1.12.

7:9B-1.14 Surface water quality criteria

- (a) Surface water quality criteria for FW1 waters shall be maintained as to quality in their natural state.
- (b) Surface water quality criteria for PL waters are as follows:
 - 1. These waters shall be maintained as to quality in their existing state or that quality necessary to attain or protect the designated uses, whichever is more stringent.
 - i. For Nitrate-Nitrogen a level of 2 mg/L shall be maintained in the surface waters unless it is shown that a lower level must be maintained to protect the existing surface water quality.
 - ii. A pH level between 3.5 and 5.5 shall be maintained unless it is demonstrated that a pH level outside of that range is necessary to protect the existing/designated uses.
 - 2. The water quality criteria for existing discharges are the water quality criteria contained in "Surface Water Quality Standards" as adopted in March 1981, except that:

- i. The criteria for Nitrate-Nitrogen and pH promulgated in N.J.A.C. 7:9B-1.14(b)1 for PL waters apply instead of the 1981 criteria, and;
- ii. The criteria for phosphorous, bacterial quality, and toxic substances promulgated in N.J.A.C. 7:9B-1.14(c) through (g) apply instead of the 1981 criteria, as though the freshwater portions of the PL waters were classified as FW2 and the saline portions were classified as SE1.
- (c) Unless site-specific criteria are established at (g) below, State-wide criteria apply for FW2, SE, and SC waters as listed in accordance with (d) through (f) below.
- (d) Surface Water Quality Criteria for FW2, SE and SC Waters:

Substance (Expressed as Maximi			Criteria	Classifications
1. ml)	Bacterial quality (Counts/100	i.	Shellfish Harvesting: Bacterial Indicators shall not exceed, in all shellfish waters, the standard for approved shellfish waters as established by the National Shellfish Sanitation Program as set forth in its current manual of operations.	Shellfish Waters
		ii.	Primary Contact Recreation:	
			(1) Enterococci levels shall not exceed a geometric mean of 30/100 ml over a 90-day period and a Statistical Threshold Value of 110/100 ml, which shall not be greater than 10 percent excursion frequency over a 90-day period.	SE1 and SC
			(2) <i>E. coli</i> levels shall not exceed a geometric mean of 100/100 ml over a 90-day period and a Statistical Threshold Value of 320/100 ml, which shall not be greater than 10 percent excursion frequency over a 90-day period.	All FW2
		iii.	Secondary Contact Recreation:	
			(1) Fecal coliform levels shall not exceed a geometric mean of 770/100 ml.	SE2
			(2) Fecal coliform levels shall not exceed a geometric mean of 1500/100ml.	SE3
2.	Dissolved oxygen (mg/L)	i.	Not less than 7.0 at any time;	FW2-TP
		ii.	24 hour average not less than 6.0. Not less than 5.0 at any time (see paragraph viii below);	FW2-TM

Substance		Criteria	Classifications
	iii.	24 hour average not less than 5.0, but not less than 4.0 at any time (see paragraph viii below);	FW2-NT (except as in iv below), SE1
	iv.	Not less than 4.0 at any time;	Tidal portions of FW2-NT tributaries to the Delaware River, between Rancocas Creek and Big Timber Creek inclusive.
	v.	Not less than 5.0 at any time;	SC
	vi.	Not less than 4.0 at any time;	SE2
	vii.	Not less than 3.0 at any time; and	SE3
	viii.	Supersaturated dissolved oxygen values shall be expressed as their corresponding 100 percent saturation values for purposes of calculating 24 hour averages.	FW2-TM, FW2-NT, SE1
Floating, colloidal, color and settleable solids; petroleum hydrocarbons and other oils and grease	i.	None noticeable in the water or deposited along the shore or on the aquatic substrata in quantities detrimental to the natural biota. None which would render the waters unsuitable for the designated uses.	All Classifications
	Floating, colloidal, color and settleable solids; petroleum hydrocarbons and other oils and	v. vi. vii. viii. Floating, colloidal, color and settleable solids; petroleum hydrocarbons and other oils and	iii. 24 hour average not less than 5.0, but not less than 4.0 at any time (see paragraph viii below); iv. Not less than 4.0 at any time; vi. Not less than 4.0 at any time; vii. Not less than 3.0 at any time; viii. Not less than 3.0 at any time; and viii. Supersaturated dissolved oxygen values shall be expressed as their corresponding 100 percent saturation values for purposes of calculating 24 hour averages. Floating, colloidal, color and settleable solids; petroleum hydrocarbons and other oils and

7:9B-1.14(d) General Surface Water Quality Criteria for FW2, SE and SC Waters:

	Substance	(Expressed as Maximum concentrati Criteria		Classifications
4.	Nutrients	be allowed in unsuitable for objectionable vegetation, or pH indicated detrimental of the control of the contro	e to natural conditions, nutrients shall not n concentrations that render the waters r the existing or designated uses due to e algal densities, nuisance aquatic iurnal fluctuations in dissolved oxygen ive of excessive photosynthetic activity, changes to the composition of aquatic or other indicators of use impairment trients.	All Classifications
		ii. Phosphorus (mg/L)*	
		not excee criteria establishe the Depar	Streams: Concentrations of total P shall d 0.1 in any stream, unless site-specific or watershed-specific translators are d pursuant to N.J.A.C. 7:9B-1.5(g)2 or if tment determines that concentrations do the waters unsuitable in accordance with we.	FW2
		0.05 in an at the poi unless sit translators 1.5(g)2 c concentra	oncentrations of total P shall not exceed y lake, pond or reservoir, or in a tributary nt where it enters such bodies of water, e-specific criteria or watershed-specific are developed pursuant to N.J.A.C. 7:9B-r if the Department determines that ions do not render the waters unsuitable nce with (d)4i. above.	FW2

	Substance (Expressed as	iviaxiiii	Criteria	Classifications
5.	pH (Standard Units)	i.	6.5-8.5	FW2 waters listed at 1.15(d), (f), (g) and (i), All SE
		ii.	4.5 - 7.5	FW2 waters listed at 1.15(c), (e) and (h)
		iii.	Natural pH conditions shall prevail.	SC
6.	Radioactivity	i.	Prevailing regulations including all amendments and future supplements thereto adopted by the U.S. Environmental Protection Agency pursuant to Sections 1412, 1445, and 1450 of the Public Health Services Act, as amended by the Safe Drinking Water Act (PL 93-523)	All Classifications
7.	Solids, Suspended (mg/L) (Non-filterable residue)	i.	25.0	FW2-TP, FW2-TM
		ii.	40.0	FW2-NT
		iii.	None of which would render the water unsuitable for the designated uses.	All SE, SC
8.	Solids, Total Dissolved (mg/L) (Filterable Residue)	i.	No increase in background which may adversely affect the survival, growth or propagation of the aquatic biota. Compliance with water quality-based WET limitations or $LC_{50} \ge 50$ percent, whichever is more stringent, shall be deemed to meet this requirement.	FW2

	Substance	as Maxim	Criteria	Classifications
		ii.	No increase in background which would interfere with the designated or existing uses, or 500 mg/L, whichever is more stringent.	FW2
		iii.	None which would render the water unsuitable for the designated uses.	All SE
9.	Sulfate (mg/L)	i.	250	FW2
10.	Taste and odor producing substances	i.	None offensive to humans or which would produce offensive taste or odors in water supplies and biota used for human consumption. None which would render the water unsuitable for the designated uses.	All Classifications
11.	Temperature	i.	Temperatures shall not exceed a daily maximum of 22 degrees Celsius or rolling seven-day average of the daily maximum of 19 degrees Celsius, unless due to natural conditions	FW2-TP
		ii.	Temperatures shall not exceed a daily maximum of 25 degrees Celsius or rolling seven-day average of the daily maximum of 23 degrees Celsius, unless due to natural conditions	FW2-TM
		iii.	Temperatures shall not exceed a daily maximum of 31 degrees Celsius or rolling seven-day average of the daily maximum of 28 degrees Celsius, unless due to natural conditions	FW2-NT
		iv.	No thermal alterations which would cause temperatures to exceed 29.4 degrees Celsius (85 degree Fahrenheit) Summer seasonal average	SE

(Expressed Substance	l as Maxim	um concentrations unless otherwise noted) Criteria	Classifications
	v.	No thermal alterations which would cause temperatures to exceed 26.7 degrees Celsius (80 degree Fahrenheit) Summer seasonal average	SC
12. Toxic Substances (general)	i.	None, either alone or in combination with other substances, in such concentrations as to affect humans or be detrimental to the natural aquatic biota, produce undesirable aquatic life, or which would render the waters unsuitable for the designated uses.	All Classifications
	ii.	None which would cause standards for drinking water to be exceeded after appropriate treatment.	FW2
	iii.	Toxic substances shall not be present in concentrations that cause acute or chronic toxicity to aquatic biota, or bioaccumulate within an organism to concentrations that exert a toxic effect on that organism or render it unfit for consumption.	All Classifications
	iv.	The concentrations of nonpersistent toxic substances in the State's waters shall not exceed one-twentieth (0.05) of the acute definitive LC_{50} or EC_{50} value, as determined by appropriate bioassays conducted in accordance with N.J.A.C. 7:18.	All Classifications
	v.	The concentration of persistent toxic substances in the State's waters shall not exceed one-hundredeth (0.01) of the acute definitive LC_{50} or EC_{50} value, as determined by appropriate bioassays conducted in accordance with N.J.A.C. 7:18.	All Classifications

	(Expressed Substance	as Maxim	um concentrations unless otherwise noted) Criteria	Classifications
13.	Turbidity (Nephelometric Turbidity Unit-NTU)	i.	Maximum 30-day average of 15 NTU, a maximum of 50 NTU at any time.	FW2, SE3
		ii.	Maximum 30-day average of 10 NTU, a maximum of 30 NTU at any time.	SE1, SE2
		iii.	Levels shall not exceed 10.0 NTU.	SC

^{*} See N.J.A.C. 7:9B-1.14(g) for site-specific criteria.

(e) Surface Water Quality Criteria for Ammonia are derived in accordance with the formulas set forth below. Acute criteria are expressed as three-hour average using MA1CD10 flow and chronic criteria are expressed as 30-day average using MA30CD10 flow. No exceedance of criteria shall be permitted at or above the design flows specified.

2. Ammonia, Total (mg TAN/L) - Acute criteria are expressed as one-hour average using MA1CD10 flow, chronic criteria are expressed as 30-day rolling average using MA30CD10 flow and the highest four-day average within the 30-day averaging period should not be more than 2.5 times of chronic criteria. No exceedance of criteria shall be permitted at or above the design flows specified.

CAS Number

CAS Number

Criteria applicable in FW2 waters

Classifications

3. Ammonia, total 7664-41-7 (mg TAN/L)

FW2-TP,

FW2-TM

$$\operatorname{MIN} \left(\frac{\left(\frac{0.275}{1 + 10^{7.204 - pH}} + \frac{39.0}{1 + 10^{pH - 7.204}} \right),}{\left(0.7249 \times \left(\frac{0.0114}{1 + 10^{7.204 - pH}} + \frac{1.6181}{1 + 10^{pH - 7.204}} \right) \times \left(23.12 \times 10^{0.036 \times (20 - T)} \right) \right) \right) \text{ (acute)}$$

ii.
$$0.7249 \times \left(\frac{0.0114}{1+10^{7.204-pH}} + \frac{1.6181}{1+10^{pH-7.204}}\right) \times MIN(51.93,23.12 \times 10^{0.036 \times (20-T)}) \text{ (acute)}$$

iii. All FW2
$$0.8876 \times \left(\frac{0.0278}{1 + 10^{7.688 - pH}} + \frac{1.1994}{1 + 10^{pH - 7.688}}\right) \times \left(2.126 \times 10^{0.028 \times (20 - MAX(T, 7))}\right) \text{ (chronic)}$$

- (f) Surface Water Quality Criteria for Toxic Substances are as follows:
 - 1. Acute aquatic life protection criteria are determined with no exceedance at or above the MA1CD10 flow and expressed as one-hour average except,
 - i. for copper the criteria are expressed as 24-hour average, and
 - ii. for cadmium, chromium, lead, mercury, nickel, silver, and zinc the criteria are expressed as 6-hour average.
 - 2. Chronic aquatic life protection criteria are determined with no exceedance at or above the MA7CD10 flow and expressed as four-day average.
 - 3. Freshwater aquatic criteria for cadmium, chromium III, copper, nickel, silver, and zinc are expressed as a function of water hardness. Criteria can be calculated at any hardness using these equations as listed below. Criteria thus calculated are multiplied by appropriate conversion factor (CF) to convert total recoverable metal into dissolved metal and by the default Water Effect Ratio (WER) of 1.0.

General formula $WER [e^{(V[ln (hardness)] + ln A - V[ln Z])}] CF$

where:

V = pooled slope

A = FAV at given hardness

Z = selected value of hardness

Cadmium:

Acute dissolved criterion WER $[e^{(1.0166 (ln [hardness])-3.924)}] 0.651$

Chronic dissolved criterion WER $[e^{(0.7409 (ln [hardness])-4.719)}] 0.651$

Chromium III:

Acute dissolved criterion WER $[e^{(0.819 (ln [hardness])+3.7256)}] 0.277$

Chronic dissolved criterion WER $[e^{(0.819 (ln [hardness])+0.6848)}] 0.277$

Copper:

Acute dissolved criterion WER $[e^{(0.9422 (ln [hardness])-1.7)}]$ 0.908

Chronic dissolved criterion WER $[e^{(0.8545 (ln [hardness])-1.702)}]$ 0.908

Nickel:

Acute dissolved criterion WER $[e^{(0.846 (ln [hardness])+2.255)}]$ 0.846

Chronic dissolved criterion WER $[e^{(0.846 (ln [hardness])+0.0584)}] 0.846$

Silver:

Acute dissolved criterion WER $[e^{(1.72 (ln [hardness])-6.59)}] 0.85$

Zinc:

Acute or dissolved criterion WER $[e^{(0.8473 (ln [hardness])+0.884)}] 0.950$

Chronic dissolved criterion WER $[e^{(0.8473 (ln [hardness])+0.884)}] 0.950$

4. Freshwater criteria for pentachlorophenol are expressed as a function of pH. Criteria are derived in accordance with the formula set forth below:

Acute criterion = $e^{(1.005[pH]-4.869)}$

Chronic criterion = $e^{(1.005[pH]-5.134)}$

- 5. Human health noncarcinogenic effect-based criteria are expressed as a 30-day average with no frequency of exceedance at or above the MA7CD10 flow.
- 6. Human health carcinogenic effect-based criteria are based on a risk level of one-in-one-million and are expressed as a 70-year average with no frequency of exceedance at or above the design flow as specified at N.J.A.C. 7:9B-1.5(c)2iii.

7. SURFACE WATER QUALITY CRITERIA FOR TOXIC SUBSTANCES: $(\mu g/L)$

			(µg/L)				
Toxic Substance	CAS	Fresh Water (FW2) Criteria			Saline Water (SE & SC) Criteria		
TOXIC Substance	Number	Aquatic Acute Chronic		Human Health	Aqu	atic Chronic	Human Health
Acenaphthene	83-32-9	Acute	Chionic	670(h)	Acute	Chronic	990(h)
Acrolein	107-02-8			6.1(h)			9.3(h)
Acrylonitrile	107-13-1			0.051(hc)			0.25(hc)
Aldrin	309-00-2	3.0		0.000049(hc)	1.3		0.000050(hc)
Ammonia, un-ionized	7664-41-7	See N.J.A 1.14			See N.J.A 1.14		
Anthracene	120-12-7			8,300(h)			40,000(h)
Antimony	7440-36-0			5.6(h)(T)			640(h)(T)
Arsenic	7440-38-2	340(d)(s)	150(d)(s)	0.017(hc)(T)	69(d)(s)	36(d)(s)	0.061(hc)(T)
Asbestos	1332-21-4			7x10 ⁶ fibers/L >10μm(h)			
Barium	7440-39-3			2,000(h)(T)			
Benz(a)anthracene	56-55-3			0.038(hc)			0.18(hc)
Benzene	71-43-2			0.15(hc)			3.3(hc)
Benzidine	92-87-5			0.000086(hc)			0.00020(hc)
3,4-Benzofluoranthene (Benzo(b)fluoranthene)	205-99-2			0.038(hc)			0.18(hc)
Benzo(k)fluoranthene	207-08-9			0.38(hc)			1.8(hc)
Benzo(a)pyrene (BaP)	50-32-8			0.0038(hc)			0.018(hc)
Beryllium	7440-41-7			6.0(h)(T)			42(h)(T)
alpha-BHC (alpha-HCH)	319-84-6			0.0026(hc)			0.0049(hc)
beta-BHC (beta-HCH)	319-85-7			0.0091(hc)			0.017(hc)
gamma-BHC (gamma- HCH/Lindane)	58-89-9	0.95		0.98(h)	0.16		1.8(h)
Bis(2-chloroethyl) ether	111-44-4			0.030(hc)			0.53(hc)
Bis(2-chloroisopropyl) ether	108-60-1			1,400(h)			65,000(h)
Bis(2-ethylhexyl) phthalate	117-81-7			1.2(hc)			2.2(hc)
Bromodichloromethane (Dichlorobromomethane)	75-27-4			0.55(hc)			17(hc)
Bromoform	75-25-2			4.3(hc)			140(hc)
Butyl benzyl phthalate	85-68-7			150(h)			190(h)
Cadmium	7440-43-9	(a)	(a)	3.4(h)(T)	40(d)(s)	8.8(d)(s)	16(h)(T)
Carbon tetrachloride	56-23-5			0.33(hc)			2.3(hc)
Chlordane	57-74-9	2.4	0.0043	0.00010(hc)	0.09	0.0040	0.00011(hc)

	CAS	Fre	esh Water (FV	V2) Criteria	Saline Water (SE & SC) Criteria		
Toxic Substance	Number	Aqu		Human Health	Aqua		Human Health
		Acute	Chronic		Acute	Chronic	
Chloride	16887-00-6	860,000	230,000	250,000(ol)			
Chlorine Produced Oxidants (CPO)	7782-50-5	19	11		13	7.5	
Chlorobenzene	108-90-7			210(h)			2,500(h)
Chloroform	67-66-3			68(h)			2,100(h)
2-Chloronaphthalene	91-58-7			1,000(h)			1,600(h)
2-Chlorophenol	95-57-8			81(h)			150(h)
Chlorpyrifos	2921-88-2	0.083	0.041		0.011	0.0056	
Chromium	7440-47-3			92(h)(T)			750(h)(T)
Chromium ⁺³	16065-83-1	(a)	(a)				
Chromium ⁺⁶	18540-29-9	15(d)(s)	10(d)(s)		1,100(d)(s)	50(d)(s)	
Chrysene	218-01-9			3.8(hc)			18(hc)
Copper*	7440-50-8	(a)	(a)	1,300(h)(T)	4.8(d)(s)	3.1(d)(s)	
Cyanide (Total)	57-12-5	22(fc)	5.2(fc)	140(h)	2.7(fc)	2.7(fc)	140(h)
4,4'-DDD (p,p'-TDE)	72-54-8			0.00031(hc)			0.00031(hc)
4,4'-DDE	72-55-9			0.00022(hc)			0.00022(hc)
4,4'-DDT	50-29-3	1.1	0.0010	0.00022(hc)	0.13	0.0010	0.00022(hc)
Demeton	8065-48-3		0.1			0.1	
Dibenz(a,h)anthracene	53-70-3			0.0038(hc)			0.018(hc)
Dibromochloromethane (Chlorodibromomethane)	124-48-1			0.40(hc)			13(hc)
Di-n-butyl phthalate	84-74-2			2,000(h)			4,500(h)
1,2-Dichlorobenzene	95-50-1			2,000(h)			6,200(h)
1,3-Dichlorobenzene	541-73-1			2,200(h)			8,300(h)
1,4-Dichlorobenzene	106-46-7			550(h)			2,200(h)
3,3'-Dichlorobenzidine	91-94-1			0.021(hc)			0.028(hc)
1,2-Dichloroethane	107-06-2			0.29(hc)			28(hc)
1,1-Dichloroethylene	75-35-4			4.7(h)			100(h)
trans-1,2-Dichloroethylene	156-60-5			590(h)			43,000(h)
2,4-Dichlorophenol	120-83-2			77(h)			290(h)
1,2-Dichloropropane	78-87-5			0.50(hc)			15(hc)
1,3-Dichloropropene (cis and trans)	542-75-6			0.34(hc)			21(hc)

	CAS	Fı	resh Water (F	W2) Criteria	Sali	ne Water (SE	& SC) Criteria
Toxic Substance	Number	Aqu		Human Health	Aqu		Human Health
District	00 57 4	Acute	Chronic		Acute	Chronic	
Dieldrin	60-57-1	0.24	0.056	0.000052(hc)	0.71	0.0019	0.000054(hc)
Diethyl phthalate	84-66-2			17,000(h)			44,000(h)
2,4-Dimethyl phenol	105-67-9			380(h)			850(h)
4,6-Dinitro-o-cresol	534-52-1			13(h)			280(h)
2,4-Dinitrophenol	51-28-5			69(h)			5,300(h)
2,4-Dinitrotoluene	121-14-2			0.11(hc)			3.4(hc)
1,2-Diphenylhydrazine	122-66-7			0.036(hc)			0.20(hc)
Endosulfans (alpha and beta)	115-29-7	0.22	0.056	62(h)	0.034	0.0087	89(h)
Endosulfan sulfate	1031-07-8			62(h)			89(h)
Endrin	72-20-8	0.086	0.036	0.059(h)	0.037	0.0023	0.060(h)
Endrin aldehyde	7421-93-4			0.059(h)			0.060(h)
Ethylbenzene	100-41-4			530(h)			2,100(h)
Fluoranthene	206-44-0			130(h)			140(h)
Fluorene	86-73-7			1,100(h)			5,300(h)
Guthion	86-50-0		0.01			0.01	
Heptachlor	76-44-8	0.52	0.0038	0.000079(hc)	0.053	0.0036	0.000079(hc)
Heptachlor epoxide	1024-57-3	0.52	0.0038	0.000039(hc)	0.053	0.0036	0.000039(hc)
Hexachlorobenzene	118-74-1			0.00028(hc)			0.00029(hc)
Hexachlorobutadiene	87-68-3			0.44(hc)			18(hc)
Hexachlorocyclopenta- diene	77-47-4			40(h)			1,100(h)
Hexachloroethane	67-72-1			1.4(hc)			3.3(hc)
Indeno(1,2,3-cd)pyrene	193-39-5			0.038(hc)			0.18(hc)
Isophorone	78-59-1			35(hc)			960(hc)
Lead	7439-92-1	38(d)(s)	5.4(d)(s)	5.0(h)(T)	210(d)(s)	24(d)(s)	
Malathion	121-75-5		0.1			0.1	
Manganese	7439-96-5						100(h)(T)
Mercury	7439-97-6	1.4(d)(s)	0.77(d)(s)	0.050(h)(T)	1.8(d)(s)	0.94(d)(s)	0.051(h)(T)
Methoxychlor	72-43-5		0.03	40(h)		0.03	
Methyl bromide (bromomethane)	74-83-9			47(h)			1,500(h)
Methyl t-butyl ether (MTBE)	1634-04-4			70(h)			

	CAS	F	resh Water (FW2) Criteria	Salir	Saline Water (SE & SC) Criteria		
Toxic Substance	Number		atic	Human Health	Aqua	1	Human Health	
Mathedana ablanida	75.00.0	Acute	Chronic		Acute	Chronic	240/h -)	
Methylene chloride	75-09-2		0.004	2.5(hc)		0.004	310(hc)	
Mirex	2385-85-5		0.001			0.001		
Nickel	7440-02-0	(a)	(a)	500(h)(T)	64(d)(s)	22(d)(s)	1,700(h)(T)	
Nitrate (as N)	14797-55-8			10,000(h)				
Nitrobenzene	98-95-3			17(h)			690(h)	
N-Nitrosodi-n-butylamine	924-16-3			0.0063(hc)			0.22(hc)	
N-Nitrosodiethylamine	55-18-5			0.00023(hc)			0.13(hc)	
N-Nitrosodimethylamine	62-75-9			0.00069(hc)			3.0(hc)	
N-Nitrosodiphenylamine	86-30-6			3.3(hc)			6.0(hc)	
N-Nitrosodi-n-propylamine (Di-n-propylnitrosamine)	621-64-7			0.0050(hc)			0.51(hc)	
N-Nitrosopyrrolidine	930-55-2			0.016(hc)			34(hc)	
Parathion	56-38-2	0.065	0.013					
Pentachlorobenzene	608-93-5			1.4(h)			1.5(h)	
Pentachlorophenol	87-86-5	(b)	(b)	0.27(hc)	13	7.9	3.0(hc)	
Phenol	108-95-2			10,000(h)			860,000(h)	
Phosphorous (yellow)	7723-14-0					0.1		
Polychlorinated biphenyls (PCBs)	1336-36-3		0.014	0.000064(hc)		0.030	0.000064(hc)	
Pyrene	129-00-0			830(h)			4,000(h)	
Selenium	7782-49-2	20(s)	5.0(s)	170(h)(T)	290(d)(s)	71(d)(s)	4,200(h)(T)	
Silver	7440-22-4	(a)		170(h)(T)	1.9(d)(s)		40,000(h)(T)	
Sulfide-hydrogen sulfide (undissociated)	7783-06-4		2			2		
1,2,4,5- Tetrachlorobenzene	95-94-3			0.97(h)			1.1(h)	
2,3,7,8- Tetrachlorodibenzo -p-dioxin (TCDD)	1746-01-6			0.0000000050(hc)			0.0000000051(hc)	
1,1,2,2-Tetrachloroethane	79-34-5			4.7(h)			110(h)	
Tetrachloroethylene	127-18-4			0.34(hc)			1.6(hc)	
Thallium	7440-28-0			0.24(h)(T)			0.47(h)(T)	
Toluene	108-88-3			1,300(h)			15,000(h)	
Toxaphene	8001-35-2	0.73	0.0002	0.00028(hc)	0.21	0.0002	0.00028(hc)	
1,2,4-Trichlorobenzene	120-82-1			21(h)			42(h)	

	CAS	Fresh Water (FW2) Criteria			Saline Water (SE & SC) Criteria		
Toxic Substance	Number	Aqu	ıatic	Human Health	Aqu	atic	
		Acute	Chronic	Human Health	Acute	Chronic	Human Health
1,1,1-Trichloroethane	71-55-6			120(h)			2,600(h)
1,1,2-Trichloroethane	79-00-5			13(h)			350(h)
Trichloroethylene	79-01-6			1.0(hc)			12(hc)
2,4,5-Trichlorophenol	95-95-4			1,800(h)			3,600(h)
2,4,6-Trichlorophenol	88-06-2			0.58(hc)			1.0(hc)
Vinyl chloride	75-01-4			0.082(hc)			8.1(hc)
Zinc	7440-66-6	(a)	(a)	7,400(h)(T)	90(d)(s)	81(d)(s)	26,000(h)(T)

- (a) Criteria as listed at (f)3 above as formula
- (b) Criteria as listed at (f)4 above as formula
- (d) Criterion is expressed as a function of the Water Effect Ratio (WER). For criterion in the table, WER equates to the default value of 1.0.
- (fc) Criteria expressed as free cyanide (as CN)/L
- (h) Human health noncarcinogen
- (hc) Human health carcinogen
- (ol) Organoleptic effect-based criterion with no frequency of exceedance at or above the MA7CD10 flow
- (s) Dissolved criterion
- (T) Total recoverable criterion
- * See N.J.A.C. 7:9B-1.14(g) for site-specific criteria.

(g) Site-specific surface water quality criteria listed below apply to specific waterbodies that supersede the State-wide criteria listed at (d), (e), and (f) above. Any site-specific criterion developed through a Total Maximum Daily Load (TMDL) adopted as an amendment to the Statewide Water Quality Management Plan or the applicable Areawide Water Quality Management Plan in accordance with N.J.A.C. 7:15-5.4 shall be incorporated into this section. The Department shall publish a notice of administrative change in the New Jersey Register.

Toxic	CAS	Freshwater Crite		iteria	teria Saline water Criteria			Waterbodies
Substance	Number	Aq	uatic	atic Human		Aquatic		Water o dates
		Acute	Chronic	Health	Acute	Chronic	Health	
Copper (µg/L dissolved)	7440508				7.9	5.6		Newark Bay, Raritan Bay, Arthur Kill, Kill Van Kull, saline portions of the Passaic, Hackensack, and Hudson Rivers and saline portions of tributaries to all of these waters.

2.					
Substance	Criteria	Duration	Waterbody	Associated HUC14 Name	Associated
					HUC14 Number
Total	0.050	Annual	Carnegie Lake	Stony Bk (Princeton)	02030105090090
Phosphorus		average	(Mercer &	Millstone R (Rt. 1 to Cranbury Bk)	02030105100140
(mg/L) ^(A)			Middlesex Counties)	Millstone R (Heathcote Bk to	02030105110020
				Harrison St.)	
	0.053	Annual	Gordon Pond	Devils Brook	02030105100110
		average	(Middlesex County)		
	0.040	Annual	Grovers Mill Pond	Bear Brook (below Trenton Road)	02030105100130
		average	(Mercer County)		
	0.059	Annual	Peddie Lake (Mercer	Rocky Brook (below Monmouth	02030105100050
		average	County)	Co line)	
	0.043	Annual	Plainsboro Pond	Cranbury Brook (below NJ	02030105100090
		average	(Middlesex County)	Turnpike)	

(A) In accordance with the Amendment to the Lower Raritan/Middlesex, Mercer County, Monmouth County, Northeast, Upper Delaware and Upper Raritan Water Quality Management Plans; Total Maximum Daily Load Report for the Non-Tidal Raritan River Basin Addressing Total Phosphorus, Dissolved Oxygen, pH and Total Suspended Solids Impairments Watershed Management Areas 8, 9 and 10; adopted May 24, 2016 at 48 N.J.R. 1321(a)). The TMDL Report may be downloaded at https://www.nj.gov/dep/wms/bears/docs/raritan_tmdl_adopted.pdf.

3.

Substance	Criteria	Duration	Waterbody	Associated HUC14	Associated
				Name	HUC14 Number
Chlorophyll	20	Seasonal average (June	Dundee Lake	Passaic R Lwr	02030103120080
$a (\mu g/L)^{(B)}$		15 th to September 1 st)		(Dundee Dam to F.L.	
				Ave)	
	10	Seasonal average (June	Wanaque Lake	Wanaque Reservoir	02030103070050
		15 th to September 1 st)	_	(below Monks gage)	

(B) Chlorophyll *a* is a watershed-specific translator applicable for the lakes identified above where the total phosphorus criterion of 0.1 mg/L does not apply to the upstream waterbodies identified in Table (i) below in accordance with the Amendment to the Northeast, Upper Raritan, Sussex County and Upper Delaware Water Quality Management Plans; Total Maximum Daily Load Report for the Non-Tidal Passaic River Basin Addressing Phosphorus Impairments. Watershed Management Areas 3, 4 and 6; adopted April 24, 2008 at 40 N.J.R. 2574(b)). The TMDL Report may be downloaded at https://www.nj.gov/dep/wms/bears/docs/passaic_tmdl.pdf.

i. The total phosphorus criterion of 0.1 mg/L at N.J.A.C. 7:9B-1.14(d)4ii(1) does not

apply to the following waterbodies:

Associated HUC14 Number 02030103010010 orn Mills) 02030103010070 o Dead R) 02030103010110 ofield Rd) 02030103010120
Mills) 02030103010010 orn Mills) 02030103010070 o Dead R) 02030103010110
orn Mills) 02030103010070 o Dead R) 02030103010110
o Dead R) 02030103010110
,
ofield Rd) 02030103010120
111Cld Rd) 02030103010120
yder Ave) 02030103010130
o 40d 45m) 02030103010150
Columbia 02030103010160
Tanover RR) 02030103010170
Rockaway) 02030103010180
Pine Bk) 02030103040010
ompton R) 02030103120100
ump stn) 02030103120110
e to Goffle) 02030103120070
o F.L. Ave) 02030103120080
n Brook 02030103070060
n Brook 02030103070060
n Brook 02030103070060
eservoir) 02030103070070
02030103070070
eservoir) 02030103070070

Ramapo River from Pompton Lake to Pompton River including all named and unnamed tributaries	Ramapo R (below Crystal Lake bridge) P	02030103100070 P
Pompton River from confluence with Pequannock River to Passaic River, including all	Pequannock R (below Macopin gage) P	02030103050080 P
named and unnamed all tributaries	Pompton River	02030103110020
Beaver Brook including all named and unnamed all tributaries	Lincoln Park tribs (Pompton River)	02030103110010
Preakness (Singac) Brook, entire length	Preakness Brook / Naachtpunkt Brook	02030103120030
Goffle Brook, entire length	Goffle Brook	02030103120050
Molly Ann Brook, entire length	Molly Ann Brook	02030103120040
Deepavaal Brook, entire length	Deepavaal Brook	02030103120060
Peckman River, entire length	Peckman River (above CG Res trib)	02030103120010
_	Peckman River (below CG Res trib)	02030103120020
Canoe Brook, entire length	Canoe Brook	02030103010140
Slough Brook, entire length	Slough Brook	02030103010190
Crooked Brook including all named and unnamed all tributaries	Montville tribs.	02030103030160
Rockaway River, from downstream boundary of Jersey City (Boonton) Reservoir to Passaic River including all named and unnamed tributaries	Rockaway R (Passaic R to Boonton dam)	02030103030170
Whippany River from Washington Valley Road	Greystone / Watnong Mtn tribs	02030103020030
to Passaic River including all named and unnamed all tributaries	Whippany R (Lk Pocahontas to Wash Val Rd)	02030103020040
	Whippany R (Malapardis to Lk Pocahontas)	02030103020050
	Whippany R (Rockaway R to Malapardis Bk)	02030103020100
Dead River, entire length	Dead River (above Harrisons Brook)	02030103010080
	Dead River (below Harrisons Brook)	02030103010100
Harrisons Brook, entire length	Harrisons Brook	02030103010090
Primrose Brook, entire length	Primrose Brook	02030103010020
Loantaka Brook, entire length	Loantaka Brook	02030103010040
Great Brook including all named and unnamed	Great Brook (above Green Village Rd)	02030103010030
all tributaries	Great Brook (below Green Village Rd)	02030103010050
Malapardis Brook, entire length	Malapardis Brook	02030103020060
Black Brook, entire length	Black Brook (Hanover)	02030103020070
Black Brook including all named and unnamed all tributaries	Black Brook (Great Swamp NWR)	02030103010060
Troy Brook including all named and unnamed	Troy Brook (above Reynolds Ave)	02030103020080
tributaries	Troy Brook (below Reynolds Ave)	02030103020090

P Partial HUC14

- (h) Surface water quality criteria for waters under the jurisdiction of the DRBC:
 - 1. Mainstem Delaware River and Delaware Bay:
 - i. For parameters with criteria in the DRBC Water Quality Regulations, the criteria contained therein are the applicable criteria.
 - ii. For parameters without criteria in the DRBC Water Quality Regulations, the criteria at (c) above are the applicable criteria and shall be applied as follows:
 - (1) Criteria applicable to FW2-NT waters apply where salinities are less than or equal to 3.5 parts per thousand (ppt) at mean high tide;
 - (2) Criteria applicable to SE waters apply where salinities are greater than 3.5 ppt at mean high tide; and
 - (3) Where salinities vary from 3.5 ppt or less, to greater than 3.5 ppt, at mean high tide, the more stringent of the FW2-NT or SE criteria apply.
 - 2. Tributaries to the mainstem Delaware River and Delaware Bay:
 - i. The applicable criteria are those contained in the DRBC Water Quality Regulations; or
 - ii. The criteria at (c) above, whichever are more stringent.
 - 3. For all waters under the jurisdiction of the DRBC where criteria are not established in the DRBC Water Quality Regulations, or at (c) above, the Department shall use criteria based upon the best available scientific information, in accordance with (d)1ii above and N.J.A.C. 7:9B-1.5(c)5, to establish water quality-based effluent limitations.

7:9B-1.15 Surface water classifications for the waters of the State of New Jersey

- (a) This section contains the surface water classifications for the waters of the State of New Jersey. Surface water classifications are presented in tabular form. Subsections (c) through (i) contain surface water classifications by major drainage basin. Subsection (j) lists FW1 waters by tract within basins and subsection (k) identifies the Outstanding National Resource Waters of the State. Interstate waters of the mainstem Delaware River are under the jurisdiction of the DRBC and the designations are contained in the DRBC Water Quality Regulations.
- (b) The following are instructions for the use of N.J.A.C. 7:9B-1.15(c) through (j) respectively:
 - 1. The surface water classification subsections give the surface water classifications and antidegradation designations for waters of the State.
 - 2. Within each basin the waters are listed alphabetically and segment descriptions begin at the headwaters and proceed downstream.
 - 3. To find a stream:
 - i. Determine which major drainage basin the stream is in;
 - ii. Look for the name of the stream in the appropriate table and find the classification;
 - iii. For unnamed or unlisted streams, find the stream or other waterbody that the stream of interest flows into and look for the classification of that stream or waterbody. The classification of the stream of interest may then be determined by referring to (b)5 below. If the second stream or waterbody is

also unlisted, repeat the process until a listed stream or waterbody is found. Use (b)5iv below to classify streams entering unlisted lakes.

- 4. To find a lake or other non-stream waterbody:
 - i. Determine which major drainage basin the waterbody is in;
 - ii. Look for the waterbody name in the appropriate table;
 - iii. If the waterbody is not listed, use (b)5ii, 5iii, 5vi, and 5vii below to determine the appropriate classification.
- 5. To find waterways or waterbodies not listed at N.J.A.C. 7:9B-1.15(c) through (i), use the following instructions:
 - i. Unnamed or unlisted freshwater streams that flow into streams classified as FW2-TP, FW2-TM, or FW2-NT take the classification of the classified stream they enter, unless the unlisted stream is a PL water which is covered in (b)5vii below. If the stream could be a C1 water, see (b)5vi below.
 - ii. All freshwater lakes, ponds and reservoirs that are five or more acres in surface area, that are not located entirely within the Pinelands Area boundaries (see (b)5vii below) and that are not specifically listed as FW2-TP or FW2-TM are classified as FW2-NT. This includes lakes, ponds and reservoirs on segments of streams which are classified as FW2-TM or FW2-TP such as Saxton Lake on the Musconetcong River. If the waterbody could be a C1 water, also check (b)5vi below.
 - iii. All freshwater lakes, ponds and reservoirs, that are less than five acres in surface area, upstream of and contiguous with FW2-TP or FW2-TM streams, and which are not located entirely within the Pinelands Area boundaries (see(b)5vii below) are classified as FW2-TM. All other freshwater lakes, ponds and reservoirs that are not otherwise classified in this subsection or the following tables are classified as FW2-NT. If the waterbody could be a C1 water, also check (b)5vi below.
 - iv. Unnamed or unlisted streams that enter FW2 lakes, ponds and reservoirs take the classification of either the listed tributary stream flowing into the lake with the highest classification or the listed tributary stream leaving the lake with the highest classification, whichever has the highest classification, or, if there are no listed tributary or outlet streams to the lake, the first listed stream downstream of the lake. If the stream is located within the boundaries of the Pinelands Area, see (b)5.vii. below; if it could be a C1 water, also see (b)5vi below.
 - v. Unlisted saline waterways and waterbodies are classified as SE1 in the Atlantic Coastal Basin. Unlisted saline waterways which enter SE2 or SE3 waters in the Passaic, Hackensack and New York Harbor Complex basin are classified as SE2 unless otherwise classified in (f) below. Freshwater portions of unlisted streams entering SE1, SE2, or SE3 waters are classified as FW2-NT. This only applies to waters that are not PL waters (see (b)5vii below). If the waterbody or waterway could be a C1 water, also see (b)5vi below.
 - vi. All waterbodies that have been designated by the Department as Category One are specifically listed in 1.15(c) through (i).
 - vii. All waterways or waterbodies, or portions of waterways or waterbodies, that are located within the boundaries of the Pinelands Area established at N.J.S.A. 13:18A-11a are classified as PL unless they are listed as FW1 waters

- in (j) below. A tributary entering a PL stream is classified as PL only for those portions of the tributary that are within the Pinelands Area. Lakes are classified as PL only if they are located entirely within the Pinelands Area.
- 6. The following 10 classifications are used for the sole purpose of identifying the water quality classification of the waters listed in the tables in (c) through (j) below:
 - i. "FW1" means those fresh waters, as designated in N.J.A.C. 7:9B-1.15(j), and as defined at N.J.A.C. 7:9B-1.4.
 - ii. "FW2-TP" means FW2 trout production.
 - iii. "FW2-TM" means FW2 trout maintenance.
 - iv. "FW2-NT" means FW2 non trout.
 - v. "PL" means Pinelands Waters.
 - vi. "SE1" means saline estuarine waters whose designated uses are listed in N.J.A.C. 7:9B-1.12(d).
 - vii. "SE2" means saline estuarine waters whose designated uses are listed in N.J.A.C. 7:9B-1.12(e).
 - viii. "SE3" means saline estuarine waters whose designated uses are listed in N.J.A.C. 7:9B-1.12(f).
 - ix. "SC" means the general surface water classification applied to saline coastal waters.
 - x. FW2-NT/SE1 (or a similar designation that combines two classifications) means a waterway in which there may be a salt water/fresh water interface. The exact point of demarcation between the fresh and saline waters must be determined by salinity measurements and is that point where the salinity reaches 3.5 parts per thousand at mean high tide. The stream is classified as FW2-NT in the fresh portions (salinity less than or equal to 3.5 parts per thousand at mean high tide) and SE1 in the saline portions.
- 7. The following water quality designations are used in (c) through (i), respectively, below:
 - i. "(C1)" means Category One waters;
 - ii. "(tp)" indicates trout production in waters which are classified as FW1. This is for information only and does not affect the water quality criteria for those waters;
 - iii. "(tm)" indicates trout maintenance in waters which are classified as PL or FW1. For FW1 waters this is for information only and does not affect the water quality criteria for those waters.

(c) The following surface water classifications are for waters of the Atlantic Coastal Basin:

Waterbody	Classification
ABRAMS CREEK	
(Marmora) - Entire length, except portion outside the	
boundaries of the MacNamara Wildlife Management	
Area	FW2-NT/SE1(C1)
(Griscom) - Portions of the Creek and tributaries outside of	EWO NE/CE1
the MacNamara Wildlife Management Area	FW2-NT/SE1
ABSECON BAY (Absecon) - All waters within Absecon Wildlife	SE1(C1)
Management Area ABSECON CREEK	SE1(C1)
(Egg Harbor) - North and South Branches from their origins	
downstream to the boundary of the Pinelands	
Protection and Preservation Area	PL
(Absecon) - Boundary of the Pinelands Protection and	
Preservation Area to Mill Road Dam	FW2-NT
(Absecon) - Mill Road Dam to Absecon Bay, except portions	
within Absecon Wildlife Management Area	SE1
ARNOLD POND (Barnegat)	FW2-NT/SE1(C1)
ATLANTIC OCEAN	
(Offshore) - Waters from the shoreline out to the three mile	SC
limit, except areas described below (Beach Haven) - Waters of the Atlantic Ocean out to the	SC
State's three mile limit from Beach Haven Inlet to	
Cape May Point, excluding waters classified as	
Prohibited in accordance with N.J.A.C. 7:12	SC(C1)
TRIBUTARIES, ATLANTIC OCEAN	()
(New Jersey Coast) - All those streams or segments of	
streams that flow directly into the Atlantic Ocean or	
into back bays of the Ocean which are not included	
elsewhere in this list, are not within the boundaries	
of the Pinelands Protection or Preservation Areas	FW2-NT/SE1
(Pinelands) - All streams or segments of streams which flow	
directly into the Atlantic Ocean or into back bays of	
the Ocean, are within the boundaries of the Pinelands Protection and Preservation Areas and are not	
classified as FW1 in this Table	PL
(New Jersey Coast) - All streams or segments of streams	1 L
which flow directly into the Atlantic Ocean or into	
back bays of the Ocean, are not trout maintenance	
waters, and are not classified as FW1 in this Table	FW2-NT/SE1(C1)
BABCOCK CREEK (Marmora) - Entire length	FW2-NT/SE1(C1)
BALLANGER CREEK	

(New Gretna) - Source to Pollys Ditch (New Gretna) - Pollys Ditch to Bay BANKS CREEK (Marmora) - Entire length BARNEGAT BAY	FW2-NT/SE1 SE1(C1) SE1(C1)
(Barnegat National Wildlife Refuge) - All waters within the	
boundaries of the Barnegat National Wildlife Refuge (Barnegat Bay) - All waters of the Bay	SE1(C1) SE1(C1)
(Island Beach State Park) - All freshwater ponds within the boundaries of Island Beach State Park	FW1
(Island Beach State Park) - All waters in the Park, not classified as FW1 above	FW2-NT/SE1(C1)
BARNEGAT BAY TRIBUTARIES - See ATLANTIC OCEAN, TRIBUTARIES BASS RIVER	
(Oswego Lake) - Source to Pineland Protection and	
Preservation Area boundary at the Garden State Parkway, except those branches described separately	
below	PL
(New Gretna) - Pineland Protection and Preservation Area	
boundary to the boundary of shellfish waters	FW2-NT/SE1
(New Gretna) - Boundary of shellfish waters to Mullica	GT4 (G4)
River	SE1(C1)
(Bass River State Forest) - Tommy's Branch from its	
headwaters to the Bass River State Forest Recreation Area service road	FW1
(Bass River State Forest) - Falkenburg Branch of Lake	ΓWI
Absegami from its headwaters to the Lake	FW1
BATSTO RIVER	1 44 1
(Browns Mills) - Entire length, except waters described	
separately below	PL
(Wharton) - Skit Branch and tributaries from their	
headwaters to the confluence with Robert's Branch	FW1
(Wharton) - The easterly branches of the Batsto River from	
Batsto Village upstream to the confluence with Skits	
Branch	FW1
BEACH THOROFARE (Margate) - Entire length	SE1(C1)
BEAR SWAMP BROOK	
(Howell)- Entire Length	FW2-NT(C1)
BIG ELDER CREEK	
(Sea Isle City) - Segment within the boundaries of Cape May	
Coastal Wetlands Wildlife Management Area	SE1(C1)
(Sea Isle City) - Segment outside the boundaries of Cape	
May Coastal Wetlands Wildlife Management Area	SE1
BIG GRAVELING CREEK (Great Bay) - Entire length	SE1(C1)
BIG GREAVES CREEK	

(MacNamara) - Segment of the Creek outside the boundaries of MacNamara Wildlife Management Area (MacNamara) - Creek and tributaries within the boundaries	SE1
of MacNamara Wildlife Management Area	SE1(C1)
BIG THOROFARE (Tuckerton) - Source to boundary of Great Bay Blvd.	
Wildlife Management Area (Tuckerton) - Segment within the boundaries of Great Bay	SE1
Blvd. Wildlife Management Area	SE1(C1)
BLUEFISH BROTHERS (Stone Harbor) - Entire length	SE1(C1)
BLUEFISH CREEK (Stone Harbor) - Entire length	SE1(C1)
BOG BRANCH CREEK (Middletown) - Entire length, except	
portions within the Pinelands Protection and	CE1(C1)
Preservation Area (Middletown) - Portions within the Pinelands Protection and	SE1(C1)
Preservation Area	PL
BRIGANTINE (Edwin B. Forsythe National Wildlife Refuge) - All	1 L
waters within the boundaries of the Edwin B.	
Forsythe National Wildlife Refuge, except portions	
of Cedar Creek and Cedar Run	FW2-NT/SE1(C1)
BRISBANE LAKE	, ,
(Allaire State Park) - The Lake and its tributaries	FW2-NT(C1)
BROAD CREEK (New Gretna) - Entire length	SE1(C1)
BROAD THOROFARE	
(Longport) - South of Rt. 152	SE1
(Longport) - North of Rt. 152	SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length	
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA	SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May	SE1(C1) SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May Coastal Wetlands Wildlife Management Area	SE1(C1) SE1(C1) FW2-NT/SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May Coastal Wetlands Wildlife Management Area CABBAGE THOROFARE (Great Bay) - Entire length	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May Coastal Wetlands Wildlife Management Area	SE1(C1) SE1(C1) FW2-NT/SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May Coastal Wetlands Wildlife Management Area CABBAGE THOROFARE (Great Bay) - Entire length CEDAR BRIDGE BRANCH (Lakewood) - Entire length	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May Coastal Wetlands Wildlife Management Area CABBAGE THOROFARE (Great Bay) - Entire length CEDAR BRIDGE BRANCH (Lakewood) - Entire length CEDAR CREEK	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May Coastal Wetlands Wildlife Management Area CABBAGE THOROFARE (Great Bay) - Entire length CEDAR BRIDGE BRANCH (Lakewood) - Entire length CEDAR CREEK (Manahawkin) - Source to boundaries of the Manahawkin	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT FW2-NT/SE1 FW2-NT/SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT FW2-NT/SE1 FW2-NT/SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT FW2-NT/SE1 FW2-NT/SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA (Strathmere) - All waters within the boundaries of Cape May	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT FW2-NT/SE1 FW2-NT/SE1(C1)
(Longport) - North of Rt. 152 BROTHERS CREEK (Burleigh) - Entire length CAPE MAY COASTAL WETLANDS WILDLIFE MANAGEMENT AREA	SE1(C1) SE1(C1) FW2-NT/SE1(C1) SE1(C1) FW2-NT FW2-NT/SE1 FW2-NT/SE1(C1)

(Berkeley) - US Highway 9 to Barnegat Bay, except portions within Edwin B. Forsythe National Wildlife Refuge (Greenwood Forest) - Webbs Mill Branch and tributaries	
located entirely within the boundaries of Greenwood Forest Wildlife Management Area FW1 (Greenwood Forest) - Chamberlain's Branch from its origins	
to a point 1000 feet west of Route 539 FW1 (Greenwood Forest) - Those portions of the tributaries to	
Chamberlain's Branch originating and wholly contained within the boundaries of the Greenwood	
Forest Wildlife Management Area FW1 CEDAR HAMMOCKS CREEK (English Creek Landing) - Entire	
length SE1(C1) CEDAR RUN	
(Stafford) - Source to the boundaries of the Pinelands	
Protection and Preservation Area at the Garden State	
Parkway PL (Cedar Run) - Garden State Parkway to US Highway 9,	
except portions within Edwin B. Forsythe National	
Wildlife Refuge FW2-NT	
(Cedar Run) – portions within Edwin B. Forsythe National	
Wildlife Refuge upstream of US Highway 9 FW2-NT(C1)	
(Cedar Run) - US Highway 9 to the boundaries of the Barnegat National Wildlife Refuge, except portions	
within Edwin B. Forsythe National Wildlife Refuge FW2-NT/SE1	
(Cedar Run) – portions within Edwin B. Forsythe National	
Wildlife Refuge downstream of US Highway 9 FW2-NT/SE1(0	C1)
(Barnegat) - National Wildlife Refuge boundaries to Barnegat Bay FW2-NT/SE1(0)	71)
CEDAR SWAMP CREEK	J1)
(Cedar Spring) - Entire length, except segment described	
separately below FW2-NT/SE1	
(Marmora) - Creek and tributaries within the boundaries of	71)
the MacNamara Wildlife Management Area FW2-NT/SE1(CHAMBERLAIN BRANCH - See CEDAR CREEK	J1)
CHANNEL CREEK (Barnegat Bay) - Entire length SE1(C1)	
CHARLEY CREEK (Marmora) - Entire length FW2-NT/SE1(0	C1)
CLEAR STREAM (JACKSON) - Entire length FW2-TM(C1)	
COLLINS TIDE PONDS (Barnegat) FW2-NT/SE1(C	C1)
COMMANDO CREEK (Marmora) - Entire length SE1(C1)	
CRANBERRY BROOK (Monmouth) - Entire length FW2-NT/SE1	
DAVENPORT BROOK (Parkelon) Second to the boundaries of the Bindon by	
(Berkeley) - Source to the boundaries of the Pinelands Protection and Preservation Area at the Penn Central	
railroad tracks PL	
(Toms River) - Railroad tracks to confluence with Wrangel	
Brook FW2-NT	

DEEP CREEK (Herbertsville) - Entire length	FW2-NT
DEEP RUN (Wharton) - Run and tributaries from their sources to Springer's Brook DICKS BROOK (Larrabee's Crossing) - Entire length DINNER POINT CREEK (Staffordsville) - Entire length DOCK THOROFARE (Northfield) - Entire length DOUGHTY RESERVOIR (Atlantic city) DOVE MILL BRANCH - See TOMS RIVER EDWARD CREEK	FW1 FW2-NT(C1) SE1(C1) SE1(C1) FW2-NT(C1)
(Ocean City) - Source to the boundary of Cape May Coastal Wetlands Wildlife Management Area (Ocean City) - Boundary of Cape May Coastal Wetlands Wildlife Management Area to Horn Creek	SE1 SE1(C1)
FALKENBURG BRANCH - See BASS RIVER FLAT CREEK (Marmora) - Entire length FLATTERAS CREEK (Beach Haven Heights) - Entire length FORKED RIVER	FW2-NT/SE1(C1) SE1(C1)
(Lacey) - River and branches from their sources to the boundaries of the Pinelands Protection and Preservation Area at the Garden State Parkway (Forked River) - Garden State Parkway to Barnegat Bay FORTESCUE (Fortescue) - All waters within the Fortescue Wildlife	PL FW2-NT/SE1
Management Area GIBSON CREEK	FW2-NT/SE1(C1)
(Gibson Landing) - Entire length, except segment described below	PL
(Marmora) - Segment and tributaries within the MacNamara Wildlife Management Area GLENDOLA RESERVOIR (Glendola) GO THROUGH CREEK	FW2-NT/SE1(C1) FW2-NT(C1)
(Burleigh) - Entire length, outside the boundaries of the Cape May Coastal Wetlands Wildlife Management Area	SE1
(Burleigh) - Segment within the boundaries of the Cape May Coastal Wetlands Wildlife Management Area	SE1(C1)
GOING THROUGH CREEK (English Creek Landing) GREAT BAY (Brigantine) - All waters of the Bay and all natural waterways which are tributary to the Bay and all waters, including both natural and manmade channels and ponds within the boundaries of the Edwin B. Forsythe National Wildlife Refuge and the	SE1(C1)
Great Bay Wildlife Management Area GREAT EGG HARBOR RIVER	FW2-NT/SE1(C1)
(Berlin) - Source to confluence with Tinker Branch (Berlin) - Tinker Branch, the River from its confluence with Tinker Branch, and all tributaries within the Pinelands Protection and Preservation Area,	FW2-NT

downstream to the boundary at the Rt. 40 bridge in Mays Landing (Winslow) - All tributaries or segments of tributaries outside of the boundaries of the Pinelands Protection and Preservation Area, downstream to Rt. 40 at Mays	PL
Landing	FW2-NT
(Mays Landing) - Rt. 40 bridge to Great Egg Harbor, except those tributaries described separately below (Mays Landing) - All tributaries or segments of tributaries	SE1
within the boundaries of the Pinelands Protection and Preservation Areas	PL
(Egg Harbor) - Tributaries and all other waters within MacNamara Wildlife Management Area, except tributary described below	FW2-NT/SE1(C1)
(Tuckahoe) - Hawkins Creek and the stream adjacent to and north of Hawkin's Creek, and their tributaries, from their origins to the point where the influence of	
impoundment begins GREAT SOUND (Avalon) - All waters within Great Sound State	FW1
Park GREAT THOROFARE	SE1(C1)
(Ventnor) - West of Rt. 40	SE1(C1)
(Ventnor) - East of Rt. 40	SE1
GRISCOM CREEK (Gibson Landing) - Entire length GUNNING RIVER	FW2-NT/SE1(C1)
(Barnegat) - Entire length, except segment described below (Barnegat) - Stream and tributaries within the boundaries of	FW2-NT/SE1
Barnegat National Wildlife Refuge HALFWAY CREEK	FW2-NT/SE1(C1)
(Middletown) - Source to the boundary of the MacNamara	
Wildlife Management Area (MacNamara) - Creek and tributaries within the boundaries	FW2-NT/SE1
of the MacNamara Wildlife Management Area	SE1(C1)
HARRY POND (Barnegat)	FW2-NT/SE1(C1)
HATFIELD CREEK (Beach Haven Heights) - Entire length HAWKINS CREEK	SE1(C1)
(Tuckahoe) - Source to the point where the influence of	
impoundment begins	FW1
(Tuckahoe) - Downstream of the influence of impoundment HAY STACK BROOK (Howell) - Entire length	SE1(C1) FW2-NT(C1)
HOSPITALITY CREEK (Longport) - Entire length	SE1(C1)
JACOVY CREEK (Stone Harbor) - Entire length	SEI(CI)
JAKES BRANCH	221(01)
(Berkeley) - Source to the boundaries of the Pinelands	
Protection and Preservation Area at the Garden State	7.
Parkway (Beachwood) - Garden State Parkway to Toms River	PL FW2-NT/SE1

	SE1(C1)
JIMMIES CREEK	
(Great Bay) - Source to the boundary of Great Bay Wildlife	
	SE1(C1)
(Parkers Landing) - Segments of the Creek outside the	
, ,	SE1
JOSH CREEK (Stone Harbor) - Entire length	SE1(C1)
JUDIES CREEK	
(Great Bay) - Source to widening of creek	SE1
(Great Bay) - Widening of creek to mouth	SE1(C1)
JUMPING BROOK (Neptune) - Entire length	FW2-NT/SE1
KNOLL POND (Barnegat)	FW2-NT/SE1(C1)
LAKES BAY (Ventnor)	SE1(C1)
LAKES CHANNEL (Ventnor) - Entire length	SE1(C1)
	SE1(C1)
LITTLE SCOTCH BONNET	
(Stone Harbor) - Entire length, outside the boundaries of	
Cape May Coastal Wetlands Wildlife Management	
Area	SE1
(Stone Harbor) - Segment within the boundaries of Cape	
· · · · · · · · · · · · · · · · · · ·	SE1(C1)
•	SE1(C1)
` ,	PL
· ,	FW2-NT/SE1(C1)
LONG SWAMP BROOK	()
(Squankum) - Entire length	FW2-NT(C1)
· · · · · · · · · · · · · · · · · · ·	SE1(C1)
	SE1(C1)
· · · · · · · · · · · · · · · · · · ·	SE1(C1)
MANAHAWKIN CREEK	,
(Manahawkin) - Source to the boundaries of Manahawkin	
,	FW2-NT/SE1
(Manahawkin) - Within the boundaries of the Wildlife	
	FW2-NT/SE1(C1)
	FW2-NT(C1)
TRIBUTARIES	,
(Oak Glen) -All tributaries upstream of Manasquan	
•	FW2-NT(C1)
MANASQUAN RIVER	,
MAIN STEM	
(Freehold) - Source to Rt. 9 bridge, except tributaries	
· · · · · ·	FW2-NT
(Howell) - Rt. 9 bridge to the West Farms Road Bridge in	
Howell Township, except tributaries described	
<u> </u>	FW2-TM
(Howell) - West Farms Road Bridge in Howell Township to	
the downstream boundary of Manasquan River	

Wildlife Management Area, except tributaries described separately	FW2-TM(C1)
(Brick) - Downstream boundary of Manasquan River Wildlife Management Area to surf waters	SE1
TRIBUTARIES, MANASQUAN RIVER (Adelphia) - Entire length	FW2-NT
(Allaire) - Those portions of the first and second southerly tributaries west of the Hospital Rd. which are located entirely within the boundaries of Allaire State Park (Mill Run) - Entire length of Mill Run, including Brisbane	FW1(tm)
Lake and its tributaries, except easterly tributary to Mill Run described as FW1 below (Allaire State Park) - The easterly tributary to Mill Run	FW2-NT(C1)
upstream of Brisbane Lake, located entirely within the Allaire State Park boundaries (Freehold) - Tributaries within the boundaries of Turkey	FW1
Swamp Wildlife Management Area	FW2-NT(C1)
MARSH BOG BROOK	
(Farmingdale) - Entire length	FW2-NT(C1)
MASONS CREEK (Marmora) - Entire length	SE1(C1)
MCNEALS BRANCH - See TUCKAHOE RIVER	
METEDECONK RIVER	
SOUTH BRANCH (Lalenwood) Entire length including all tributories	EW2 NT(C1)
(Lakewood) - Entire length, including all tributaries NORTH BRANCH METEDECONK RIVER	FW2-NT(C1)
(Freehold) - Source to Aldrich Rd., including all tributaries	FW2-NT(C1)
(Lakewood) - Aldrich Rd. to Lanes Mills, except Haystack	TYY T (((())
Brook listed separately	FW2-TM(C1)
(Brick) - Lanes Mills to confluence with Metedeconk River,	EUIO NITI(C1)
South Branch, including the westerly tributary MAIN STEM METEDECONK RIVER	FW2-NT(C1)
(Brick) - Confluence of North and South branches to Forge Pond	EW2 NT(C1)
(Brick) - Forge Pond to Barnegat Bay	FW2-NT(C1) FW2-NT/SE1
MIDDLE RIVER	1 W 2-1N 1/SL/1
(Tuckahoe) - Entire length, except the segment described	
below	FW2-NT/SE1
(Middletown) - Segment within the boundaries of	1 1/2 1/1/521
MacNamara Wildlife Management Area	FW2-NT/SE1(C1)
MILE THOROFARE (Brigantine) - Entire length	SE1(C1)
MILL RUN (Allaire) - See BRISBANE LAKE	, ,
MINGAMAHONE BROOK	
MAINSTEM	
(Farmingdale) - Entire length, except East Branch described	
separately below	FW2-TM(C1)
EAST BRANCH	

(Farmingdale) - Source to confluence with mainstem north of Farmingdale	FW2-NT(C1)
MIREY RUN	
(MacNamara) – Entire length, outside the boundaries of Pinelands Protection and Preservation Area (MacNamara) – Portion of the Run within the boundaries of	FW2-NT/SE1(C1)
the Pinelands Protection and Preservation Area	PL
	ΓL
MIRY RUN	
(Thelma) – Source to boundaries of the Pinelands Protection and Preservation Area	PL
(Catowba) – Boundaries of the Pinelands Protection and	
Preservation Area to Thelma Ave.	FW2-NT
(Catowba) – Thelma Ave. to Great Egg Harbor River	FW2-NT/SE1
MOTT CREEK (Brigantine) - Entire length	SE1(C1)
MUD CREEK (MacNamara) - Entire length	SE1(C1)
MUDDY FORD BROOK (Larrabee's Crossing) - Entire length	FW2-TM(C1)
MULBERRY THOROFARE (Northfield) - Entire length	SE1(C1)
MULLICA RIVER	,
(Berlin) - Source to Pinelands Protection and Preservation	
Area boundaries at the Garden State Parkway, except	
branches and tributaries described below	PL
(Wharton) - Stream in the southeasterly corner of the	1 L
· · · · · · · · · · · · · · · · · · ·	
Wharton State Forest located between Ridge Rd. and	
Seaf Weeks Rd., downstream to the boundaries of the	T717.7.1
Wharton State Forest	FW1
(Wharton) - Gun Branch from its headwaters to US Rt. 206	FW1
(New Gretna) - River and tributaries from the Pinelands	
Protection and Preservation Area boundary to Great	
Bay	SE1(C1)
(Wharton) - Brooks and tributaries between and immediately	
to the west of Tylertown and Crowleytown, from	
their headwaters to the head of tide at mean high	
water	FW1
NARROWS CREEK (Middletown) - Entire length	SE1(C1)
NORTH CHANNEL POND (Stone Harbor)	FW2-NT/SE1(C1)
OLDMAN CREEK (Stone Harbor) - Entire length	SE1(C1)
OLD ROBINS BRANCH	SLI(CI)
	DI
(North Dennis) –Source to Pinelands Area boundary	PL
(North Dennis) –Pinelands Area boundary to Dennis Creek	FW2-NT/SE1(C1)
OTTER CREEK (Middletown) - Entire length	SE1(C1)
OYSTER CREEK	
(Brookville) - Source to the boundaries of the Pinelands	
Protection and Preservation Area at the Garden State	
Parkway	PL
(Forked River) - Garden State Parkway to Barnegat Bay	FW2-NT/SE1
OYSTER CREEK (Great Bay) - Entire length	SE1(C1)
REEVY BRANCH - See SHARK RIVER	. /

RING ISLAND CREEK (Stone Harbor) - Entire length	SE1(C1)
RISLEY CHANNEL (Margate) - Entire length	SE1(C1)
ROUNDABOUT CREEK (New Gretna) - Entire length	SE1(C1)
SALT CREEK (Stone Harbor) - Entire length	SE1(C1)
SCULL BAY (Linwood)	SE1(C1)
SEDGE CREEK (MacNamara) - Entire length	SE1(C1)
SHARK CREEK (Stone Harbor) - Entire length	SE1(C1)
SHARK CREEK (Stone Harbor) - Entire length SHARK RIVER (See also SHARK RIVER BROOK)	SEI(CI)
	CE1
(Glendola) - Remsen Mill Road to Atlantic Ocean	SE1
SHARK RIVER BROOK (See also SHARK RIVER)	EWO NE(C1)
(Colts Neck) - Source to Rt. 33, including all tributaries	FW2-NT(C1)
(Neptune) - Rt. 33 to Remsen Mill Road, including all	
tributaries, except Reevy Branch designated	
otherwise	FW2-TM(C1)
REEVY BRANCH (Reevytown) - Source to confluence with	
Shark River Brook, including all tributaries	FW2-NT(C1)
SHELL THOROFARE (Wildwood Gables) - Entire length	SE1(C1)
SHELTER ISLAND BAY (Margate)	SE1(C1)
SHELTER ISLAND WATERS (Margate) - Entire length	SE1(C1)
SKIT BRANCH - See BATSTO RIVER	` '
SOD THOROFARE (Linwood) - Entire length	SE1(C1)
SOUTHEAST CREEK (Stone Harbor) - Entire length	SE1(C1)
SQUANKUM BROOK	()
(Squankum) - Entire length	FW2-NT(C1)
STEELMAN BAY (Somers Point)	SE1(C1)
SWAN POND (Marmora)	FW2-NT/SE1(C1)
SWAN POND RACE (Marmora) - Entire length	FW2-NT/SE1(C1)
TAUGH CREEK	1 W 2-1 1 1 / SE 1 (C 1)
(Whitesboro) - Entire length, within the boundaries of Cape	CE1(C1)
May Coastal Wetlands Wildlife Management Area	SE1(C1)
(Whitesboro) - Portions outside the boundaries of Cape May	CE1
Coastal Wetlands Wildlife Management Area	SE1
TIMBER SWAMP BROOK	
(Oak Glen) - Manasquan Reservoir dam to its confluence	
with the Manasquan River	FW2-NT(C1)
TINKER BRANCH - See GREAT EGG HARBOR RIVER	
TITMOUSE BROOK (Howell) - Entire length	FW2-TM(C1)
TOMMYS BRANCH - See BASS RIVER	
TOMS RIVER	
MAIN STEM	
(Holmeson) - Source to Cassville Road bridge except those	
tributaries described separately under Tributaries	
below	FW2-NT
(Cassville) – Cassville Road bridge to the Route 528 bridge,	
including all tributaries	FW2-NT(C1)
(Whitesville) - Route 528 bridge to Pinelands Protection and	1.1(01)
Preservation Area boundaries at the NJ Central	
reservation riea obundantes at the NJ Central	

Railroad tracks, except tributaries described separately, under Tributaries below	PL(tm)
(Manchester) - NJ Central Railroad tracks to the Route 571 bridge, except tributaries described separately, under	
Tributaries below (Toms River) - Route 571 bridge to the Route 37 bridge,	FW2-TM(C1)
except tributaries described separately, under Tributaries below (Toms River) - Route 37 bridge to Barnegat Bay, except	FW2-NT(C1)
tributaries described separately, under Tributaries below	FW2-NT/SE1
TRIBUTARIES, TOMS RIVER	
(Holmeson) - Tributaries within the boundaries of the	
Pinelands Protection and Preservation Area	PL
(West of Pleasant Grove) - Source to the Pinelands	
Protection and Preservation Area boundary,	
including all tributaries	FW2-TM(C1)
(Toms River) - All tributaries within the boundaries of the	
Pinelands Protection and Preservation Area	PL
(Archer's Corners) - All tributaries outside the boundaries of	
the Pinelands Protection Area and within the	
boundaries of Colliers Mills Wildlife Management	
Area	FW2-NT(C1)
DOVE'S MILL BRANCH	
(Van Hiseville) - Source to Bunker Hill Lake, including all	
tributaries	FW2-NT(C1)
MAPLE ROOT BRANCH (Jackson) - Source to confluence with	
Toms River	PL
WRANGEL BROOK	
(Whiting) – Source to Green Branch, including all tributaries	
but not including Green Branch and portions within	
the boundaries of the Pinelands Protection and	TYY 3 17 (C4)
Preservation Area	FW2-NT(C1)
(Manchester) – Green Branch to the confluence with	
Davenport Branch, except portions within the	
boundaries of the Pinelands Protection and	EWO NE
Preservation Area	FW2-NT
(Berkeley) – Davenport Branch to Toms River, except	
portions within the boundaries of the Pinelands Protection and Preservation Area	FW2-NT/SE1
TUCKAHOE LAKE (Tuckahoe) TUCKAHOE RIVER	FW2-NT(C1)
(Milmay) - Source to Pinelands Protection and Preservation	
Area boundary at Rt. 49	PL
(Head of River) - McNeals Branch and the River within the	1 L
boundaries of the Peaselee Wildlife Management	
Area, except tributaries within the boundaries of the	
Thea, except thousands within the boundaries of the	

Pinelands Protection and Preservation Area, described separately below	FW2-NT/SE1(C1)
(Head of River) - Tributaries within the Pinelands Protection and Preservation Area boundaries	PL
(Tuckahoe) - Edge of Fish and Wildlife Management Area at confluence with Warners Mill Stream to Great Egg Harbor, except segment described separately below	FW2-NT/SE1(C1)
(Tuckahoe) - River, tributaries and all other waters within boundaries of the MacNamara Wildlife Management Area TUCKERTON CREEK	FW2-NT/SE1(C1)
(Tuckerton) – Source to Pinelands Area boundary	PL
(Tuckerton) – Pinelands Area boundary to Pohatcong Lake, including all tributaries (Tuckerton) - Pohatcong Lake to Little Egg Harbor	FW2-NT/SE1(C1) FW2-NT/SE1
TULPEHOCKEN CREEK	
(Wharton) - Creek and tributaries from their origin to the confluence with Featherbed Branch (Wharton) - The westerly tributaries and those natural ponds	FW1
within the lands bounded by Hawkins (Bulltown-Hawkins) Rd., Hampton Gate (Tuckerton) Rd., and Sandy Ridge Rd. TURTLE GROUND CREEK (Jeffers Landing) - Entire length TURTLE GUT (Ventnor) - Entire length	FW1 SE1(C1) SE1(C1)
WADING RIVER	
(Chatsworth) - Entire length, except tributaries described separately below (Greenwood Forest) - Westerly tributary to Howardsville Cranberry Bog Reservoir and other tributaries	PL
located entirely within the boundaries of the Greenwood Forest Wildlife Management Area WARNERS MILL STREAM	FW1
(Head of River) - Source to Pinelands Protection and Preservation Area boundary at Aetna Dr.(Head of River) - Aetna Dr. to boundary of the Peaselee	PL
Wildlife Management Area	FW2-NT/SE1
(Head of River) - Within the boundaries of the Peaselee Wildlife Management Area to the Tuckahoe River WEBBS MILL BRANCH - See CEDAR CREEK	FW2-NT/SE1(C1)
WESTECUNK CREEK (Fagleswood) Source to Binelands Area boundary	PL
(Eagleswood) - Source to Pinelands Area boundary (Eagleswood) - Pinelands Area boundary to Railroad Ave.,	ΓL
including all tributaries (Eagleswood) - Railroad Ave. to Little Egg Harbor WIGWAM CREEK	FW2-NT/SE1(C1) FW2-NT/SE1
(Great Bay) - Source to Rt. 9 (Great Bay) - Rt. 9 to Mott Creek	FW2-NT/SE1 SE1(C1)

WINTER CREEK (New Gretna) - Entire length	SE1(C1)
WHIRLPOOL CHANNEL (Margate) - Entire length	SE1(C1)
WORLDS END CREEK (New Gretna) - Entire length	SE1(C1)
WRANGLE CREEK (Forked River) - Entire length and all waters	
within Forked River Game Farm	FW2-NT/SE1(C1)
WRECK POND BROOK (Wall) - Entire length	FW2-NT

(d) The following surface water classifications are for waters of the Upper Delaware River Basin:

Waterbody	Classification
ALEXAUKEN CREEK (Lambertville) - Entire length, including all tributaries	FW2-TM(C1)
ALLAMUCHY CREEK (Allamuchy) - Entire length ALLAMUCHY POND (Allamuchy)	FW2-NT(C1) FW2-NT(C1)
ALLAMUCHY POND TRIBUTARIES (Allamuchy) - All	12 1.(1(01)
tributaries that are located entirely within the boundaries of Allamuchy State Park and that flow	
into Allamuchy Pond	FW1
ALMS HOUSE BROOK	
(Hampton) - Source to, but not including, County Farm Pond	FW2-TM
(Frankford) - County Farm Pond to Paulins Kill	FW2-NT
AMWELL LAKES (Lambertville)	FW2-NT(C1)
ANDOVER JUNCTION BROOK	EWO TN
(Andover) - Source to Valentines Pond	FW2-TM
(Andover) - Valentines Pond to Kymer Brook ANDOVER JUNCTION BROOK LAKES (Andover) – All	FW2-TM(C1)
unlisted lakes greater than five acres	FW2-NT(C1)
ASHROE LAKE (Stokes State Forest)	FW2-NT(C1)
ASHROE LAKE TRIBUTARIES	1 112 111(01)
(Stokes State Forest) - Tributary to the Lake from Deer Lake	
and portion of southernmost tributary to Ashroe Lake	
outside of the Stokes State Forest boundary	FW2-TP(C1)
(Stokes State Forest) - Southernmost tributary to the Lake	()
from its source to the Stokes State Forest boundary	FW1(tp)
ASSUNPINK CREEK	, 2,
(Trenton) - Source to confluence with the Delaware River,	
except segments described separately below	FW2-NT
(Roosevelt) - Creek and those tributaries within the	
boundaries of the Assunpink Wildlife Management	
Area	FW2-NT(C1)
(Quaker Bridge) - Portions of the creek within the	EUIO NECCIN
boundaries of Van Ness Refuge	FW2-NT(C1)
BARKERS MILL BROOK (Independence) - Entire length	FW2-TP(C1)
BEAR BROOK (Johnsonburg) - Entire length BEAR CREEK	FW2-TP(C1)
(Johnsonburg) - Mud Pond to the Erie-Lackawanna Railroad	
trestle north of Johnsonburg	FW1(tm)
(Frelinghuysen) - Erie-Lackawanna Railroad trestle to	1 11 1 (411)
confluence with Trout Brook, including all unnamed	
and unlisted tributaries	FW2-TM(C1)

(Frelinghuysen) - Confluence with Trout Brook to Pequest River	FW2-TM
BEATTY'S BROOK (Penwell) - Entire length BEAVER BROOK (Hope) - Source to confluence with Honey Run (Hope) - Confluence with Honey Run to Pequest River, including all unnamed tributaries, except tributary	FW2-TP(C1) FW2-NT
East of Manunka Chunk (East of Manunka Chunk) – Entire length, including all	FW2-NT(C1)
tributaries	FW2-TM(C1)
BEAVER BROOK (Jefferson) - Source to, but not including, Lake	EWO NE
Shawnee BEERSKILL	FW2-NT
(High Point State Park) - Source to boundary of High Point	
State Park at 41°15'48" N, 74°45'49" W	FW1(tp)
(Shaytown) - Boundary of High Point State Park to	- ·· -(- F)
confluence with Little Flat Brook	FW2-TP(C1)
BIG FLAT BROOK	
(Montague) - Sawmill Pond to confluence with Parker	
Brook, except segments described under the listing	TVV 3 TT (C4)
for Flat Brook, below	FW2-NT(C1)
(Sandyston) - Confluence with Parker Brook, through the	
Blewitt Tract, to the confluence with Flat Brook, except tributaries described under the listing for Flat	
Brook, below	FW2-TP(C1)
(Tuttles Corner) - Outlet stream from Lake Ashroe to its	1 W2 11 (C1)
confluence with Big Flat Brook	FW2-TP(C1)
BLAIR CREEK	()
(Hardwick) - Source to downstream boundary of Bass Lake,	
including all tributaries	FW2-NT(C1)
(Hardwick Center) - Bass Lake outlet to Paulins Kill,	
including all lakes and tributaries	FW2-TM(C1)
BOWERS BROOK	EULO ED (C1)
(Hackettstown) - Source downstream to Rt. 517	FW2-TP(C1)
(Hackettstown) - Route 517 to the confluence with Musconetcong River	EW2 TM(C1)
BRASS CASTLE CREEK (Brass Castle) - Entire length	FW2-TM(C1) FW2-TP(C1)
BROOKALOO SWAMP (Hope) - Entire length	FW2-TM(C1)
BUCKHORN CREEK (Hutchinson) - Entire length	FW2-TP(C1)
BURD RESERVOIR (Drakestown) - Entire length	FW2-TM
CLEARVIEW CREEK (Hampton) - Source to Alms House Brook	FW2-NT
CLOVE (MILL) BROOK	
(Montague) - Lake Marcia outlet to State line, except	
tributaries described below	FW2-TP(C1)
(High Point State Park) - The second and third northerly	
tributaries to Clove Brook, the tributaries to Steeny	
Kill Lake, and those tributaries downstream of	

Steeny Kill Lake that originate in High Point State Park downstream to their confluence with Clove Brook or to the High Point State Park Boundaries (High Point State Park) - Those northerly tributaries to Mill Brook that are located due west of Steeny Kill Lake,	FW1(tp)
within the boundaries of High Point State Park COOPERMINE BROOK (Pahaquarry) - Entire length COWBOY CREEK (Byram) – Entire length CRANBERRY LAKE (Byram) CRANBERRY LAKE OUTLET STREAM	FW1(tp) FW1 FW2-NT(C1) FW2-TM(C1)
(Byram) - Entire length within Cranberry Lake State Park (Byram) - Stream outside of Cranberry Lake State Park CRISS BROOK (Stokes State Forest) - Entire length within the	FW2-NT(C1) FW2-NT
boundaries of Stokes State Forest CULVER'S CREEK (Frankford) - Entire length CULVER'S LAKE (Frankford) DEER LAKE (Sandyston) DEER PARK POND	FW1(tp) FW2-TM FW2-TM FW2-NT(C1)
(Allamuchy) - Pond and tributaries to the pond within Allamuchy State Park, except those tributaries classified as FW1, below (Allamuchy) - All tributaries to the Pond and to its outlet	FW2-NT(C1)
stream that are located entirely with the boundaries of Allamuchy State Park	FW1
(Allamuchy) - Deer Park Pond outlet stream downstream to Musconetcong River	FW2-TM(C1)
DELAWANNA CREEK (Delaware) - Source downstream to, but not including, Delaware Lake (Delaware) - Delaware Lake dam downstream to Delaware	FW2-TM
River, including tributaries DELAWARE AND RARITAN CANAL (Lambertville) - Entire	FW2-TP(C1)
length DELAWARE RIVER TRIBUTARIES	FW2-NT
(Holland) - Entire length (Port Jervis) - Unnamed or unlisted direct tributaries that are north of Big Timber Creek, are outside of the	FW2-TP(C1)
Pinelands Protection and Preservation Areas, and are not mapped as C1 waters by the Department (Knowlton) - Source, north of Hope-Delaware Road, to confluence with the Delaware River 0.5 mile south	FW2-NT
of Ramseysburg (Titusville) - Unnamed tributaries through Washington	FW2-TP(C1)
Crossing State Park DONKEY'S CORNER BROOK (Delaware Water Gap) - Entire	FW2-NT(C1)
length DRY BROOK (Branchville) - Entire length	FW1 FW2-NT

DUCK POND (Swartswood) FW2-NT(C1) **DUNNFIELD CREEK** (Del. Water Gap) - Source to Rt. I-80 FW1(tp) (Del. Water Gap) - Rt. I-80 to Delaware River, except tributaries described below FW2-TP(C1) (Worthington) - All unnamed waters that are located entirely within the boundaries of the Worthington State FW1 FIDDLERS CREEK (Titusville) - Entire length FW2-TM FLAT BROOK (Flatbrook-Roy) - Confluence of Big Flat Brook and Little Flat Brook to the boundary of Flatbrook-Roy Wildlife Management Area, except segments described below FW2-TP(C1)(Walpack) - Flatbook-Roy Wildlife Management Area boundary to the Delaware River, except segments described below FW2-TM(C1) (Stokes State Forest) - Two tributaries to Flat Brook which originate along Struble Road in Stokes State Forest to their confluences with Flat Brook within the boundaries of Flatbrook-Roy Wildlife Management FW1(tm) (High Point) - All surface water of the Flat Brook drainage area within the boundaries of High Point State Park and Stokes State Forest, except the following waters: FW1 1. Saw Mill Pond and Big Flat Brook downstream to the confluence with Flat 2. Mashipacong Pond and its outlet stream (Parker Brook) to the confluence with Big Flat Brook; 3. Lake Wapalanne and its outlet stream to the confluence with Big Flat Brook; 4. Lake Ocquittunk and waters connecting it with Big Flat Brook; 5. Stony Lake and its outlet stream (Stony Brook) to the confluence with Big Flat Brook: 6. Kittatinny Lake, that portion of its inlet stream outside the Stokes State Forest boundaries, and its outlet stream. including the Shotwell Camping Area tributary, to the confluence with Big Flat Brook: 7. Deer Lake and its outlet stream to Lake

Ashroe:

8. Lake Ashroe, portions of its tributaries	
outside the Stokes State Forest boundaries, and its outlet stream to the confluence with	
Big Flat Brook;	
9. Lake Shawanni and its outlet stream to its	
confluence with Flat Brook;	
10. Crigger Brook and tributary to its	
confluence with Big Flat Brook	
(Del. Water Gap) - All tributaries to Flat Brook that flow	
from the Kittatiny Ridge and are located entirely	
within the boundaries of the Delaware Water Gap	FXX/1
National Recreation Area	FW1
FORKED BROOK (Stokes State Forest) - Entire length FURNACE (OXFORD) BROOK	FW2-TP(C1)
(Oxford) - Source to railroad bridge at Oxford	FW2-TP(C1)
(Oxford) - Railroad bridge to Pequest River, including all	1 W2 11 (C1)
tributaries	FW2-NT
FURNACE LAKE (Oxford)	FW2-TM
GARDNERS POND (Andover)	FW2-TM(C1)
HAINESVILLE POND (Hainesville)	FW2-NT(C1)
HAKIHOKAKE CREEK (Milford) - Entire length, including	
headwaters known as Little York Creek	FW2-TP(C1)
TRIBUTARIES (Wydner) Source to confluence with Helphokeles Creek	
(Wydner) - Source to confluence with Hakihokake Creek west of York Road	FW2-TP(C1)
HALFWAY HOUSE BROOK (Franklin) - Entire length	FW2-TP(C1)
HANCES BROOK (Rockport) - Entire length	FW2-TP(C1)
HARIHOKAKE CREEK	,
(Alexandria) - Source to Rt. 519 bridge, including all	
tributaries	FW2-NT(C1)
(Frenchtown) - Rt. 519 bridge to Delaware River, including	
all tributaries	FW2-TM(C1)
HARRISONVILLE LAKE (Harrisonville)	FW2-NT(C1)
HATCHERY BROOK (Hackettstown) - Entire length HIDDEN VALLEY LAKE (Lake Lenape)	FW2-TM(C1) FW2-NT(C1)
HONEY RUN (Hope) - Entire length	FW2-TM
HOPATCONG, LAKE (Hopatcong)	FW2-TM
ILLIFF, LAKE (Andover)	FW2-TM(C1)
INDEPENDENCE CREEK	
(Alphano) - Source to Alphano Rd.	FW2-TP(C1)
(Alphano) - Alphano Rd. to Pequest River	FW2-NT
JACKSONBURG CREEK (Blairstown) - Entire length, including	EWIO EN ((C1)
all tributaries	FW2-TM(C1)
JACOBS CREEK (Hopewell) – Source to Woolsey Brook, including all	
tributaries	FW2-NT(C1)
(Hopewell) – Woolsey Brook to Delaware River	FW2-NT
\ 1 / J	

KITTATINNY LAKE (Sandyston)	FW2-NT(C1)
KITTATINNY LAKE (Saidyston) KITTATINNY LAKE TRIBUTARY	1 w 2-w 1(C1)
(Stokes State Forest) - Source to boundary of Stokes State	
Forest	FW1(tp)
(Sandyston) - State Forest boundary to Kittatinny Lake	FW2-TP(C1)
KNOWLTON BROOK (Knowlton) - Entire length	FW2-TP(C1)
KURTENBACH'S BROOK (Waterloo) - Entire length KYMER BROOK (Andover) - Entire length, including all	FW2-TP(C1)
tributaries, except tributaries immediately north and	
immediately south of Clearwater	FW2-NT(C1)
LAKE - See listing under Name	()
LITTLE FLAT BROOK	
(High Point State Park) - Source to boundary of High Point	
State Park	FW1(tp)
(Layton) - State park boundary to, but not including,	
tributary described below, to confluence with Big	EU/A ED/C1)
Flat Brook (Flathmark Box) Tributomy which against a north of	FW2-TP(C1)
(Flatbrook-Roy) - Tributary which originates north of Bevans-Layton Rd. downstream to the first pond	
adjacent to the Fish and Game headquarters building	FW1(tp)
LITTLE NISHISAKAWICK CREEK (Frenchtown) - Entire length	FW2-NT(C1)
LITTLE SHABACUNK CREEK (Lawrence) - Entire length	FW2-NT
LITTLE SWARTSWOOD LAKE (Swartswood)	FW2-NT(C1)
LITTLE YORK CREEK (Little York) - Entire length	FW2-TP(C1)
LOCKATONG CREEK	EUIO NECCI)
(Kingwood) - Source to Idell Bridge	FW2-NT(C1)
(Raven Rock) - Idell Bridge to Delaware River LOMMASONS GLEN BROOK (Lommasons Glen) - Entire length	FW2-TM(C1) FW2-TP(C1)
LOPATCONG CREEK	T W 2-1F(C1)
(Phillipsburg) - Source to a point 560 feet (straight line	
distance) upstream of the Penn Central railroad track,	
including all tributaries	FW2-TP(C1)
(Phillipsburg) - From a point 560 feet (straight line distance)	
upstream of the Penn Central railroad track	
downstream to the confluence with the Delaware	ENIO EN
River	FW2-TM
LUBBERS RUN (Byram) - Entire length, including all tributaries, except	
Cowboy Creek	FW2-TM(C1)
(Byram) - All lakes on Lubbers Run	FW2-NT(C1)
MARCIA LAKE	()
(High Point State Park) - Entire Lake	FW2-TM(C1)
(High Point State Park) - Outlet stream from the Lake to the	
confluence with Clove (Mill) Brook	FW2-TP(C1)
MASHIPACONG POND (Montague)	FW2-NT(C1)
MERRILL CREEK (Harmony) - Entire length, but not including Merrill Creek Reservoir	EW2 TD(C1)
MEITH Creek Keservoir	FW2-TP(C1)

MERRILL CREEK RESERVOIR (Harmony) MILL BROOK (Montague) - See CLOVE BROOK	FW2-TP(C1)
MILL BROOK (Broadway) - Entire length MINE BROOK	FW2-TP(C1)
(Mt. Olive) - Source to, but not including, Upper Mine	
Brook Reservoir, downstream to Lower Mine Brook	
Reservoir outlet	FW2-TM
(Mt. Olive) - Lower Mine Brook Reservoir outlet	
downstream to Drakestown Road bridge	FW2-TP(C1)
(Hackettstown) - Drakestown Road bridge downstream to	
confluence with Musconetcong River	FW2-TM
TRIBUTARIES	
(Drakestown) - Entire length, including all tributaries but not	
including, Burd Reservoir	FW2-TP(C1)
(Washington) - Entire length of tributary which joins Mine	
Brook approximately 280 yards upstream of the	
confluence with the Musconetcong River	FW2-TP(C1)
MIRY RUN (Mercerville) - Entire length	FW2-NT
MOORE CREEK (Hopewell) - Entire length	FW2-TM
MOUNTAIN LAKE (Liberty)	FW2-TM
MOUNTAIN LAKE BROOK	
(Liberty) - Source to Mountain Lake	FW2-TM
(White) - Mountain Lake dam to Lake Bog Preserve lower	
Boundary	FW2-NT
(White) – Lake Bog Preserve lower Boundary to Pequest	
River	FW2-NT(C1)
MUDDY BROOK (Hope) - Entire length	FW2-NT
MUD POND (Johnsonburg)	FW1
MUSCONETCONG LAKE (Byram)	FW2-NT
MUSCONETCONG RIVER	
(Hackettstown) - Lake Hopatcong dam to and including	
Saxton Lake, except tributaries described separately	FW2-TM
(Saxton Falls) - Saxton Lake to the Delaware River,	
including all unnamed and unlisted tributaries	FW2-TM(C1)
TRIBUTARIES	()
(Anderson) - Entire length	FW2-TP(C1)
(Changewater) - Entire length	FW2-TP(C1)
(Deer Park Pond) - See DEER PARK POND	()
(Franklin) - Entire length	FW2-TP(C1)
(N. of Hackettstown) - Entire length	FW2-TM
(Lebanon) - Entire length	FW2-TP(C1)
(Port Murray) - Entire length	FW2-TP(C1)
(NW of Stephensburg) - Entire length	FW2-TP(C1)
(S. of Asbury) - Entire length	FW2-TP(C1)
(S. of Point Mtn.)	FW2-TP(C1)
(S. of Schooley's Mtn. Brook) - Entire length	FW2-TP(C1)
,	- ()

(Waterloo) - Tributary west of Kurtenbach's Brook from	ENIO ED(C1)
source downstream to Waterloo Valley Road bridge	FW2-TP(C1)
NEW WAWAYANDA LAKE (Andover)	FW2-TM(C1)
NISHISAKAWICK CREEK (Frenchtown) - Entire length	FW2-NT(C1)
OCQUITTUNK LAKE	EWO NE(C1)
(Stokes State Forest) - Entire lake	FW2-NT(C1)
(Stokes State Forest) - From the outlet of the Lake to the	EMA ED(C1)
confluence with Big Flat Brook	FW2-TP(C1)
OCQUITTUNK LAKE TRIBUTARY (Stokes State Forest) -	EW1(4)
Source to Ocquittunk Lake	FW1(tp)
PARKER BROOK (Montague) - Entire length	FW2-TP(C1)
PAULINS KILL	
EAST BRANCH	EWO NE(C1)
(Andover) - Source to Limecrest quarry	FW2-NT(C1)
(Lafayette) - Limecrest quarry to confluence with Paulins	EUIO ED(C1)
Kill, West Branch, except tributary described below	FW2-TP(C1)
TRIBUTARY EAST BRANCH	
(Sussex Mills) - Entire length of tributary to the East Branch	ENIO NECCIN
at Sussex Mills	FW2-NT(C1)
WEST BRANCH	EMIA NE
(Newton) - Source to Warbase Junction Road	FW2-NT
(Lafayette) - Warbase Junction Road to confluence with East	TYY 2 3 TT (C4)
branches	FW2-NT(C1)
MAIN STEM	
(Blairstown) - Confluence of East and West branches to Rt.	
15 bridge (bench mark 507), including all tributaries	FW2-TM(C1)
(Hampton) - Rt. 15 bridge (bench mark 507) to Balesville	
dam	FW2-NT(C1)
(Hampton) - Balesville dam to Paulins Kill Lake dam	FW2-NT
(Paulins Kill Lake) - Paulins Kill Lake dam to Delaware	
River, including all tributaries, except Blair Creek	
and tributaries described separately	FW2-TM(C1)
TRIBUTARIES, MAIN STEM	
(Emmons Station) - Entire length	FW2-TP(C1)
(Stillwater Station) - Entire length	FW2-TP(C1)
PEQUEST RIVER	
(Springdale) - Source to Kymer Brook, except FW1	
segments described below	FW2-TM(C1)
(Green) - Kymer Brook to Tranquility bridge, including all	
unnamed tributaries	FW2-TM(C1)
(Whittingham) - Northwesterly tributaries, including Big	
Spring, located within the boundaries of the	
Whittingham Wildlife Management Area, southwest	
of Springdale, from their origins to their confluence	
	FW1(tm)

(Whittingham) - Stream and tributaries within the Whittingham Wildlife Management Area, except	
those classified as FW1, above (Vienna) - Tranquility bridge to eastern tributary below	FW2-TM(C1)
Route 80, including all unnamed tributaries (Independence) - Eastern tributary below Route 80 to Route	FW2-NT(C1)
46, except tributary at Petersburg	FW2-NT
 (Townsbury) - Route 46 to Pequest Road in Townsbury, except Barkers Mill Brook (Townsbury) - Upstream most boundary of the Pequest Wildlife Management Area boundary to Delaware 	FW2-NT(C1)
River, including all unnamed tributaries TRIBUTARIES	FW2-TM(C1)
(Petersburg) - Headwaters and tributaries downstream to	EW2 ED(C1)
Ryan Road bridge PLUM BROOK (Sergeantsville) - Entire length POHATCONG CREEK	FW2-TP(C1) FW2-TM(C1)
MAIN STEM (Mansfield) - Source to Route 31, including all tributaries	FW2-TP(C1)
(Pohatcong) - Route 31 to Merrill Creek, except tributaries listed separately	FW2-TM(C1)
(Springtown) - Merrill Creek to Delaware River, including all tributaries	FW2-TP(C1)
TRIBUTARIES	
(New Village) - Entire length (Willow Grove) - Entire length	FW2-TP(C1) FW2-TP(C1)
•	` /
(Willow Grove) - Entire length POND BROOK (Middleville) - Swartswood Lake outlet to Paulins Kill POPHANDUSING BROOK (Hazen) - Entire length, including all tributaries	FW2-TP(C1)
(Willow Grove) - Entire length POND BROOK (Middleville) - Swartswood Lake outlet to Paulins Kill POPHANDUSING BROOK (Hazen) - Entire length, including all tributaries RUNDLE BROOK (Del. Water Gap) - Source to Sussex County Route 615	FW2-TP(C1) FW2-NT FW2-TP(C1) FW1
(Willow Grove) - Entire length POND BROOK (Middleville) - Swartswood Lake outlet to Paulins Kill POPHANDUSING BROOK (Hazen) - Entire length, including all tributaries RUNDLE BROOK (Del. Water Gap) - Source to Sussex County	FW2-TP(C1) FW2-NT FW2-TP(C1)
(Willow Grove) - Entire length POND BROOK (Middleville) - Swartswood Lake outlet to Paulins Kill POPHANDUSING BROOK (Hazen) - Entire length, including all tributaries RUNDLE BROOK (Del. Water Gap) - Source to Sussex County Route 615 SAMBO ISLAND BROOK (Del. Water Gap) - Entire length SAMBO ISLAND POND (Del. Water Gap) SANDYSTON CREEK (Sandyston) - Entire length SAWMILL POND (High Point)	FW2-TP(C1) FW2-NT FW2-TP(C1) FW1 FW1 FW1 FW1 FW2-TP(C1) FW2-NT(C1)
(Willow Grove) - Entire length POND BROOK (Middleville) - Swartswood Lake outlet to Paulins Kill POPHANDUSING BROOK (Hazen) - Entire length, including all tributaries RUNDLE BROOK (Del. Water Gap) - Source to Sussex County Route 615 SAMBO ISLAND BROOK (Del. Water Gap) - Entire length SAMBO ISLAND POND (Del. Water Gap) SANDYSTON CREEK (Sandyston) - Entire length SAWMILL POND (High Point) SCHOOLEYS MTN. BROOK (Schooley's Mtn.) - Entire length SCOUT RUN (Holland Township) - Entire length, including all	FW2-TP(C1) FW2-NT FW2-TP(C1) FW1 FW1 FW1 FW2-TP(C1) FW2-TP(C1) FW2-NT(C1)
(Willow Grove) - Entire length POND BROOK (Middleville) - Swartswood Lake outlet to Paulins Kill POPHANDUSING BROOK (Hazen) - Entire length, including all tributaries RUNDLE BROOK (Del. Water Gap) - Source to Sussex County Route 615 SAMBO ISLAND BROOK (Del. Water Gap) - Entire length SAMBO ISLAND POND (Del. Water Gap) SANDYSTON CREEK (Sandyston) - Entire length SAWMILL POND (High Point) SCHOOLEYS MTN. BROOK (Schooley's Mtn.) - Entire length SCOUT RUN (Holland Township) - Entire length, including all tributaries SHABAKUNK CREEK (Ewing) - Entire length SHABBECONG CREEK (Washington) - Entire length	FW2-TP(C1) FW2-NT FW2-TP(C1) FW1 FW1 FW1 FW1 FW2-TP(C1) FW2-NT(C1)
(Willow Grove) - Entire length POND BROOK (Middleville) - Swartswood Lake outlet to Paulins Kill POPHANDUSING BROOK (Hazen) - Entire length, including all tributaries RUNDLE BROOK (Del. Water Gap) - Source to Sussex County Route 615 SAMBO ISLAND BROOK (Del. Water Gap) - Entire length SAMBO ISLAND POND (Del. Water Gap) SANDYSTON CREEK (Sandyston) - Entire length SAWMILL POND (High Point) SCHOOLEYS MTN. BROOK (Schooley's Mtn.) - Entire length SCOUT RUN (Holland Township) - Entire length, including all tributaries SHABAKUNK CREEK (Ewing) - Entire length	FW2-TP(C1) FW2-NT FW2-TP(C1) FW1 FW1 FW1 FW2-TP(C1) FW2-TP(C1) FW2-TP(C1) FW2-TP(C1)

SHIMERS BROOK	
(Millville) - Entire length, except those segments designated	
FW1, below	FW2-TP(C1)
(High Point) - That segment of Shimers Brook and all	
tributaries within the boundaries of High Point State	
Park	FW1(tp)
SHIPETAUKIN CREEK (Lawrenceville) - Entire length	FW2-NT
SILVER LAKE (Hope)	FW2-TM
SMITH FERRY BROOK (Del. Water Gap) - Entire length	FW1
SPARTA JUNCTION BROOK (Sparta Junction) - Entire length	FW2-TM(C1)
SPRING MILLS BROOK (Milford) – Entire length	FW2-TP(C1)
STEELE RUN	
(Washington Crossing State Park) - Source to confluence	
with westerly tributary	FW1
(Titusville) - Confluence with westerly tributary to the	
Delaware River	FW2-NT
STEENY KILL LAKE (High Point)	FW1
STEPHENSBURG BROOK (Stephensburg) - Entire length	FW2-TP(C1)
STONY BROOK (Knowlton) - Entire length	FW2-TP(C1)
STONY BROOK	
(Stokes State Forest) - Source and tributaries, wholly	
contained within Stokes State Forest, from their	
origins to, but not including, Stony Lake	FW1(tp)
(Stokes State Forest) - Tributary originating approximately	
one mile west of the Branchville Reservoir to the	
confluence with Stony Brook	FW1(tp)
(Stokes State Forest) - Outlet of Stony Lake to the	
confluence with Big Flat Brook	FW2-TP(C1)
STONY LAKE (Stokes State Forest)	FW2-TM(C1)
TRIBUTARIES - See STONY BROOK	
SUNFISH POND (Worthington) - The pond and its outlet stream to	
the Delaware River	FW1
SWAN CREEK (Lambertville) - Entire length	FW2-NT
SWARTSWOOD CREEK	
(Swartswood) - Entire length, including all tributaries, but	
not including lakes described separately below	FW2-TM(C1)
(Swartswood) - Crandon Lake, Lower Crandon Lake,	
Mecca Lake, Plymouth Pond, Quick Pond, and	
Willow Crest Lake	FW2-NT(C1)
SWARTSWOOD LAKE (Stillwater)	FW2-TM(C1)
TAR HILL BROOK	EUG EN (C1)
(Lake Lenape) - Source to, but not including, Lake Lenape	FW2-TM(C1)
(Lake Lenape) - Lake Lenape to Andover Junction Brook	FW2-NT(C1)
TILLMAN BROOK (Walpack) - Entire length	FW1(tp)
TROUT BROOK (Hackettstown) - Entire length	FW2-TM(C1)
TROUT BROOK (Tranquility) - Entire length	FW2-TP(C1)
TROUT BROOK (Hope) - Entire length	FW2-TM

TROUT BROOK (Allamuchy) - Entire length, including all tributaries	FW2-NT
TROUT BROOK	
(Middleville) - Source to confluence with Pond Brook	FW2-TP(C1)
TUNNEL BROOK (Oxford Mtn.) - Entire length, including all	
tributaries	FW2-TP(C1)
TURKEY HILL BROOK (Bethlehem) - Entire length	FW2-TP(C1)
TUTTLES CORNER BROOK (Tuttles Corner) - Entire length	FW2-TP(C1)
VANCAMPENS BROOK (Millbrook) - Entire length	FW2-TP(C1)
WAPALANNE LAKE (Stokes State Forest)	FW2-NT(C1)
WARFORD CREEK (Barbertown) – Entire length	FW2-TP(C1)
WELDON BROOK (Jefferson Township) - From source to, but not	
including, Lake Shawnee, including all tributaries	FW2-TM
WEST PORTAL CREEK (West Portal) - Entire length	FW2-TP(C1)
WHITE BROOK (Montague) - Entire length	FW2-TP(C1)
WHITE LAKE (Hardwick)	FW2-TM
WICKECHEOKE CREEK	
(Locktown) - Source to confluence with Plum Brook,	
including all tributaries	FW2-NT(C1)
(Stockton) - Confluence with Plum Brook to Delaware	
River, including all tributaries	FW2-TM(C1)
WILLS BROOK (Mt. Olive) - Entire length	FW2-TM
YARDS CREEK (Blairstown) - Entire length	FW2-TP(C1)

(e) The following surface water classifications are for waters of the Lower Delaware River Basin:

Waterbody	Classification
ALLOWAY CREEK	
(Alloways) - Source to Greenwich Street, including all	
tributaries and Alloway Lake	FW2-NT
(Quinton) – Greenwich Street to Delaware Bay	SE1
(Quinton) – All named and unnamed tributaries of Alloway	
Creek from Greenwich Street to Delaware Bay	FW2-NT/SE1
ASSISCUNK CREEK	
(Columbus) - Headwaters to confluence with Barkers Brook,	
including all tributaries	FW2-NT(C1)
(Burlington) - Confluence with Barkers Brook to the	,
Delaware River	FW2-NT
BALDRIDGE CREEK	
(Salem Creek) - Entire length, except segments described	
below	FW2-NT/SE1(C1)
(Salem Creek) - Segments outside the boundaries of the	,
Supawna National Wildlife Refuge	FW2-NT/SE1
BAY PONDS (Egg Island)	FW2-NT/SE1(C1)
BEADONS CREEK (Fortescue) - Entire length	SE1(C1)
BEAVERDAM BRANCH	,
(Glassboro) - Source to boundary of the Glassboro Wildlife	
Management Area	FW2-NT
(Glassboro) - Within the boundaries of Glassboro Wildlife	
Management Area	FW2-NT(C1)
BIG TIMBER CREEK (Westville) - Entire length	FW2-NT
BLACKBIRD GUT (Newport) - Entire length	SE1(C1)
BLACKS CREEK (Bordentown) - Entire length	FW2-NT
BLACKWATER BRANCH	
(Vineland) – Entire length	FW2-NT
BOILER DITCH (Egg Island) - Entire length	FW2-NT/SE1(C1)
BUCKS DITCH (Mad Horse Creek) - Entire length	SE1(C1)
BUCKSHUTEM CREEK	
(Centre Grove) - Entire length, except segments described	
separately below	FW2-NT
(Edward G. Bevan) - Creek and tributaries within the	
boundaries of Edward G. Bevan Wildlife	
Management Area, except those tributaries described	
separately below	FW2-NT(C1)
(Edward G. Bevan) - Joshua and Pine Branches to their	
confluence with Buckshutem Creek	FW1

BURNT MILL BRANCH	
(Newfield) - Entire length	FW2-NT
CAT GUT (Mad Horse Creek) - Entire length	SE1(C1)
CEDAR BRANCH (Manumuskin River) - Source to Manumuskin	SEI(CI)
River	FW1
CEDAR BRANCH (Edward G. Bevan) - Entire length	FW1
CEDAR BRANCH (Edward G. Bevan) - See NANTUXENT CREEK	1 111
CEDAR CREEK	
(Dividing Creek Station) - Entire length, except portions	
described separately below	FW2-NT
(Edward G. Bevan) - Those tributaries to Cedar Creek that	
originate in and are located entirely within the	
boundaries of Edward G. Bevan Wildlife	
Management Area	FW1
CEDARVILLE POND (Cedarville)	FW2-NT(C1)
CHERRY TREE CREEK (Mad Horse Creek) - Entire length	SE1(C1)
CLARKS POND (Bridgeton)	FW2-NT(C1)
CLINT MILLPOND (Beaver Swamp)	FW2-NT(C1)
COHANSEY RIVER	
(Beals Mill) - Source to Finley Road, including all	
tributaries and Sunset Lake	FW2-NT
(Upper Deerfield) -Finley Road to Loper Run, including all	
unnamed tributaries	FW2-NT(C1)
(Upper Deerfield) – Loper Run to Park Drive, including all	
tributaries	FW2-NT
(Bridgeton) – Park Drive to the Railroad crossing	FW2-NT/SE1
(Bridgeton) – Railroad crossing to Delaware Bay	SE1
(Bridgeton) – All named and unnamed tributaries of	
Cohansey River from Irving Road to Delaware Bay, unless otherwise classified	FW2-NT/SE1
COOPER BRANCH - See RANCOCAS CREEK	FW2-N1/SE1
COOPER RIVER	
(Camden) – Source to Route 30	FW2-NT
(East Camden) - Route 30 to Delaware River	FW2-NT(C1)
COURTENY PONDS (Egg Island)	FW2-NT/SE1(C1)
CROSSWICKS CREEK (Bordentown) - Entire length	FW2-NT
CROW CREEK (S. Dennis) - Entire length	FW2-NT/SE1(C1)
CRYSTAL CREEK	1 2 1 . 1 . 2 . 2 . 1 (0 1)
(Bordentown) – Source to Route 130	FW2-NT
(Bordentown) – Route 130 to Delaware River	FW2-NT(C1)
DEER PARK BRANCH - See RANCOCAS CREEK	` ,
DELAWARE RIVER TRIBUTARIES	
(Brooklawn) - Unnamed or unlisted direct tributaries, south	
of Big Timber Creek and north of Oldmans Creek,	
that are outside of the Pinelands Protection and	
Preservation Areas and are not designated as C1	
waters by the Department	FW2-NT/SE2

(Penns Grove) - Unnamed or unlisted direct tributaries, south of and including Oldmans Creek, that are outside of the Pinelands Protection and Preservation Areas and are not designated as C1 waters by the Department (Pinelands) - All streams or segments of streams which flow directly into the Delaware River, are within the	FW2-NT/SE1
boundaries of the Pinelands Area and are not classified FW1 waters in this Table DENNIS CREEK	PL
(South Dennis) - Entire length, except segments described below	FW2-NT/SE1
(Woodbine) - All tributaries within the boundaries of the Pinelands Protection and Preservation Areas	PL
(Dennis Creek) - Segment of the Creek, all tributaries, and all other surface waters within the boundaries of the Dennis Creek Wildlife Management Area	FW2-NT/SE1(C1)
DEVILS GUT	
(Mad Horse Creek) - Entire length, except tributaries described below	SE1(C1)
(Mad Horse Creek) - Tributaries outside the Mad Horse Creek Wildlife Management Area	SE1
DIVIDING CREEK	
(Lores Mill) – Source to Highland Street, except those segments described below	FW2-NT
(Dividing Creek) – Highland Street to Delaware Bay, except those segments described below	FW2-NT/SE1
(Edward G. Bevan) - Those segments of tributaries that are located entirely within the boundaries of the Edward	FW1
G. Bevan Wildlife Management Area	
DIVISION CREEK (Dix) - Entire length	SE1(C1)
DOCTORS CREEK (Red Creek) - Entire length, except segment described below (Indexetorate) - Segment within Indexetorate Lake Wildlife	FW2-NT
(Imlaystown) - Segment within Imlaystown Lake Wildlife Management Area DRUMBO CREEK	FW2-NT(C1)
(Dix) - Entire length, except segment described below (Dix) - Segment within the boundaries of Dix Wildlife	FW2-NT/SE1
Management Area EAST CREEK	FW2-NT/SE1(C1)
(Dennis) - Source to boundaries of the Pinelands Protection	
and Preservation Area, except those portions described separately below (Belleplain) - A stream and tributary that originate just south of East Creek Mill Rd., 1.2+miles north-northeast of	PL
Eldora and are located entirely within the boundaries	
of Belleplain State Forest	FW1

(Belleplain) - All tributaries to Lake Nummi from their origins downstream to the Lake (Eldora) - Boundary of the Pinelands Protection and Preservation Area to Delaware Bay, except segment within the boundaries of the Dennis Creek Wildlife	FW1
Management Area (Eldora) – All named and unnamed tributaries of East Creek from the boundary of Pinelands Protection and Preservation Area to Delaware Bay, except segment within the boundaries of the Dennis Creek Wildlife	SE1
Management Area (Dennis Creek) - Segment within the boundaries of the	FW2-NT/SE1
Dennis Creek Wildlife Management Area ELDER GUT (Egg Island) - Entire length FISHING CREEK (Egg Island) - Entire length FISHING CREEK	SE1(C1) FW2-NT/SE1(C1) FW2-NT/SE1(C1)
(Canton) - Source to Mad Horse Creek Wildlife Management Area and all tributaries outside of the	
boundaries of Mad Horse Creek Wildlife Management Area (Mad Horse Creek) - Creek and tributaries within the boundaries of Mad Horse Creek Wildlife	SE1
Management Area	SE1(C1)
GOOSE POND (Mad Horse Creek) GOSHEN CREEK	SE1(C1)
(Woodbine) - Entire length except segment described below (Dennis Creek) - Segment and all tributaries within the	SE1
Dennis Creek Wildlife Management Area GRAVELLY RUN (Edward G. Bevan) - Downstream to the Edward G. Bevan Wildlife Management Area	SE1(C1)
boundaries GREEN BRANCH (Brotmanville) – Entire length, and all	FW1
tributaries, including Endless Branch HIGBEE BEACH (Higbee Beach Wildlife Management Area) All waters within the boundaries of Higbee Beach	FW2-NT(C1)
Wildlife Management Area HIGHS BEACH (Highs Beach) - All waters within the Wildlife	FW2-NT/SE1(C1)
Management Area south of Highs Beach IMLAYSTOWN LAKE (Imlaystown) INDIAN DITCH (Egg Island) - Entire length	FW2-NT/SE1(C1) FW2-NT(C1) FW2-NT/SE1(C1)
INDIAN RUN (Palatine) –Entire length ISLAND DITCH (Egg Harbor) - Entire length	FW2-NT FW2-NT/SE1(C1)
JADE RUN (Brendan T. Byrne State Forest) - Entire length JOSHUA BRANCH - See BUCKSHUTEM CREEK	FW1
KING POND (Egg Island) LAHAWAY CREEK	SE1(C1)

 (Prospertown) - Entire length, except tributaries described separately below (Colliers Mills) - All tributaries which originate in the Colliers Mills Wildlife Management Area north-northeast of Archers Corners, from their sources to 	FW2-NT
the boundaries of the Colliers Mills Wildlife Management Area LITTLE EASE RUN	FW1
(Glassboro) - Entire length, except portion described separately below (Glassboro) - Run and tributaries within the Glassboro	FW2-NT
Wildlife Management Area, except tributary described separately below (Glassboro) - The portion of a branch of Little Ease Run situated immediately north of Stanger Avenue, and	FW2-NT(C1)
entirely within the Glassboro Wildlife Management	EW1
Area (Glassboro) - The first and second easterly tributaries to	FW1
Little Ease Run north of Academy Road LITTLE ROBIN BRANCH (Vineland) – Entire length POND (Repaupo)	FW1 FW2-NT LOGAN FW2-NT(C1)
LONG POND (Mad Horse Creek)	SE1(C1)
LONE TREE CREEK (Egg Island) - Entire length	SE1(C1)
LOWER BROTHERS CREEK (Egg Island) - Entire length	SE1(C1)
LOWER DEEP CREEK (Mad Horse Creek) - Entire length MAD HORSE CREEK	SE1(C1)
(Canton) - Source to the boundary of Mad Horse Creek	
Wildlife Management Area and all tributaries	
outside the boundaries of the Wildlife Management	
Area	FW2-NT/SE1
(Mad Horse Creek) - Creek and all waters within the Mad	
Horse Creek Wildlife Management Area	FW2-NT/SE1(C1)
MALAPATIS CREEK (Mad Horse Creek) - Entire length, except segment	
described below	SE1(C1)
(Mad Horse Creek) - Portions of the Creek beyond the	521(61)
boundaries of the Mad Horse Creek Wildlife	
Management Area	SE1
MANTUA CREEK	
(Sewell) - Source to Wenonah Ave., including all tributaries	FW2-NT
(Montua) - Wenonah Ave. to Delaware River MASON CREEK	FW2-NT/SE2
(Springville) - Entire length, except segment described	
below	FW2-NT
(Medford) - Segment within Medford Wildlife Management	
Area	FW2-NT(C1)
MASONS RUN	

(Pine Hill) - Source to Little Mill Road	FW2-TP(C1)
(Lidenwold) - Little Mill Rd. to confluence with Big Timber Creek	FW2-NT
MAURICE RIVER MAIN STEM	
(Willow Grove) - Willow Grove Road to the confluence with	
Blackwater Branch	FW2-NT(C1)
(Vineland) - Confluence with Blackwater Branch to West	12 1.11(01)
Sherman Avenue, except tributaries described under	
Tributaries below	FW2-NT
(Millville) - West Sherman Avenue to Union Lake Dam,	
including Union Lake	FW2-NT(C1)
(Millville) - Union Lake Dam to Delaware Bay, except	CE1
tributaries described under Tributaries below	SE1
(Millville) – All named and unnamed tributaries of Maurice River from Union Lake Dam to Delaware Bay,	
except tributaries described under Tributaries below,	
unless otherwise classified	FW2-NT/SE1
TRIBUTARIES, MAURICE RIVER	
(Willow's Grove) - Those portion of tributaries that are	
within the boundaries of the Pinelands Protection and	
Preservation Area	PL
(Vineland) – All tributaries within the boundaries of the	FW2 NIT(C1)
Union Lake Wildlife Management Area (Matts Landing) - All tributaries within the Wildlife	FW2-NT(C1)
Management Area that borders Delaware Bay	FW2-NT/SE1(C1)
MCCORMICK POND (Egg Island)	FW2-NT/SE1(C1)
MACDONALD BRANCH - See RANCOCAS CREEK	
MENANTICO CREEK	
(Millville) –Source to Mays Landing Road	FW2-NT
(Millville) – Mays Landing Road to Berryman Branch,	
including all tributaries	FW2-NT(C1)
(Menantico) - Berryman Branch to Maurice River, except segment described below	EW/2 NIT
(Menantico) - Segment within the boundaries of the	FW2-NT
Menantico Ponds Wildlife Management Area	FW2-NT(C1)
MIDDLE BROTHERS CREEK (Egg Island) - Entire length	SE1(C1)
MIDDLE MARSH CREEK	,
(Dix) - All fresh waters which originate in and are located	
entirely within the boundaries of the Dix Wildlife	
Management Area	FW1
MILE BRANCH - Entire length	FW1
MILL CREEK (Cormal) Entire length avant segment described below	FW2-NT
(Carmel) - Entire length, except segment described below (Union Lake) - Creek and tributaries within the boundaries	1' VV Z-1N 1
of the Union Lake Wildlife Management Area	FW2-NT(C1)
MOUNT MISERY BROOK	()

(Woodmansie) - Entire length, except segments described below	PL
SOUTH BRANCH, MOUNT MISERY BROOK (Brendan T. Byrne State Forest) - All tributaries to the South	
Branch that are located entirely within the boundaries of Brendan T. Byrne State Forest (Pasadena) - The two easterly branches of the Branch which	FW1
are located entirely within the boundaries of the Pasadena Wildlife Management Area MUDDY CREEK	FW1
(Mad Horse Creek) - Entire length, except segments described below	SE1(C1)
(Mad Horse Creek) - Segments outside of the boundaries of the Mad Horse Creek Wildlife Management Area	SE1
MUDDY RUN (Elmer) - Entire length, except segments described below (Elmer) - Portion of the Run within Elmer Lake Wildlife	FW2-NT
Management Area (Centerton) - Portion of the Run within Parvin State Park	FW2-NT(C1) FW2-NT(C1)
(Pittsgrove) - Portion of the run within Union Lake Wildlife Management Area	FW2-NT(C1)
MUSKEE CREEK (Port Elizabeth) Source to boundary of Bindonds	
(Port Elizabeth) - Source to boundary of Pinelands Protection and Preservation Area, except segments described separately below (Peaselee) - The Middle Branch from its origin to the	PL
boundaries of the Peaselee Wildlife Management Area (Peaselee) These parties of the tributeries to Slab Propole	FW1
(Peaselee) - Those portions of the tributaries to Slab Branch which are located entirely within the boundaries of the Peaselee Wildlife Management Area	FW1
(Bricksboro) - Pinelands Protection and Preservation Area boundaries to Maurice River	FW2-NT
NANCY GUT	
(Nantuxent) - Source to the boundary of Nantuxent Creek Wildlife Management Area (Newport) - Stream and all tributaries outside of the	SE1(C1)
boundaries of the Nantuxent Creek Wildlife Management Area NANTUXENT CREEK	SE1
(Newport Landing) - Entire length, except segment described below	FW2-NT/SE1
(Nantuxent) - All waters within the boundaries of Nantuxent Creek Wildlife Management Area	FW2-NT/SE1(C1)
NORTH RUN	` '
(Wrightstown) – Entire length, except segments described below	FW2-NT

(Wrightstown) - Portion within the boundaries of the Pinelands Area PL **TRIBUTARY** (NE of Wrightstown) – Source to Pinelands Area boundary, including all tributaries FW2-NT(C1) **OLDMANS CREEK** (Lincoln) - Source to the eastern boundary of the Harrisonville Lake Wildlife Management Area boundary FW2-NT (Harrisonville) – Eastern boundary of the Harrisonville Lake Wildlife Management Area to Kings Highway by Porches Mill, including all tributaries FW2-NT(C1) (Oldmans) - Kings Highway by Porches Mill to Main Street FW2-NT (Oldmans) – Main Street to the Delaware River FW2-NT/SE1 ORANOAKEN CREEK (Fortescue) - Source to boundary of Egg Island Berrytown Wildlife Management Area FW2-NT/SE1 (Egg Island) - Creek and tributaries within the boundaries of the Egg Island Berrytown Wildlife Management Area FW2-NT/SE1(C1) PARGEY CREEK (Asbury) – Source to Swedesboro Ave. FW2-NT (Gibbstown) - Swedesboro Avenue to Repaupo Creek, except segments described below FW2-NT/SE2 (Logans Pond) - Segment within the boundaries of Logans Pond Wildlife Management Area FW2-NT/SE2(C1) PARVIN LAKE (Parvin State Park) FW2-NT(C1) PATTYS FORK - See MAD HORSE CREEK PENNSAUKEN CREEK (Cinnaminson) - Entire length FW2-NT PIERSONS DITCH (Egg Island) - Entire length FW2-NT/SE1(C1) PINE BRANCH - See BUCKSHUTEM CREEK POMPESTON CREEK (Cinnaminson) - Entire length, except portion described below FW2-NT (Riverton) - Route 130 bridge to Broad Street bridge FW2-NT(C1) RACCOON CREEK (Mullica Hill) - Source to Kings Highway, except tributary described below FW2-NT (Grand Sprute) - Kings Highway to Delaware River FW2-NT/SE2 **TRIBUTARY** (Basgalore Lake Tributary) - Entire length, including Basgalore Lake and all tributaries FW2-NT(C1) RANCOCAS CREEK NORTH BRANCH (North Hanover) - Source to boundary of the Pinelands Protection and Preservation Area at Pemberton PL

(Pemberton) - Boundary of the Pinelands Protection and	
Preservation Area to the Delaware River, except	EWO NE
tributaries described below (Pemberton) - Tributaries within the boundaries of the	FW2-NT
Pinelands Protection and Preservation Areas	PL
SOUTH BRANCH RANCOCAS CREEK	T L
(Southhampton) - Source to Pinelands Protection and	
Preservation Area boundaries at Rt. 206 bridge south	
of Vincentown	PL
(Vincentown) - Vincentown to Delaware River, except	
tributaries described separately below	FW2-NT
(Vincentown) - All tributaries within the Pinelands	
Protection and Preservation Area	PL
COOPER BRANCH RANCOCAS CREEK	
(Woodmansie) - Entire length, except portions described	DI
separately, below (Prenden T. Pyrma State Forest) Prench and tributaries	PL
(Brendan T. Byrne State Forest) - Branch and tributaries downstream to Pakim Pond, and tributaries to	
Cooper Branch located entirely within the Brendan	
T. Byrne State Forest boundaries	FW1
DEER PARK BRANCH RANCOCAS CREEK	1 ,, 1
(Buckingham) - Stream and tributaries near Buckingham to	
confluence with Pole Bridge Branch	FW1
MACDONALDS BRANCH RANCOCAS CREEK	
(Woodmansie) - Entire length, except as described	
separately below	PL
(Brendan T. Byrne State Forest) - Branch and tributaries	
located entirely within Brendan T. Byrne State	DXX/1
Forest SHINNS BRANCH RANCOCAS CREEK	FW1
(Brendan T. Byrne State Forest) - Branch and tributaries	
located entirely within the boundaries of Brendan T.	
Byrne State Forest, from their sources to the forest	
boundary	FW1
(Lebanon Lake Estates) - Forest boundary to lake	PL
ROARING DITCH	
(Heislerville) - Entire length, except segment described	
below	SE1
(Eldora) - Ditch and all tributaries within the Dennis Creek	GE1 (G1)
Wildlife Management Area boundaries	SE1(C1)
ROWANDS POND (Clementon) - Pond, inlet stream and outlet	
stream within Rowands Pond Wildlife Management Area	FW2-NT(C1)
SALEM RIVER	1 11 2-111(C1)
(Upper Pittsgrove) – Source to Slabtown Road, including all	
tributaries	FW2-NT(C1)
	` '

(Woodstown) – Slabtown Road to the confluence with Mill FW2-NT (Woodstown) – Mill Street to Chestnut Run FW2-NT(C1) (Woodstown) – Chestnut Run to Nichomus Run FW2-NT (Sharptown) - Nichomus Run to Major Run, including Nichomus Run, Major Run, and their tributaries FW2-NT(C1) (Salem) – Major Run to the confluence with the Delaware River, except the tributary described below FW2-NT/SE1 **TRIBUTARY** (Pilesgrove) - Entire length, including all tributaries FW2-NT/SE1(C1) SAVAGES RUN (East Creek) (Belleplain State Forest) - Entire length, except portions described separately, below PL (Belleplain State Forest) - Those two tributaries and portions thereof downstream of Lake Nummi and all tributaries to Lake Nummi that are located entirely within the boundaries of Belleplain State Forest FW1 SCOTLAND RUN (Monroe) – Entire length FW2-NT SHAWS MILL POND (Cedarville) FW2-NT/SE1(C1) **TRIBUTARIES** (Edward G. Bevan) - Cedar and Mile Branches to Shaw's Mill Pond FW1 SHINNS BRANCH - See RANCOCAS CREEK SHORE DITCH (Mad Horse Creek) - Entire length SE1(C1) SILVER LAKE FORK - See MAD HORSE CREEK SLAB BRANCH - See MUSKEE CREEK **SLUICE CREEK** (Cedar Grove) - Source to lower boundary of Clint Millpond, except segment with in Beaver Swamp Wildlife Management Area FW2-NT (Cedar Grove) – Segment and tributaries within the Beaver Swamp Wildlife Management Area FW2-NT(C1) (South Dennis) - Clint Millpond to Dennis Creek, except segment within the Dennis Creek Wildlife Management Area SE₁ (South Dennis) - All named and unnamed tributaries to Sluice Creek from Clint Millpond to Dennis Creek, except segment within the Dennis Creek Wildlife Management Area FW2-NT/SE1 (Dennis Creek) - Segments of tributaries within the Dennis Creek Wildlife Management Area SE1(C1) STEEP RUN (Mauricetown) - Entire length FW2-NT(C1) STILL RUN (Aura) – Entire length FW2-NT STOW CREEK (Jericho) – Source to Buckhorn Road FW2-NT

(Stow Creek Landing) - Buckhorn Road to Delaware River, except tributaries within the boundaries of the Mad Horse Creek Wildlife Management Area (Stow Creek Landing) – Tributaries of Stow Creek from Buckhorn Road to Delaware River, except tributaries within the boundaries of the Mad Horse Creek	SE1
Wildlife Management Area (Mad Horse Creek) - Tributaries within the boundaries of the	FW2-NT/SE1
Mad Horse Creek Wildlife Management Area STRAIGHT CREEK (Berrytown) - Entire length THREE MOUTHS (Egg Island)	FW2-NT/SE1(C1) SE1(C1) FW2-NT/SE1(C1)
THUNDERGUST BROOK (Deerfield) - Entire length, except segment described below (Deerfield) - That segment within the boundaries of Parvin	FW2-NT
State Park THUNDERGUST LAKE (Parvin State Park) TURNERS FORK - See MAD HORSE CREEK	FW2-NT(C1) FW2-NT(C1)
UPPER BROTHERS CREEK (Egg Island) - Entire length UPPER DEEP CREEK (Mad Horse Creek) - Entire length	SE1(C1) SE1(C1)
WEST CREEK (Halberton) - Source to the boundary of the Pinelands Protection and Preservation Areas, except those portions described separately, below	PL
(Belleplain) - The portion of the tributary that originates about 0.9 miles southeast of Hoffman's Mill and is located entirely within the boundaries of Belleplain	12
State Forest (Belleplain) - Those tributaries that originate about 0.5 miles upstream of Hoffman's Mill and are located entirely	FW1
within the boundaries of Belleplain State Forest (Belleplain) - Eastern branch of the easterly tributary to Pickle Factory Pond from its origin to its confluence	FW1
with the western branch (Delmont) - Boundary of the Pinelands Protection and Preservation Area to the Delaware Bay, except	FW1
portions within the boundary of the Fish and Game lands, except tributaries described below (Delmont) – All named and unnamed tributaries from the boundary of the Pinelands Protection and	SE1
Preservation Area to the Delaware Bay, except tributaries described below (Delmont) – Portions within the Fish and Game lands WIDGEON PONDS (Egg Island)	FW2-NT/SE1 SE1(C1) FW2-NT/SE1(C1)
WOODBURY CREEK (National Park) – Source to Hessian Run	FW2-NT/SE2
(National Park) – Hessian Run to Delaware River, including all tributaries	FW2-NT/SE2(C1)

(f) The following surface water classifications are for waters of the Passaic, Hackensack and New York Harbor Complex Basin:

Waterbody	Classification
AMES LAKE (Hibernia)	FW2-NT(C1)
APSHAWA BROOK (Macopin) - Entire length ARTHUR KILL	FW2-TP(C1)
(Perth Amboy) - The Kill and its saline New Jersey	
tributaries between the Outerbridge Crossing and a line connecting Ferry Pt., Perth Amboy to Wards Pt.,	
Staten Island, New York	SE2
(Elizabeth) - From an east-west line connecting	
Elizabethport with Bergen Pt., Bayonne to the	GE2
Outerbridge Crossing (Woodbridge) All frachyyeten tributeries	SE3 FW2-NT
(Woodbridge) - All freshwater tributaries BEAR BROOK	Γ W Z-IN I
(Washington) – Source to Spring Valley Road	FW2-NT(C1)
(Washington) – Spring Valley Road to Woodcliff Lake,	()
including all tributaries	FW2-TM(C1)
BEAR SWAMP BROOK (Mahwah) - Entire length	FW2-TP(C1)
BEAR SWAMP LAKE (Ringwood State Park)	FW2-NT(C1)
BEAVER BROOK	
(Meriden) - From Splitrock Reservoir Dam downstream to	EW/2 TD(C1)
Meriden Road Bridge (Denville) - Meriden Road Bridge to Rockaway River,	FW2-TP(C1)
including Mount Hope and White Meadow Lakes	
and all unnamed and unlisted tributaries	FW2-NT(C1)
TRIBUTARIES	,
(Meriden) - Two tributaries located approximately three	
quarters of a mile southwest of Meriden	FW2-TP(C1)
BEECH BROOK	
(West Milford) - From State line downstream to Monksville	EW/2 TD/C1)
Reservoir, including all tributaries BELCHER CREEK (W. Milford) - Entire length	FW2-TP(C1) FW2-NT
BERRYS CREEK (Secaucus) - Entire length	FW2-NT/SE2
BLACK BROOK	1 W2 1V1/5L2
(Meyersville) - Entire length, except segment described	
below	FW2-NT
(Great Swamp) - Segment and tributaries within the Great	
Swamp National Wildlife Refuge	FW2-NT(C1)
BLUE MINE BROOK (Wang gue) Headwaters deventment to lawer Speke Den	
(Wanaque) - Headwaters downstream to lower Snake Den Road bridge	FW2-TP(C1)

(Wanaque) - Lower Snake Den Road bridge to the confluence with Wanaque Reservoir	FW2-TM(C1)
BOONTON RESERVOIR - See JERSEY CITY RESERVOIR BRUSHWOOD POND (Ringwood State Park)	FW2-TM(C1)
BUCKABEAR POND (Newfoundland) - Pond, its tributaries and	, ,
connecting stream to Clinton Reservoir BURNT MEADOW BROOK (Green Pond) - Source downstream	FW2-NT(C1)
to confluence with Green Pond Brook, including Lake Denmark and all tributaries	EWO NIT(C1)
BURNT MEADOW BROOK (Stonetown) - Entire length	FW2-NT(C1) FW2-TP(C1)
CANISTEAR RESERVOIR (Vernon)	FW2-TM(C1)
CANISTEAR RESERVOIR TRIBUTARY	1 112 1111(01)
(Vernon) – The eastern tributary to the Reservoir	FW2-NT(C1)
(Vernon) - The southern branch of the eastern tributary to	, ,
the Reservoir	FW1
CANOE BROOK (Chatham) - Entire length	FW2-NT
CEDAR POND (Postville) - Pond and all tributaries	FW1
CHARLOTTESBURG RESERVOIR (Charlottesburg)	FW2-TM(C1)
TRIBUTARIES	TYY T TT (C1)
(Charlottesburg) – All unnamed tributaries	FW2-TP(C1)
(Charlottesburg) – Unnamed lake on the southeastern	EWO NIT(C1)
tributary to the Reservoir CHERRY RIDGE BROOK	FW2-NT(C1)
(Vernon) - Tributaries not contained within Wawayanda	
State Park and Newark Watershed lands	FW2-NT
(Wawayanda State Park) - Brook and tributaries upstream of	1 1/2 111
Canistear Reservoir located entirely within the	
boundaries of Wawayanda State Park and the	
Newark Watershed lands	FW1
CLINTON BROOK (W. Milford) - Clinton Reservoir dam to	
Pequannock River	FW2-TP(C1)
CLINTON RESERVOIR (W. Milford)	FW2-TM(C1)
CLOVE BROOK - See STAG BROOK	
COOLEY BROOK	
(W. Milford) - Entire length, except segments described	EU/O ED/C1)
below	FW2-TP(C1)
(Hewitt State Forest) - Segments of the brook and all	
tributaries which originate and are located entirely within Hewitt State Forest	EW1(tp)
CORYS BROOK (Warren) - Entire length	FW1(tp) FW2-NT
CRESSKILL BROOK	1 ** 2-1*1
(Alpine) - Entire length, including Rionda's Pond and all	
tributaries	FW2-TP(C1)
CROOKED BROOK TRIB. (East of Sheep Hill) - Entire length	FW2-TP(C1)
CUPSAW BROOK	,
(Skylands) - Entire length, including all tributaries and	
Cupsaw Lake	FW2-NT(C1)

DEAD RIVER (Liberty Corners) - Entire length DEN BROOK (Randolph) - Entire length, including all tributaries	FW2-NT
and lakes	FW2-NT(C1)
TRIBUTARY	EWO TD(C1)
(Randolph) - Tributary west of Shongum Lake DUCK POND (Ringwood)	FW2-TP(C1) FW2-NT(C1)
DUNKER POND BROOK (West Milford Township) - Entire	1 W 2-N1(C1)
length, including Dunker Pond and all tributaries,	
except Lud-Day Brook	FW2-NT(C1)
DURHAM POND (Rockaway)	FW2-NT(C1)
ELIZABETH RIVER	, ,
(Elizabeth) - Source to Broad St. bridge, Elizabeth and all	
freshwater tributaries	FW2-NT
(Elizabeth) - Broad St. bridge to mouth	SE3
EMMA LAKE (Hibernia)	FW2-NT(C1)
ERSKINE BROOK (Ringwood) – Entire length	FW2-TM(C1)
ERSKINE LAKES (Ringwood)	FW2-NT(C1)
FOX BROOK (Mahwah) - Entire length, including all tributaries GIRL SCOUT POND (Hibernia)	FW2-TP(C1) FW2-NT(C1)
GLASMERE POND (Ringwood)	FW2-NT(C1)
GOFFLE BROOK (Hawthorne) - Entire length	FW2-NT
GRANNEY BROOK - See SPRING BROOK	1 112 111
GRANNIS BROOK (Morris Plains) - Entire length	FW2-NT
GREAT BROOK	
(Chatham) - Entire length, except segment described below	FW2-NT
	1 11 2 111
(Great Swamp) - Segment within the boundaries of the Great	1 112 111
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge	FW2-NT(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK	
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments	FW2-NT(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below	
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which	FW2-NT(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt	FW2-NT(C1) FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries	FW2-NT(C1) FW2-TP(C1) FW1(tp)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway)	FW2-NT(C1) FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK	FW2-NT(C1) FW2-TP(C1) FW1(tp)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway)	FW2-NT(C1) FW2-TP(C1) FW1(tp)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including,	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all tributaries	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all tributaries GREENWOOD LAKE (W. Milford)	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all tributaries GREENWOOD LAKE (W. Milford) HACKENSACK RIVER	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all tributaries GREENWOOD LAKE (W. Milford) HACKENSACK RIVER (Oradell) - New York/New Jersey State line to Oradell dam,	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all tributaries GREENWOOD LAKE (W. Milford) HACKENSACK RIVER (Oradell) - New York/New Jersey State line to Oradell dam, including Lake Tappan and all tributaries draining to	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1) FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all tributaries GREENWOOD LAKE (W. Milford) HACKENSACK RIVER (Oradell) - New York/New Jersey State line to Oradell dam, including Lake Tappan and all tributaries draining to the Hackensack River above Oradell Dam	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1)
(Great Swamp) - Segment within the boundaries of the Great Swamp National Wildlife Refuge GREEN BROOK (W. Milford) - Entire length, except those segments described below (Hewitt State Forest) - Those segments and tributaries which originate and are located entirely within the Hewitt State Forest boundaries GREEN POND (Rockaway) GREEN POND BROOK (Picatinny Arsenal) - Green Pond outlet to, but not including, Picatinny Lake (Wharton) - Picatinny Lake and its outlet stream to the confluence with the Rockaway River, including all tributaries GREENWOOD LAKE (W. Milford) HACKENSACK RIVER (Oradell) - New York/New Jersey State line to Oradell dam, including Lake Tappan and all tributaries draining to	FW2-NT(C1) FW2-TP(C1) FW1(tp) FW2-TM FW2-TP(C1) FW2-TP(C1)

(Little Ferry) - Main stem and saline tributaries from Overpeck Creek to Route 1 and 9 crossing (Kearny Point) - Main stem downstream from Route 1 and 9 crossing TRIBUTARIES	SE2 SE3
(Oradell) - Tributaries joining the main stem between Oradell dam and the confluence with Overpeck Creek (Little Ferry) - Tributaries joining the main stem downstream of Overpeck Creek HANKS POND (Clinton) - Pond and all tributaries HARMONY BROOK (Brookside) - Entire length HARRISONS BROOK (Bernards) - Entire length HAVEMEYER BROOK (Mahwah) - Entire length HEWITT BROOK (W. Milford) - Entire length HIBERNIA BROOK	FW2-NT/SE1 FW2-NT/SE2 FW1 FW2-TP(C1) FW2-NT FW2-TP(C1) FW2-TP(C1)
(Marcella) - Source to first Green Pond Road bridge downstream of Lake Emma (Hibernia) - First Green Pond Road bridge to confluence with Beaver Brook TRIBUTARY	FW2-TP(C1) FW2-TM(C1)
(Lake Ames) - Source to, but not including, Lake Ames HIGH MOUNTAIN BROOK (Ringwood) - Source to, but not including, Skyline Lake HOHOKUS BROOK (Hohokus) - Entire length HUDSON RIVER	FW2-TP(C1) FW2-TP(C1) FW2-NT
(Rockleigh) - River and saline portions of New Jersey tributaries from the New Jersey-New York boundary line in the north to its confluence with the Harlem River, New York (Englewood Cliffs) - River and saline portions of New Jersey tributaries from the confluence with the Harlem River, New York to a north-south line connecting Constable Hook (Bayonne) to St. George (Staten Island, New York)	SE1 SE2
TRIBUTARIES (Rockleigh) - Freshwater portions of tributaries to the Hudson River in New Jersey INDIAN GROVE BROOK (Bernardsville) - Entire length JACKSON BROOK	FW2-NT FW2-TP(C1)
(Mine Hill) - Source to the boundary of Hurd Park, Dover, including all tributaries, except Spring (Granney) Brook (Dover) - Hurd Park to Rockaway River JENNINGS CREEK (W. Milford) - State line to Wanaque River JERSEY CITY RESERVOIR (Boonton) KANOUSE BROOK (Newfoundland) - Entire length	FW2-TP(C1) FW2-NT(C1) FW2-TP(C1) FW2-TM(C1) FW2-TP(C1)

KIKEOUT BROOK (Butler) - See STONE HOUSE BROOK KILL VAN KULL (Bayonne) - Westerly from a north-south line connecting Constable Hook (Bayonne) to St. George	
(Staten Island, New York) LAKE RICKONDA OUTLET STREAM (Monks) - That segment	SE3
of the outlet stream from Lake Rickonda within Ringwood State Park LAKE STOCKHOLM BROOK	FW2-TM(C1)
(Stockholm) - Entire length, except tributaries described separately below (Stockholm) - Portion of westerly tributary, from its origins	FW2-TP(C1)
to about 1000 feet south of the Route 23 bridge, located entirely within the boundaries of the Newark watershed	FW1(tp)
(Stockholm) - Brook between Hamburg Turnpike and Vernon-Stockholm Rd. to its confluence with Lake Stockholm Brook, north of Rt. 23	FW1(tp)
LITTLE POND BROOK (Oakland) - Entire length LOANTAKA BROOK	FW2-TP(C1)
(Green Village) - Entire length, except segment described below (Great Swamp) - Brook and all tributaries within the	FW2-NT
boundaries of Great Swamp National Wildlife Refuge LUD-DAY BROOK (Camp Garfield) - Source downstream to its	FW2-NT(C1)
confluence with the southwestern outlet stream from Clinton Reservoir just upstream of the confluence of the outlet stream and a tributary from Camp Garfield	
MACOPIN RIVER	FW1
(Newfoundland) - Source to Echo Lake dam, including Echo Lake	FW2-NT
(Newfoundland) - Echo Lake dam downstream to Pequannock River TRIBUTARY	FW2-TP(C1)
Mathews Brook (Echo Lake) - Entire length, including all tributaries	FW2-NT
MEADOW BROOK	
(Wanaque) - Skyline Lake and its outlet stream to E. Belmont Ave., including all tributaries (Wanaque) - E. Belmont Ave. downstream to Wanaque	FW2-NT(C1)
River MILL BROOK	FW2-TP(C1)
(Randolph) - Source to Route 10 bridge, including all tributaries (Randolph) - Route 10 bridge to Rockaway River	FW2-TP(C1) FW2-TM(C1)
TRIBUTARIES	= -1.1(-1)

(N. of Union Hill) - Entire length MONKSVILLE RESERVOIR (Long Pond Iron Works State Park) MORSES CREEK (Linden) - Entire length MOSSMANS BROOK (West Milford) - Source to confluence with Clinton Reservoir MT. TAROP BROOK (Morris Plains) - Entire length	FW2-TP(C1) FW2-TM(C1) FW2-NT/SE3 FW2-TP(C1) FW2-NT
MT. TABOR BROOK (Morris Plains) - Entire length NEWARK BAY (Newark) - North of an east-west line connecting Elizabethport with Bergen Pt., Bayonne up to the mouths of the Passaic and Hackensack Rivers NOSENZO POND (Upper Macopin) OAK RIDGE RESERVOIR (Oak Ridge) OAK RIDGE RESERVOIR TRIBUTARIES (Oak Ridge) - Northwestern tributary to Reservoir	SE3 FW2-NT(C1) FW2-TM(C1) FW1(tm)
(Oak Ridge) – Southwestern tributary to Reservoir OHIO BROOK (Morris Township) - Source downstream to Morristown town line ORADELL RESERVOIR (Oradell) TRIBUTARIES	FW2-TM(C1) FW2-TM FW2-NT(C1)
(Oradell) - All named and unnamed tributaries that are not listed separately, that drain into Oradell Reservoir above the Oradell Dam OVERPECK CREEK (Palisades Park) - Entire length PACOCK BROOK	FW2-NT(C1) FW2-NT/SE2
(Canistear) - Brook and tributaries upstream of Canistear Reservoir located entirely within the boundaries of the Newark Watershed (Canistear) - Brook including Marshall Pond upstream of Canistear Reservoir located outside the boundaries	FW1
of the Newark Watershed (Stockholm) - Outlet stream of Canistear Reservoir to Pequannock River PASCACK BROOK (Hackensack) - New York/New Jersey State	FW2-NT(C1) FW2-NT(C1)
line to confluence with the Oradell Reservoir, including Woodcliff Lake, and all tributaries PASSAIC RIVER (Mendham) - Source downstream to, but not including, Osborn Pond or tributaries described separately	FW2-NT(C1)
below (Paterson) - Outlet of Osborn Pond to Dundee Lake dam (Little Falls) - Dundee Lake dam to confluence with Second River	FW2-TP(C1) FW2-NT FW2-NT/SE2
(Newark) - Confluence with Second River to mouth TRIBUTARIES (Great Piece Meadows State Park) - Tributaries within Great Piece Meadows State Park PECKMAN RIVER (Verona) - Entire length PEQUANNOCK RIVER	FW2-NT(C1) FW2-NT

MAIN STEM	
(Vernon) - Source to confluence with Pacock Brook	FW1(tp)
(Hardyston) - River and the easterly tributary from Pacock	
Brook to, but not including, Oak Ridge Reservoir	FW2-TP(C1)
(Newfoundland) - Outlet of Oak Ridge Reservoir	
downstream to Charlottesburg Reservoir, including all unnamed tributaries, but not including	
Charlottesburg Reservoir	FW2-TP(C1)
(Charlottesburg) - Outlet of Charlottesburg Reservoir to, but	1 W2-11 (C1)
not including, Macopin Reservoir or the tributaries	
described separately below	FW2-TP(C1)
(Kinnelon) - Macopin Reservoir outlet to Hamburg Turnpike	, ,
bridge in Pompton Lakes Borough	FW2-TP(C1)
(Riverdale) - Hamburg Turnpike bridge in Pompton Lakes	
Borough to confluence with Wanaque River	FW2-TM
(Pompton Plains) - Confluence with Wanaque River	FW2-NT
downstream to confluence with Pompton River TRIBUTARIES	F W Z-IN I
(Copperas Mtn.) - Entire length	FW2-TP(C1)
(Smoke Rise) - Entire length	FW2-TP(C1)
(Green Pond Junction) - Tributary at Green Pond Junction	()
from its origin downstream to Route 23	FW1(tm)
(Jefferson) - Tributary joining the main stem about 3500±	
feet southeast of the Sussex-Passaic County line,	
near Jefferson from its origin to about 2000 feet	
upstream of the pond	FW1(tm)
(Maple Lake) – Entire length, including all tributaries (Lake Kampfe) - Source to, but not including, Lake Kampfe	FW2-TP(C1) FW2-TM
(Lake Kampfe) - Source to, but not including, Lake Kampfe (Lake Kampfe) - Lake Kampfe to Pequannock River, except	1' VV 2-11V1
tributary described separately below	FW2-NT
(Lake Kampfe) - Tributary within the boundaries of Norvin	
Green State Forest, originating west of Torne Mtn.	FW2-NT(C1)
(Suntan Lake) – Entire length, including all tributaries	FW2-TP(C1)
PILES CREEK (Grasselli) - Entire length	SE3
POMPTON LAKE (Pompton Lakes)	FW2-NT
POMPTON RIVER (Wayne) - Entire length	FW2-NT
POND BROOK (Oakland) - Entire length POSTS BROOK	FW2-NT
(Bloomingdale) - Source to confluence with Wanaque River,	
except Wanaque Reservoir and segment described	
below	FW2-NT
(Norvin Green State Forest) - That segment of the stream and	
all tributaries within the boundaries of Norvin Green	
State Forest	FW2-NT(C1)
PREAKNESS (SINGAC) BROOK	
(Wayne) - Source to, but not including, Barbour Pond	FW2-TP(C1)
(Barbour Pond) - Pond to Passaic River	FW2-NT

PRIMROSE BROOK	
(Harding) - Source to Lees Hill Road bridge	FW2-TP(C1)
(Harding) - Lees Hill Road bridge to Great Swamp National	EWO NT
Wildlife Refuge boundary (Great Swamp) - Wildlife Refuge boundary to Great Brook	FW2-NT FW2-NT(C1)
RAHWAY RIVER	1 (12 1(1(01)
SOUTH BRANCH	
(Rahway) - Source to Hazelwood Ave., Rahway	FW2-NT
(Rahway) - Hazelwood Ave. to mouth MAIN STEM	SE2
(Rahway) - Upstream of Pennsylvania Railroad bridge	FW2-NT
(Linden) - Penn. Railroad bridge to Route 1&9 crossing	SE2
(Carteret) - Route 1&9 crossing to mouth	SE3
RAMAPO LAKE (Ramapo) - Lake and all outlet streams and	
tributaries within the boundaries of Ramapo Mtn. State Forest	EWO NT(C1)
RAMAPO RIVER	FW2-NT(C1)
(Mahwah) - State line to confluence with Fox Brook	FW2-NT
(Mahwah) - Confluence with Fox Brook to Little Pond	
Brook, including all unnamed tributaries	FW2-NT(C1)
(Mahwah) – Little Pond Brook to Pompton River TRIBUTARIES	FW2-NT
(Oakland) - Entire length	FW2-TP(C1)
(W. of Bald Mtn.) – Source to State line, including all tributaries	FW2-TP(C1)
RICKONDA LAKE (Ringwood)	FW2-NT(C1)
RINGWOOD CREEK	TYY T (G1)
(Ringwood) - Entire length, including all tributaries RINGWOOD MILL POND (Ringwood)	FW2-TM(C1)
ROCKAWAY RIVER	FW2-NT(C1)
(Wharton) - Source to Washington Pond outlet, including all	
lakes and unnamed and unlisted tributaries	FW2-NT(C1)
(Dover) - Washington Pond outlet downstream to Route 46	TYY T (G1)
bridge, including all tributaries	FW2-TM(C1)
(Boonton) - Route 46 bridge to, but not including Jersey City Reservoir, including all unnamed and unlisted	
tributaries	FW2-NT(C1)
(Boonton) - Jersey City Reservoir to Passaic River	FW2-NT
TRIBUTARY	
(West of Woodstock) – Entire length, including all tributaries	FW2-TP(C1)
RUSSIA BROOK	r w 2-11 (C1)
(Sparta) - Source to Lake Hartung dam, including all	
tributaries	FW2-NT(C1)
(Milton) - Lake Hartung dam to, but not including, Lake	
Swannanoa, including all tributaries (Longwood) - Lake Swannanoa and its outlet stream to the	FW2-TM(C1)
confluence with the Rockaway River	FW2-NT(C1)
Tomas with the House was 100 ft.	1.1(01)

TRIBUTARIES	
(S. of Mt. Paul) – Entire length	FW2-TP(C1)
SADDLE RIVER	,
(Upper Saddle River) - State line to confluence with	
Pleasant Brook, including all tributaries	FW2-TP(C1)
(Saddle River) - Pleasant Brook to Allendale Rd. bridge	FW2-TM
(Lodi) - Allendale Rd. bridge to Marsellus Place	FW2-NT
(Lodi) - Marsellus Place to Passaic River	FW2-NT/SE3
SAWMILL CREEK (Pompton Plains) - Entire length	FW2-NT
SCARLET OAK POND (Mahwah)	FW2-TM
SHEPPARD LAKE (Ringwood)	FW2-TM(C1)
SINGAC BROOK - See PREAKNESS BROOK	
SLOUGH BROOK (Livingston) - Entire length	FW2-NT
SMITH CREEK (Woodbridge) - Entire length	FW2-NT/SE3
SPLIT ROCK RESERVOIR (Rockaway)	FW2-TM(C1)
TRIBUTARIES	
(Farny State Park)- Three tributaries within Farny State Park	
	FW2-NT(C1)
(Rockaway) - All tributaries that drain into Split Rock	
Reservoir outside Farny State Park	FW2-TP(C1)
SPRING (GRANNEY) BROOK (Mine Hill) - Entire length	FW2-TM(C1)
SPRING GARDEN BROOK (Florham) - Entire length	FW2-NT
STAG (CLOVE) BROOK (Mahwah) - Entire length	FW2-TP(C1)
STEPHENS BROOK	
(Roxbury) - Entire length, including all tributaries, except	EWO NE(C1)
segment described separately, below	FW2-NT(C1)
(Berkshire Valley) - That segment north of the boundaries of	EW/1
the Berkshire Valley Wildlife Management Area STONE HOUSE BROOK	FW1
(Kinnelon) - Source to Route 23 bridge	FW2-NT
(Butler) - Route 23 bridge to confluence with Pequannock	Γ W Z-IN I
River	EW2 TD(C1)
STONY BROOK (Boonton) – Entire length, including all tributaries	FW2-TP(C1) FW2-NT(C1)
SURPRISE LAKE (Hewitt)	FW1
SWAN POND (Ringwood)	FW2-NT(C1)
TAPPAN, LAKE (Old Tappan)	FW2-NT(C1)
TELEMARK LAKE (Hibernia)	FW2-NT(C1)
TENAKILL BROOK (Demarest) - Entire length, including all	1 112 111(01)
tributaries, except Cresskill Brook	FW2-NT(C1)
TERRACE POND (Wawayanda)	FW2-NT(C1)
TIMBER BROOK (Kitchell) - Entire length, including all	1 ((2))
tributaries	FW2-NT(C1)
TROY BROOK (Troy Hills) - Entire length	FW2-NT
WALLACE BROOK (Randolph) - Source downstream to, but not	. –
including Hedden Park Lake	FW2-TP(C1)
WANAQUE RESERVOIR	FW2-TM(C1)
-	` /

TRIBUTARIES (Wanaque Reservoir) - All unnamed and unlisted tributaries that drain into Wanaque Reservoir	FW2-TM(C1)
WANAQUE RIVER	1 W2 TW(C1)
MAIN STEM	
(Wanaque) - Greenwood Lake outlet, through Wanaque	
Wildlife Management Area and Long Pond Iron	
Works State Park, including the Monksville	
Reservoir, to the Monksville Reservoir dam at	
Stonetown Road, except tributary south of Jennings	
Creek (Hewitt) described separately below	FW2-TM(C1)
(Pompton Lakes) - Wanaque Reservoir dam to Wanaque	
Ave. bridge including unnamed tributaries	FW2-TP(C1)
(Pompton Lakes) - Wanaque Ave. bridge downstream to	
Pequannock River	FW2-TM
TRIBUTARY	
(Hewitt) - Entire length of tributary south of Jennings	
Creek	FW2-TP(C1)
WEST BROOK (W. Milford) - Entire length	FW2-TP(C1)
WEST POND (Hewitt)	FW1
WEYBLE POND (Ringwood)	FW2-NT(C1)
WHIPANNY RIVER	
(Brookside) - Source to Whitehead Rd. bridge	FW2-TP(C1)
(Morristown) - Whitehead Rd. bridge to Rockaway River	FW2-NT
TRIBUTARIES	
(E. of Brookside) - Entire length	FW2-TM(C1)
(E. of Washington Valley) - Entire length	FW2-TM
(Gillespie Hill) - Entire length	FW2-TP(C1)
(Shongum Mtn.) - Entire length	FW2-NT
WONDER LAKE (West Milford)	FW2-NT(C1)
WOODBRIDGE CREEK (Woodbridge) - Entire length	FW2-NT/SE3
WOODCLIFF LAKE (Woodcliff Lake)	FW2-NT(C1)

(g) The following surface water classifications are for waters of the Upper Raritan River and Raritan Bay Basin:

Waterbody	Classification
ALLERTON CREEK (Allerton) - Entire length	FW2-NT
AMBROSE BROOK (Piscataway) - Entire length	FW2-NT
AMWELL LAKE (Syndertown)	FW2-NT(C1)
ASSISCONG CREEK (Flemington) - Entire length	FW2-NT
BACK BROOK (Vanliew's Corners) - Entire length	FW2-NT
BALDWINS CREEK	
(Pennington) - Entire length, except segment described	
separately below	FW2-NT
(Baldwin) - Segment within the boundaries of Baldwin Lake	
Wildlife Management Area	FW2-NT(C1)
BEAVER BROOK	
(Cokesbury) - Source to Reformatory Road bridge	FW2-TP(C1)
(Annandale) - Reformatory Rd. bridge to Beaver Ave.,	
bridge	FW2-TM
(Annandale) - Beaver Ave. bridge downstream to South	EVVA ED (C1)
Branch Raritan River, including all tributaries	FW2-TP(C1)
BEDEN BROOK (Montgomery) - Entire length	FW2-NT
BLACK BROOK (Polktown) - Entire length	FW2-TP(C1)
BLACK RIVER - See LAMINGTON RIVER	EWO NE
BLUE BROOK (Mountainside) - Entire length	FW2-NT
BOULDER HILL BROOK (Tewksbury) - Entire length	FW2-TP(C1)
BOUND BROOK (Dunellen) - Entire length	FW2-NT
BUDD LAKE (Mt. Olive) TRIBUTARIES	FW2-NT(C1)
	FW2-TM
(E. of Budd Lake) - Entire Length (W. of Budd Lake) - Entire Length	FW2-NT
BURNETT BROOK (Ralston) - Entire length	FW2-TP(C1)
BUSHKILL BROOK	r w 2-11 (C1)
(Flemington) – Source and tributary downstream to Rt. 31	
Bridge	FW2-TM
(Flemington) – Rt. 31 bridge downstream to South Branch	1 11 2 1111
Raritan River	FW2-NT
CAPOOLONG (CAKEPOULIN) CREEK (Sydney) - Entire length	FW2-TP(C1)
CHAMBERS BROOK (Whitehouse) - Entire length	FW2-NT
COLD BROOK (Oldwick) - Entire length	FW2-TP(C1)
CRAMERS CREEK (Hamden) - Entire length	FW2-NT
CRUSER BROOK (Montgomery) - Entire length	FW2-NT
CUCKELS BROOK (Bridgewater) - Entire length	FW2-NT
DAWSONS BROOK (Ironia) - Entire length	FW2-TP(C1)
DRAKES BROOK	, ,

(Ledgewood) - Source downstream to Hillside Avenue bridge	FW2-TM(C1)
(Flanders) - Hillside Avenue bridge to confluence with the South Branch Raritan River	FW2-NT(C1)
TRIBUTARY (Mt. Olive) - Source downstream to Central	1 W2-W1(C1)
Railroad bridge	FW2-TP(C1)
DUCK POND RUN (Port Mercer) - Entire length DUKES BROOK (Somerville) - Entire length	FW2-NT FW2-NT
ELECTRIC BROOK (Schooley's Mtn.) - Entire length	FW2-TP(C1)
FLANDERS BROOK (Flanders) - Entire length	FW2-TP(C1)
FLANDERS CANAL (Flanders) - Entire length	FW2-NT(C1)
FROG HOLLOW BROOK (Califon) - Entire length	FW2-TP(C1)
GLADSTONE BROOK (St. Bernards School) - Entire length	FW2-TP(C1)
GRANDIN BROOK (see SIDNEY BROOK)	
GREEN BROOK	
(Watchung) - Source to Rt. 22 bridge	FW2-TM
(Plainfield) - Route 22 bridge to Bound Brook	FW2-NT
GUINEA HOLLOW BROOK (Tewksbury) HACKLEBARNEY BROOK (Hacklebarney) - Entire length	FW2-TP(C1) FW2-TP(C1)
HEATHCOTE BROOK (Kingston) - Entire length	FW2-1F(C1) FW2-NT
HERZOG BROOK (Pottersville) - Entire length	FW2-TP(C1)
HICKORY RUN (Califon) - Entire length	FW2-TP(C1)
HOCKHOCKSON BROOK (Colts Neck) - Entire length	FW2-TM
HOLLAND BROOK (Readington) - Entire length	FW2-NT
HOLLOW BROOK (Pottersville) - Entire length	FW2-TP(C1)
HOOKS CREEK LAKE (Cheesequake State Park)	FW2-NT(C1)
HOOPSTICK BROOK (Bedminister) - Entire length	FW2-NT
INDIA BROOK (NORTH BRANCH, RARITAN RIVER)	EWO TD(C1)
(Randolph) - Entire length KRUEGER'S BROOK - (Flanders) - Entire length	FW2-TP(C1) FW2-TP(C1)
LAKE SOLITUDE (Clinton)	FW2-NT(C1)
LAMINGTON RIVER (BLACK RIVER)	1 W2-W1(C1)
(Succasunna) – Source to Mine Hill Lake, including all	
tributaries	FW2-TP(C1)
(Succasunna) - Mine Hill Lake to Rt. 206 bridge, except	,
Ironia tributary and tributary north of Chester	
described below	FW2-NT(C1)
(Milltown) - Rt. 206 bridge to confluence with Rinehart	EU/O ED ((C1)
Brook, including all unnamed tributaries (Pottersville) - Confluence with Rinehart Brook to River	FW2-TM(C1)
Road West, including all tributaries	FW2-TP(C1)
(Burnt Mills) –River Road West to North Branch, Raritan	1 W 2-11 (C1)
River, including all tributaries	FW2-NT(C1)
TRIBUTARIES	()
(Ironia) - Source downstream to, but not including, Bryant	
Pond	FW2-TP(C1)
(North of Chester) – Entire length, including all tributaries	FW2-TM

LEDGEWOOD BROOK (Ledgewood) - Entire length LITTLE BROOK (Califon) - Entire length LOMERSON BROOK - See HERZOG BROOK MCVICKERS BROOK	FW2-TP(C1) FW2-TP(C1)
(Mendham) - Source to Pleasant Valley Lake, including all	
tributaries, but not including Cromwell Lake	FW2-TP(C1)
(Mendham) – From the outlet of Pleasant Valley Lake to	
North Branch Raritan River	FW2-TM(C1)
MIDDLE BROOK (Greater Cross Roads) - Entire length MIDDLE BROOK	FW2-NT
	FW2-TM
EAST BRANCH (Springdale) - Entire length WEST BRANCH (Martinsville) - Entire length	FW2-NT
MAIN STEM (Bound Brook) - Confluence of East and West	1' W Z-1N 1
branches to Raritan River	FW2-NT
MILFORD BROOK (Lafayette Mills) - Entire length	FW2-NT
MINE BROOK (Mine Brook) - Entire length	FW2-NT
TRIBUTARIES	1 1, 2 1 1 1
(East of Mine Mt.) - Entire length	FW2-TP(C1)
(South of Mine Mt.) - Source downstream to Douglass Road	()
Bridge	FW2-TP(C1)
MULHOCKAWAY CREEK (Pattenburg) - Entire length	FW2-TP(C1)
NESHANIC RIVER	
(Reaville) - Source to Back Brook, except Third Neshanic	
River described below	FW2-NT
(Hillsborough) – Back Brook to South Branch Raritan	
River, including all tributaries	FW2-NT(C1)
THIRD NESHANIC RIVER (Copper Hill) - Entire length,	
including all tributaries, except tributary originating E of	
Sergeantsville	FW2-NT(C1)
NORTON BROOK (Norton) - Entire length	FW2-TP(C1)
OAKDALE CREEK (Chester) - Entire length	FW2-TP(C1)
PEAPACK BROOK (Gladstone) - Entire length	FW2-TP(C1) FW2-NT
PETERS BROOK (Somerville) - Entire length PIGEON SWAMP (Piggor Swamp State Pork) - All waters within	F W Z-IN I
PIGEON SWAMP (Pigeon Swamp State Park) - All waters within the boundaries of Pigeon Swamp State Park	FW2-NT(C1)
PIKE RUN (Belle Meade) - Entire length	FW2-NT
PLEASANT RUN (Readington) - Entire length	FW2-NT
PRESCOTT BROOK (Stanton Station) - Entire length, including all	1 112 111
tributaries	FW2-TM(C1)
RARITAN BAY - Entire drainage	FW2-NT/SE1
RARITAN RIVER	
NORTH BRANCH (Also see INDIA BROOK)	
(Pleasant Valley) - Source to, but not including, Ravine	
Lake	FW2-TP(C1)
(Far Hills) - Ravine Lake dam to Rt. 512 bridge	FW2-TM

(Bedminister) - Rt. 512 bridge to confluence with South Branch, Raritan River, except tributary SE of	
Bedminster described below TRIBUTARIES, NORTH BRANCH RARITAN RIVER	FW2-NT
(SE of Ravine Lake) – Entire length, including all tributaries (SE of Bedminster) - Entire length, except the northeast	FW2-TP(C1)
tributary SOUTH BRANCH RARITAN RIVER	FW2-TP(C1)
(Mt. Olive) - Source to confluence with first tributary SW of	
Budd Lake	FW2-NT(C1)
(Washington) - Confluence with and including first tributary	
SW of Budd Lake to Lake Solitude, including all	
tributaries, except tributaries described separately	FW2-TP(C1)
(Clinton) - Lake Solitude outlet to Spruce Run, including all	
tributaries	FW2-TM(C1)
(Clinton) - Spruce Run to downstream end of Packers Island	FW2-TM
(Clinton) - Downstream end of Packers Island to confluence	
with and including the first westerly tributary below	
Main Street (County Route 613)	FW2-NT
(Three Bridges) - Confluence with the first westerly tributary	
below Main Street (County Route 613) to Neshanic	EUIO NECCI
River, including all tributaries	FW2-NT(C1)
(Neshanic Sta.) - Neshanic River to confluence with North	EMA NE
Branch, Raritan River	FW2-NT
TRIBUTARIES, SOUTH BRANCH RARITAN RIVER	EWO TM(C1)
(E. of Budd Lake Airfield) – Entire length	FW2-TM(C1)
MAIN STEM RARITAN RIVER	
(Bound Brook) - From confluence of North and South	
Branches to Landing Lane bridge in New Brunswick and all freshwater tributaries downstream of Landing	
Lane bridge.	FW2-NT
(Sayreville) - Landing Lane bridge to Raritan Bay and all	1' VV Z-1N 1
saline water tributaries	SE1
RINEHART BROOK (Hacklebarney) - Entire length	FW2-TP(C1)
ROCK BROOK (Hacklebarney) - Entire length	1 W2-11 (C1)
(Montgomery) - Source to Camp Meeting Road, including all	
tributaries	FW2-NT(C1)
(Montgomery) - Camp Meeting Road to the confluence of	1 112 111(01)
Beden Brook	FW2-NT
ROCKAWAY CREEK	1 77 2-17 1
NORTH BRANCH	
(Mountainville) - Source to Rt. 523 bridge	FW2-TP(C1)
(Whitehouse) - Rt. 523 bridge to confluence with South	1 11 (01)
Branch	FW2-TM
SOUTH BRANCH	1 ,, 20 11VI

(Clinton) - Headwaters to Readington Township boundary including all tributaries	FW2-TP(C1)
(Clinton) - Readington Township boundary to Lake Cushetunk, including all tributaries (Whitehouse) - Lake Cushetunk to its confluence with main	FW2-TM(C1)
stem Rockaway Creek MAIN STEM (Whitehouse) - Confluence of North and South	FW2-TM
Branches to Lamington River ROCKY RUN - (Lebanon) - Entire length ROUND VALLEY RESERVOIR (Clinton) ROYCE BROOK (Manville) - Entire length SIDNEY BROOK	FW2-NT FW2-TP(C1) FW2-TP(C1) FW2-NT
(Grandin) - Headwaters downstream to the Route 513	
bridge, including all tributaries (Grandin) - Route 513 bridge to its confluence with the	FW2-TM(C1)
South Branch Raritan River, including all tributaries SIMONSON BROOK (Griggstown) - Entire length	FW2-NT(C1) FW2-NT
SIX MILE RUN (Franklin Church) - Entire length, except segment described	
below	FW2-NT
(Hillsborough) - Segment within the boundaries of Six Mile Run State Park	FW2-NT(C1)
SPOOKY BROOK (Bound Brook)	FW2-NT
SPRUCE RUN	
SPRUCE RUN (Glen Gardner) - Source to, but not including, Spruce Run Reservoir	FW2-TP(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River,	` ,
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length	FW2-TP(C1) FW2-TM FW2-TM(C1) FW2-TP(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries	FW2-TM FW2-TM(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road	FW2-TM FW2-TM(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road (Carnegie Lake) - Quaker Road to Millstone River, including Carnegie Lake	FW2-TM FW2-TM(C1) FW2-TP(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road (Carnegie Lake) - Quaker Road to Millstone River, including Carnegie Lake (Snydertown) - Brook and tributaries within Amwell Lake Wildlife Management Area	FW2-TM FW2-TM(C1) FW2-TP(C1) FW2-NT FW2-NT(C1) FW2-NT
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road (Carnegie Lake) - Quaker Road to Millstone River, including Carnegie Lake (Snydertown) - Brook and tributaries within Amwell Lake Wildlife Management Area STONY BROOK (Watchung) - Entire length SUN VALLEY BROOK (Mt Olive) - Entire length	FW2-TM FW2-TM(C1) FW2-TP(C1) FW2-NT FW2-NT(C1) FW2-NT FW2-NT(C1) FW2-NT FW2-TP(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road (Carnegie Lake) - Quaker Road to Millstone River, including Carnegie Lake (Snydertown) - Brook and tributaries within Amwell Lake Wildlife Management Area STONY BROOK (Watchung) - Entire length SUN VALLEY BROOK (Mt Olive) - Entire length TANNERS BROOK (Washington) - Entire length	FW2-TM FW2-TM(C1) FW2-TP(C1) FW2-NT FW2-NT(C1) FW2-NT FW2-NT(C1) FW2-TP(C1) FW2-NT(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road (Carnegie Lake) - Quaker Road to Millstone River, including Carnegie Lake (Snydertown) - Brook and tributaries within Amwell Lake Wildlife Management Area STONY BROOK (Watchung) - Entire length SUN VALLEY BROOK (Mt Olive) - Entire length	FW2-TM FW2-TM(C1) FW2-TP(C1) FW2-NT FW2-NT(C1) FW2-NT FW2-NT(C1) FW2-NT FW2-TP(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road (Carnegie Lake) - Quaker Road to Millstone River, including Carnegie Lake (Snydertown) - Brook and tributaries within Amwell Lake Wildlife Management Area STONY BROOK (Watchung) - Entire length SUN VALLEY BROOK (Mt Olive) - Entire length TANNERS BROOK (Washington) - Entire length TETERTOWN BROOK (Lebanon) - Entire length TEN MILE RUN (Franklin) - Entire length TROUT BROOK (Hacklebarney) - Entire length	FW2-TM FW2-TM(C1) FW2-TP(C1) FW2-NT FW2-NT(C1) FW2-NT FW2-NT(C1) FW2-NT(C1) FW2-NT(C1) FW2-TP(C1) FW2-TP(C1) FW2-TP(C1)
(Glen Gardner) - Source to, but not including, Spruce Run Reservoir (Clinton) - Spruce Run Reservoir dam to Raritan River, South Branch SPRUCE RUN RESERVOIR (Union) - Reservoir and tributaries STONY BROOK (Washington) - Entire length STONY BROOK (Hopewell) - Source to Old Mill Road, except that segment described below (Hopewell) - Old Mill Road to Quaker Road (Carnegie Lake) - Quaker Road to Millstone River, including Carnegie Lake (Snydertown) - Brook and tributaries within Amwell Lake Wildlife Management Area STONY BROOK (Watchung) - Entire length SUN VALLEY BROOK (Mt Olive) - Entire length TANNERS BROOK (Washington) - Entire length TETERTOWN BROOK (Lebanon) - Entire length	FW2-TM FW2-TM(C1) FW2-TP(C1) FW2-NT FW2-NT(C1) FW2-NT FW2-NT(C1) FW2-TP(C1) FW2-TP(C1) FW2-TP(C1) FW2-NT

WILLOUGHBY BROOK (Buffalo Hollow) - Entire length

FW2-TP(C1)

(h) The following surface water classifications are for waters of the Lower Raritan River and Raritan Bay Basin:

Waterbody	Classification
BARCLAY BROOK (Redshaw Corners) - Entire length BEAR BROOK (West Windsor) - Entire length BIG BROOK (Vanderberg) - Entire length, including all tributaries	FW2-NT FW2-NT
and lakes	FW2-NT(C1)
BLACKBERRY CREEK	
(Oceanport) - Source to a line beginning on the easternmost extent of Gooseneck Point and bearing approximately 162 degrees True North to its terminus on the westernmost extent of an unnamed point of land in the vicinity of the western extent of Cayuga Ave. in Oceanport (Oceanport) - Creek below the line described above	SE1 SE1(C1)
BRANCHPORT CREEK	SEI(CI)
(Long Branch) - Source to a line beginning on the northernmost extent of an unnamed point of land lying north of Pocano Ave. in Oceanport and bearing approximately 055 degrees True North to its terminus on the westernmost extent of the northern bulkhead at the lagoon located between France Rd.	
and Lori Rd. in Monmouth Beach	FW2-NT/SE1
(Monmouth Beach) - Creek below line described above	SE1(C1)
CEDAR BROOK (Spotswood) - Entire length	FW2-NT
CHEESEQUAKE STATE PARK WATERS (S. Amboy) - Fresh	
waters within the park upstream of the limits of tidal	
influence	FW2-NT(C1)
CLAYPIT CREEK (Navesink) - Source to widening of the Creek near Linden	
Ave. and just north to the Locust Ave. bridge in	
Navesink	FW2-NT/SE1
(Navesink) - Widening of Creek to Navesink River	SE1(C1)
CRANBURY BROOK (Old Church) - Entire length	FW2-NT
DEEP RUN (Old Bridge) - Entire length	FW2-NT
DEVILS BROOK (Schalks) - Entire length	FW2-NT
GANDER BROOK (Manalapan) - Entire length	FW2-NT
GREAT DITCH (S. Brunswick) - That portion of Great Ditch and	EWO NT(C1)
its tributaries within Pigeon Swamp State Park IRELAND BROOK (Paulus Corners) - Entire length	FW2-NT(C1) FW2-NT
IRESICK BROOK (Spotswood) - Entire length	FW2-NT
LAWRENCE BROOK	_ ,, <u>~</u> _ , , _
(Deans) - Source to the intake of the New Brunswick Water	
Department at Weston's Mill Dam	FW2-NT

(New Brunswick) - Weston's Mill Dam to Raritan River SE₁ LITTLE SILVER CREEK (Shrewsbury) - Source to a line beginning on the eastern bank of that unnamed lagoon located between Wardell Ave. and Oakes Rd. in Rumson and bearing approximately 171 degrees T (True North) to its terminus on the south shore of Little Silver Creek FW2-NT/SE1 (Rumson) - Creek below line described above SE1(C1) MANALAPAN BROOK (Jamesburg) - Source to Duhernal Lake dam, except tributary described separately below FW2-NT (Tennent) - That portion of the tributary at Tennent along the boundary of Monmouth Battlefield State Park FW2-NT(C1) MATCHAPONIX BROOK (WEAMACONK CREEK) (Mount Mills) - Entire length, except segments described below FW2-NT (Freehold) - The brook and tributaries within the boundaries of Monmouth Battlefield State Park FW2-NT(C1) MCGELLAIRDS BROOK (Englishtown) - Entire length, except tributary described separately below FW2-NT (Freehold) - Tributary within Monmouth Battlefield State Park FW2-NT(C1) MILLSTONE RIVER (Hightstown) - Entire length FW2-NT MINE BROOK (Colts Neck) - Entire length, including all tributaries FW2-NT(C1) NAVESINK RIVER (Red Bank) - Source to a line starting at a point at the northeast end Blossom Cove, of approximately 142 degrees T (True North), through navigational aid C23 to the south bank near Riverview Hospital SE₁ (Rumson) - River southeast of the line described above, except segment described below SE1(C1) (Monmouth Beach) - All water south and east of a line beginning on the northwesternmost point of land on Raccoon Island (in the vicinity of the western extent of Highland Ave.) in Monmouth Beach, and bearing approximately 056 degrees T (True North) to the southernmost point of a small unnamed island, and then bearing approximately 091 degrees T (True North) to its terminus on the northernmost point of land located at the northern extent of Monmouth Parkway in Monmouth Beach and all waters south of a line beginning on the western shoreline (just east of Monmouth Parkway in Monmouth Beach) and bearing approximately 081 degrees T (True North), intersecting Channel Marker Flashing Red 4 and

Channel Marker Flashing Red 2 and terminating on the eastern shoreline of the Galilee section of Monmouth Beach. OAKEYS BROOK (Deans) - Entire length OCEANPORT CREEK	SE1 FW2-NT
(Fort Monmouth) - Source to a line beginning on the easternmost extent of Horseneck Point and bearing approximately 140 degrees T (True North) to its terminus on the westernmost extent of an unnamed point of land located at the westernmost extent of Monmouth Boulevard in Oceanport	FW2-NT/SE1
(Oceanport) - Creek downstream of line described above	SE1(C1)
PARKERS CREEK	()
(Fort Monmouth) - Source to a line beginning on the easternmost extent of Horseneck Point and bearing approximately 000 degrees T (True North) to its terminus on Breezy Point on the Little Silver side	
(north) side of the creek	FW2-NT/SE1
(Fort Monmouth) - Creek downstream of line described	
above	SE1(C1)
PINE BROOK (Clarks Mills) - Entire length	FW2-NT
PINE BROOK (Cooks Mill) - Entire length	FW2-TM
RAMINESSIN (HOP) BROOK (Holmdel) - Entire length,	
including all tributaries	FW2-TM(C1)
SANDY HOOK BAY (Sandy Hook)	SE1
SHREWSBURY RIVER	
(Little Silver) - Source to Rt. 36 highway bridge	SE1(C1)
(Highlands) - Rt. 36 bridge to Sandy Hook Bay	SE1
SOUTH RIVER	
(Old Bridge) - Duhernal Lake to intake of the Sayreville	
Water Department	FW2-NT
(Sayreville) - Below the intake of the Sayreville Water	
Department	SE1
SWIMMING RIVER RESERVOIR (Red Bank)	FW2-NT(C1)
TRIBUTARIES (Swimming River Reservoir) – All unnamed and	
unlisted tributaries to Swimming River Reservoir	FW2-NT(C1)
SWIMMING RIVER	
(Red Bank) - Swimming River Reservoir dam to Normandy	
Road	FW2-NT
(Red Bank) - Normandy Road to the Navesink River	SE1
TENNENT BROOK (Old Bridge) - Entire length	FW2-NT
TEPEHEMUS BROOK (Manalapan) - Entire length	FW2-NT
TOWN NECK CREEK	
(Little Silver) - Source to a line beginning on the easternmost	
extent of the unnamed point of land located just east	
of Paag Circle on the south bank of Town Neck	

Creek and bearing approximately 095 degrees True North and terminating on Silver Point (Little Silver) - Creek below the line described above WEAMACONK CREEK - See MATCHAPONIX BROOK	FW2-NT/SE1 SE1(C1)
WEMROCK BROOK	
(Millhurst) - Entire length, except that segment described	
below	FW2-NT
(Monmouth Battlefield State Park) - Those segments of the	
brook and its tributaries within the boundaries of	
Monmouth Battlefield State Park	FW2-NT(C1)
WEMROCK POND (Monmouth Battlefield State Park)	FW2-NT(C1)
WILLOW BROOK (Holmdel) - Entire length, including all	
tributaries	FW2-NT(C1)
YELLOW BROOK (Colts Neck) - Entire length, including all	, ,
tributaries	FW2-NT(C1)

(i) The following surface water classifications are for waters of the Wallkill River Basin:

Waterbody	Classification
DEADEORT WATERG (W1.)	EW2 NT(C1)
BEARFORT WATERS (Wawayanda) BEAVER RUN (Wantage) - Entire length, except tributaries that	FW2-NT(C1)
originate in Wantage Township	FW2-NT(C1)
BLACK CREEK	1 W2-W1(C1)
(McAfee) - Source to Rt. 94 bridge, except those tributaries	
described separately, below	FW2-TM
(Vernon) - Rt. 94 bridge to Pochuck Creek	FW2-NT
TRIBUTARIES	
(Hamburg) - Three tributaries to Black Creek which	
originate in the former Hamburg Mtn. Wildlife	
Management Area from their sources to the former	
Management Area boundaries	FW1(tm)
(Rudeville) - Tributraries within the former Hamburg Mtn.	
Wildlife Management Area not classified as FW1,	ENIO EN (C1)
above	FW2-TM(C1)
(McAfee) - Entire length	FW2-TP(C1) FW2-NT
(Vernon Valley) - Entire length BLUE HERON LAKE (Sparta)	
CEDAR SWAMP - See RUTGERS CREEK	FW2-NT(C1)
CLOVE CREEK (Colesville) - Entire length	FW2-TM
CLOVE BROOK	1 11 2 1111
(Wantage) - Source to, confluence with tributary originating	
from south of Mt. Salem, including all tributaries,	
except those tributaries described separately below	FW2-TM(C1)
(Wantage) — Tributary originating from south of Mt.	, ,
Salem to Clove Acres Lake	FW2-TM
(Sussex) - Clove Acres Lake to Papakating Creek	FW2-NT
(High Point) - Those portions of the two northernmost	
tributaries located entirely within High Point State	
Park boundaries, immediately east of Lake Marcia	FW1(tp)
FRANKLIN POND (Hamburg Mtn.)	FW2-NT
TRIBUTARY (Franklin) – Southeastern tributary to Franklin Pond	FW2-NT(C1)
FRANKLIN POND CREEK	EWO TD(C1)
(Hardyston) - Source to, but not including, Franklin Pond (Hamburg Mtn.) - Tributaries within the Hamburg	FW2-TP(C1)
Mtn.Wildlife Management Area	FW2-TM(C1)
TRIBUTARY (Hamburg Mtn.) - The first tributary to Franklin	1 w 2-1 w (C1)
Pond Creek just south of Hamburg Mountain,	
flowing toward the Wallkill River and located	
entirely within the former Hamburg Mtn. Wildlife	
Management Area	FW1(tm)
	\ /

GLENWOOD BROOK (Glenwood) - Outlet of Glenwood Lake to	
State line	FW2-TM
HAMBURG CREEK	
(Hamburg Mtn.) - Source to Route 517 bridge, Rudeville,	
except tributary described separately below	FW2-TM(C1)
(Hardistonville) - Route 517 bridge to Wallkill River	FW2-NT(C1)
(Hamburg Mtn.) - The third tributary just southwest of	, ,
Hamburg Mtn. flowing toward the Wallkill River	
and located entirely within the Hamburg Mtn.	
Wildlife Management Area	FW1
HANFORD BROOK (Hanford) - Entire length within New Jersey	FW2-NT
HAWTHORNE LAKE (Sparta)	FW2-NT(C1)
HEATERS POND (Ogdensburg)	FW2-NT(C1)
LAKE LOOKOUT (Wawayanda)	FW1
LAKE LOOKOUT BROOK (Wawayanda) - Brook and tributaries	
from source in Newark City holdings, through the	
Wawayanda State Park, to confluence with the outlet	
stream from Lake Wawayanda	FW1
LAKE RUTHERFORD (Wantage) - The Lake and its tributaries	FW1(tm)
LAUREL POND (Wawayanda) - Laurel Pond, including its outlet	1 ((111)
stream and tributaries, to the outlet stream from Lake	
Wawayanda	FW1
LIVINGSTON PONDS (Wawayanda) - The two northwestern	
ponds which are within State Park lands	FW2-NT(C1)
LIVINGSTON PONDS BROOK (Wawayanda State Park) - Source	1 2 1.1(01)
downstream to State line	FW2-TP(C1)
LONG HOUSE BROOK	()
(Upper Greenwood Lake) - Source to State line, except	
segment described below	FW2-NT
(Upper Greenwood Lake) - Segment within the boundaries	
of Hewitt State Forest	FW2-NT(C1)
LOUNSBERRY HOLLOW BROOK	,
(Vernon Valley) - Outlet of Glenwood Lake to Pochuck	
Creek	FW2-TM
MOHAWK LAKE (Sparta) – Lake and its tributaries	FW2-NT
MORRIS LAKE (Sparta)	FW2-NTM(C1)
MUD POND (Hamburg)	FW2-NT(C1)
MUD POND OUTLET STREAM (Hamburg) - Outlet stream from	
the Pond downstream to confluence with Hamburg	
Creek, including all tributaries	FW2-TP(C1)
PAPAKATING CREEK	()
MAIN STEM	
(Frankford) - Source to Route 629 bridge, including all	
tributaries	FW2-TM(C1)
(Wantage) – Route 629 bridge to Lehigh and New England	-()
railroad crossing in Wantage Township, including all	
tributaries, except tributary east of Roys, Lake	
/ I J	

Windsor tributary, and the tributary that drains into	
Papakating Creek immediately upstream of the	
Lehigh and New England railroad crossing in	ENIO NECCI
Wantage Township (Lewisburg) - Lehigh and New England railroad crossing in	FW2-NT(C1)
Wantage Township to Wallkill River	FW2-NT
WEST BRANCH	1 112 111
(Wantage) – Entire length, including all tributaries	FW2-NT(C1)
LIBERTYVILLE TRIBUTARY (Libertyville) - Entire length,	
except Herzenberg Lake tributary and the tributary	EWO NE(C1)
south of Herzenberg Lake PARKER LAKE (Wawayanda)	FW2-NT(C1) FW2-NT(C1)
POCHUCK CREEK	T W 2-N1(C1)
(Vernon) - Source to State line, except segment described	
separately below	FW2-NT
(High Point) - Segment within State Park lands	FW2-NT(C1)
QUARRYVILLE BROOK - See WILLOW BROOK RUTGERS CREEK	
(Mt. Salem) - All unnamed tributaries from source to State	
line	FW2-NT
(High Point) - The Cedar Swamp headwaters of the tributary	
to Rutgers Creek located entirely within the High	
Point State Park boundaries just south of the State line	FW1
SAGINAW, LAKE (Sparta)	FW2-NT(C1)
SAND HILLS BROOK	
(Hamburg Mtn.) - The upstream portion of Sand Hills Brook, including the pond at its headwaters, located	
entirely within the boundaries of the Hamburg Mtn.	
Wildlife Management Area	FW1
(Hamburg) - Brook and tributaries beyond Management	
Area boundaries	FW2-NT
SAWMILL POND BROOK	
(W. Milford) - Entire length, except segment described	EWO NT
separately below (Wawayanda) - Segment within the boundaries of	FW2-NT
Wawayanda State Park	FW2-NT(C1)
SILVER LAKE (Hamburg Mtn.)	FW2-NT
SPARTA GLEN BROOK (Sparta) - Entire length	FW2-TP(C1)
SPRING BROOK (Maple Grange) - Entire length	FW2-TP(C1)
SUMMIT LAKE (Hardyston)	FW2-NT
SUNSET LAKE (Sparta) TAMARACKS LAKE (Hardyston)	FW2-NT(C1) FW2-NT
TOWN BROOK (Vernon) - Entire length	FW2-TM
WALLKILL RIVER	-
(Sparta) - Source to confluence with Sparta Glen Brook	FW2-NT(C1)

(Franklin) - Sparta Glen Brook to, but not including, Franklin Pond, including all unnamed and unlisted	
tributaries	FW2-TM(C1)
(Wantage) - Outlet of Franklin Pond to confluence with Beaver Run, including all unnamed and unlisted	. ,
tributaries	FW2-NT(C1)
(Wantage) - Confluence with Beaver Run to Glenwood Road (Wantage) - Glenwood Road to confluence with Wantage	FW2-NT
Brook, including all unnamed and unlisted tributaries	FW2-NT(C1)
(Wantage) - Confluence with Wantage Brook to State line	FW2-NT
TRIBUTARIES	
(Sparta) - Entire length but not including Lake Saginaw	FW2-TP(C1)
(Sparta) - Unnamed standalone stream South of Pimple Hills	FW2-NT(C1)
(Ogdensburg) - Entire length	FW2-TP(C1)
(East of Quarryville) – Unnamed standalone stream segment	
east of Willow (Quarryville) Brook	FW2-NT(C1)
WANTAGE BROOK (Wantage) - Entire length, including all	
tributaries	FW2-NT
WAWAYANDA CREEK	
(Vernon) - State line to Pochuck Creek, except unnamed	
tributary described below	FW2-TM
TRIBUTARIES	
(Wawayanda) - Source to State line	FW2-NT
(Wawayanda State Park) - Segments within State Park boundaries, except Livingston Ponds Brook as	
noted above	FW2-NT(C1)
WAWAYANDA LAKE (Wawayanda)	FW2-TM(C1)
WHITE LAKE (Sparta)	FW2-TM(C1)
WILDCAT BROOK (Franklin) - Entire length, including all tributaries	FW2-NT(C1)
WILDWOOD LAKE (Hamburg Mountain)	FW2-NT(C1)
WILLOW (QUARRYVILLE) BROOK (Wantage) - Entire length,	
including all tributaries	FW2-TM

(j) FW1 waters are listed by tract within basins:

ATLANTIC COASTAL PLAIN BASIN

ALLAIRE STATE PARK

MANASQUAN RIVER WATERSHED

Those portions of the first and second southerly tributaries to the Manasquan River, which are west of Hospital Rd. and are located entirely within the boundaries of Allaire State Park

The easterly tributary to Mill Run upstream of Brisbane Lake, located entirely within the boundaries of Allaire State Park

BASS RIVER STATE FOREST

BASS RIVER WATERSHED

Tommy's Branch from its headwaters downstream to the Bass River State Forest Recreation Area service road

Falkenburg Branch of Lake Absegami from its headwaters to the Lake

GREENWOOD FOREST WILDLIFE MANAGEMENT AREA

CEDAR CREEK WATERSHED

Webbs Mill Branch and tributaries, located entirely within the Greenwood Forest Wildlife Management Area boundaries

Chamberlain's Branch from its origins to a point 1000 feet west of Route 539

Those portions of the tributaries to Chamberlain's Branch originating and wholly contained within the boundaries of the Greenwood Forest Wildlife Management Area

WADING RIVER WATERSHED

Westerly tributary to the Howardsville Cranberry Bog Reservoir and other tributaries that are located entirely within the boundaries of the Greenwood Forest Wildlife Management Area

ISLAND BEACH STATE PARK

BARNEGAT BAY WATERSHED

All freshwater ponds in Island Beach State Park

LESTER G. MACNAMARA
WILDLIFE MANAGEMENT
AREA

GREAT EGG HARBOR RIVER WATERSHED

Hawkins Creek and tributaries and the next adjacent, northern stream and tributaries that enter the Great Egg Harbor River, from their origins downstream to where the influence of impoundment begins

TUCKAHOE PUBLIC FISHING HUNTING GROUNDS

See LESTER G. MACNAMARA WILDLIFE AND MANAGEMENT AREA

WHARTON STATE FOREST

MULLICA RIVER WATERSHED

Deep Run and tributaries from their headwaters downstream to Springer's Brook

Skit Branch and tributaries from their headwaters downstream to the confluence with Robert's Branch

Tulpehocken Creek and tributaries from their sources downstream to the confluence with Featherbed Branch

The westerly tributaries to Tulpehocken Creek and those natural ponds within the lands bounded by Hawkins (Bulltown-Hawkins) Rd., Hampton Gate (Tuckerton) Rd., and Sandy Ridge Rd.

Stream in the southeasterly corner of the Wharton State Forest, located between Ridge Rd. and Seaf Weeks Rd. downstream to the boundaries of Wharton State Forest

Brooks and tributaries to the Mullica River between and immediately to the west of Tylertown and Crowleytown, from their headwaters downstream to the head of tide at mean high water

The easterly branches of the Batsto River from Batsto Village upstream to the confluence with Skit Branch

Gun Branch from its headwaters downstream to U.S. Route 206

DELAWARE RIVER BASIN

ALLAMUCHY STATE PARK

MUSCONETCONG RIVER WATERSHED

All those tributaries to Deer Park Pond and its outlet stream, that are located entirely within the boundaries of Allamuchy State Park

PEQUEST RIVER WATERSHED

All tributaries that are located entirely within Allamuchy State Park and flow into Allamuchy Pond

BELLEPLAIN STATE FOREST

EAST CREEK WATERSHED

All tributaries to Lake Nummi from their origins downstream to the Lake.

Those two tributaries to Savages Run and portions thereof downstream of Lake Nummi, which are located entirely within the Belleplain State Forest boundaries

A stream and its tributaries that originate just south of East Creek Mill Rd., 1.2+ miles north-northeast of Eldora, and are located entirely within the boundaries of Belleplain State Forest

WEST CREEK WATERSHED

The portion of the tributary to West Creek that originates about 0.9 miles southeast of Hoffman's Mill and is located entirely within the boundaries of Belleplain State Forest

Eastern branch of the easterly tributary to Pickle Factory Pond from its origin to its confluence with the western branch

Those tributaries to the stream which enter West Creek approximately 0.5 miles upstream of Hoffman's Mill and which are located entirely within the boundaries of Belleplain State Forest

COLLIERS MILLS WILDLIFE MANAGEMENT AREA

CROSSWICKS CREEK WATERSHED

All tributaries to Lahaway Creek originating in the Colliers Mills Wildlife Management Area north-northeast of Archers Corner, from their origins downstream to the boundaries of the Colliers Mills Wildlife Management Area

DELAWARE WATER GAP NATIONAL RECREATION **AREA**

DELAWARE RIVER WATERSHED

All tributaries to Flat Brook flowing from

the Kittatinny Ridge and located entirely within the boundaries of the Delaware Water Gap National Recreation Area

Rundle Brook upstream of Sussex County Route 615

Smith Ferry Brook

Donkey's Corner Brook

Sambo Island Brook and Pond

Coppermine Brook in Pahaquarry

Dunnfield Creek to Route I-80

AREA

DIX WILDLIFE MANAGEMENT MIDDLE MARSH CREEK WATERSHED

All fresh waters which originate in and are located entirely within the boundaries of the Dix Wildlife Management Area

EDWARD G. BEVAN WILDLIFE MAURICE RIVER WATERSHED MANAGEMENT AREA

Joshua and Pine Branches of Buckshutem Creek to their confluences with Buckshutem Creek

Gravelly Run downstream to the boundaries of the Edward G. Bevan Wildlife Management Area

NANTUXENT CREEK WATERSHED

Cedar and Mile Branches to Shaw's Mill Pond

DIVIDING CREEK WATERSHED

Those tributaries to Cedar Creek which originate in and are located entirely within the boundaries of the Edward G. Bevan Wildlife Management Area

Those portions of tributaries to Dividing Creek, located entirely within the boundaries of the Edward G. Bevan Wildlife Management Area

FLATBROOK-ROY WILDLIFE MANAGEMENT AREA

FLAT BROOK WATERSHED

The tributary to Little Flat Brook which originates north of the Bevans-Layton Rd., downstream to the first pond adjacent to the Fish and Game headquarters building

Two tributaries to Flat Brook which originate along Struble Rd. in Stokes State Forest, downstream to the confluence with Flat Brook within Flatbrook-Roy Wildlife Management Area boundaries

GLASSBORO WILDLIFE MANAGEMENT AREA

MAURICE RIVER WATERSHED

The portion of a branch of Little Ease Run situated immediately north of Stanger Avenue, and entirely within the Glassboro Wildlife Management Area

First and second easterly tributaries to Little Ease Run north of Academy Road

HIGH POINT STATE PARK AND STOKES STATE FOREST

CLOVE BROOK WATERSHED

The second and third northerly tributaries to Clove Brook, those tributaries to Steeny Kill Lake, Steeny Kill Lake, and those downstream of the Lake which originate in High Point State Park, downstream to the confluence with Clove Brook or to the boundaries of High Point State Park

The northerly tributaries to Mill Brook due west of Steeny Kill Lake, within the High Point State Park boundaries

FLAT BROOK WATERSHED

All surface waters of the Flat Brook drainage within the boundaries of High Point State Park and Stokes State Forest except the following:

- (1) Saw Mill Pond and Big Flat Brook downstream to the confluence with Flat Brook;
- (2) Mashipacong Pond and its outlet stream (Parker Brook) to the confluence with Big Flat Brook;
- (3) Lake Wapalanne and its outlet stream to the confluence with Big Flat Brook;
- (4) Lake Ocquittunk and waters connecting it with Big Flat Brook;

- (5) Stony Lake and its outlet stream (Stony Brook) downstream to the confluence with the Big Flat Brook;
- (6) Kittatinny Lake, that portion of its inlet stream outside the Stokes State Forest boundaries, and its outlet stream, including the Shotwell Camping Area tributary, to the confluence with Big Flat Brook;
- (7) Deer Lake and its outlet stream to Lake Ashroe;
- (8) Lake Ashroe, the portions of its tributaries outside the Stokes State Forest boundaries, and its outlet stream to the confluence with Big Flat Brook;
- (9) Lake Shawanni and its outlet stream to the confluence with Flat Brook;
- (10) Crigger Brook and its tributary to the confluence with Big Flat Brook

SHIMERS BROOK WATERSHED

The portion of Shimers Brook and its tributaries that are located within the boundaries of High Point State Park

JOHNSONBURG NATURAL AREA

PEQUEST RIVER WATERSHED

Mud Pond and its outlet stream, Bear Creek, to the Erie-Lackawanna Railroad trestle, north of Johnsonburg

BRENDAN T. BYRNE STATE FOREST RANCOCAS CREEK WATERSHED

Deer Park Branch and tributaries near Buckingham, downstream to the confluence with Pole Bridge Branch

Tributaries to the South Branch of Mount Misery Brook located entirely within the boundaries of BRENDAN T. BYRNE State Forest

Cooper Branch and tributaries downstream to Pakim Pond and those tributaries to Coopers Branch downstream of Pakim Pond that are located entirely within the boundaries of BRENDAN T. BYRNE State Forest

Shinns Branch and tributaries located entirely within the boundaries of BRENDAN T. BYRNE State Forest, from their sources to the forest boundary

Jade Run located entirely within the boundaries of BRENDAN T. BYRNE State Forest

MacDonalds Branch and tributaries located entirely within the boundaries of BRENDAN T. BYRNE State Forest, from

their sources to the forest boundary

MILLVILLE FISH AND GAME TRACT

See EDWARD G. BEVAN WILDLIFE MANAGEMENT AREA

PASADENA WILDLIFE MANAGEMENT AREA

RANCOCAS CREEK WATERSHED

The two easterly branches of the South Branch of Mount
Misery Brook, located entirely within the boundaries of the

Pasadena Wildlife Management Area

PEASELEE WILDLIFE MANAGEMENT AREA

MAURICE RIVER WATERSHED

Middle Branch of Muskee Creek from its origin to the
boundaries of the Peaselee Wildlife Management Area

Cedar Branch of the Manumuskin River, from its origin to the boundaries of the Peaselee Wildlife Management Area

Those portions of tributaries to Slab Branch located entirely within the boundaries of the Peaselee Wildlife Management Area

WASHINGTON CROSSING STATE PARK

STEELE RUN WATERSHED

That portion of Steele Run, located within the boundaries of Washington Crossing State Park, to the confluence with the westerly tributary

WHITTINGHAM WILDLIFE MANAGEMENT AREA

PEQUEST RIVER WATERSHED

Northwesterly tributaries to the Pequest River, including Big Spring, located within the boundaries of the Whittingham Wildlife Management Area southwest of Springdale, from their origins to their confluence with the Pequest River

WORTHINGTON STATE FOREST

DELAWARE RIVER WATERSHED

Sunfish Pond and its outlet stream to the Delaware River. All unnamed waters located entirely within the boundaries of the Worthington State Forest

DUNNFIELD CREEK WATERSHED Dunnfield Creek to I-80

PASSAIC RIVER, HACKENSACK RIVER, NY HARBOR COMPLEX BASIN

A. S. HEWITT STATE FOREST

WANAQUE RIVER WATERSHED

Portions of Cooley Brook and tributaries which originate and are located entirely within the boundaries of Hewitt State Forest

Surprise Lake

Portions of Green Brook and tributaries which originate and are located entirely within the boundaries of Hewitt State Forest

West Pond

BERKSHIRE VALLEY WILDLIFE MANAGEMENT AREA

ROCKAWAY RIVER WATERSHED

Stephens Brook north of the boundaries of the Berkshire Valley Wildlife Management Area

CITY OF NEWARK HOLDINGS AND WAWAYANDA STATE PARK

PEQUANNOCK RIVER WATERSHED

Cedar Pond and all tributaries

Hanks Pond and all tributaries

Tributary to Pequannock River at Green Pond Junction from its origin downstream to Route 23

Tributary joining the main stem of the Pequannock River 3500+ feet southeast of the Sussex-Passaic County line, near Jefferson from its origin to about 2000 feet upstream of the pond

Pacack Brook and its tributaries upstream of Canistear Reservoir, located entirely within the boundaries of the Newark watershed and Wawayanda State Park

Cherry Ridge Brook and its tributaries north of Canistear Reservoir, located entirely within the boundaries of the Newark watershed lands and Wawayanda State Park

The southern branch of the easterly tributary to Canistear Reservoir

Pequannock River and tributaries upstream of the confluence with Pacack Brook

The northwestern tributary to Oak Ridge Reservoir

The portion of the westerly tributary to Lake Stockholm Brook, from its origins to about 1000 feet south of the Route 23 Bridge, located entirely within the boundaries of the Newark watershed

Lud-Day Brook downstream to its confluence with the southwestern outlet stream from Clinton Reservoir just upstream of the confluence of the outlet stream and a tributary from Camp Garfield

Brook between Hamburg Turnpike and Vernon-Stockholm Road, downstream to its confluence with Lake Stockholm Brook, north of Rt. 23

RARITAN RIVER BASIN

NONE

WALLKILL RIVER BASIN

CITY OF NEWARK HOLDINGS AND WAWAYANDA STATE PARK

LAKE LOOKOUT BROOK WATERSHED

Lake Lookout, Lake Lookout Brook and tributaries from its headwaters in the Newark City holdings, downstream through the State-owned Wawayanda State Park to the confluence with the outlet stream from Lake Wawayanda

HAMBURG MOUNTAIN WILDLIFE MANAGEMENT

SAND HILLS BROOK WATERSHED

The upstream portion of Sand Hills Brook, including the pond at its headwaters, located entirely within the boundaries of the Hamburg Mtn. Wildlife Management Area

BLACK CREEK WATERSHED

All those portions of three tributaries to Black Creek originating in the Hamburg Mtn. Wildlife Management Area, from their origin downstream to the Management Area boundaries

FRANKLIN POND CREEK WATERSHED

The first tributary to Franklin Pond Creek just south of Hamburg Mountain, flowing toward the Wallkill River and located entirely within the Hamburg Mtn. Wildlife Management Area

HAMBURG CREEK WATERSHED

The third tributary just southwest of Hamburg Mountain, which flows toward the Wallkill River and is located entirely within the Hamburg Mtn. Wildlife Management Area

HIGH POINT STATE PARK

CLOVE RIVER WATERSHED

Those portions of the two northernmost tributaries to Clove River which are located entirely within the boundaries of High Point State Park, and are immediately east of Lake Marcia

RUTGERS CREEK WATERSHED

The Cedar Swamp headwaters of the tributary to Rutgers Creek, located entirely within the boundaries of High Point State Park, just south of the New Jersey-New York state line

SUSSEX BOROUGH WATER SUPPLY LAND

LAKE RUTHERFORD WATERSHED

Lake Rutherford and tributaries, located northwest of Colesville

WAWAYANDA STATE PARK

LAUREL POND WATERSHED

Laurel Pond, and its outlet stream and tributaries downstream to the outlet stream from Lake Wawayanda

- (k) The following are the Outstanding National Resource Waters of the State:
- 1. FW1 Waters; and
- 2. PL Waters.

7:9B-1.16 Water quality standards variances

- (a) A water quality standards (WQS) variance is subject to 40 CFR 131.14 and 40 CFR 131.20(b). The USEPA must review and approve the variance prior to implementation of any WQS variance. A WQS variance may be initiated either by the Department or at the request of a permittee.
- (b) The WQS variance policies are, as follows:
 - 1. A WQS variance serves as the interim applicable water quality standard for the term of the WQS variance when implementing:
 - i. NJPDES permitting requirements pursuant to N.J.A.C. 7:14A; or
 - ii. Certifications under Section 401 of the Federal Act;
 - 2. A WQS variance may be adopted for a permittee, waterbody, or waterbody segment, and only applies to the permittee, waterbody, or waterbody segment specified in the WQS variance;
 - 3. Where a WQS variance is established, the underlying criterion and designated use pursuant to N.J.A.C. 7:9B-1.14 and 1.15 shall be retained by the Department. All other standards not specifically addressed by the WQS variance also remain in effect;
 - 4. A permittee requesting a WQS variance must demonstrate, to the satisfaction of the Department, that the water quality standards cannot be met due to one or more of the following conditions:
 - i. Naturally occurring pollutant concentrations prevent the attainment of the use;
 - ii. Natural-, ephemeral-, intermittent-, or low-flow conditions or water levels prevent the attainment of the use, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating State water conservation requirements to enable uses to be met;
 - iii. Human-caused conditions or sources of pollution prevent the attainment of the use and cannot be remedied or would cause more environmental damage to correct than to leave in place;
 - iv. Dams, diversions, or other types of hydrologic modifications preclude the attainment of the use, and it is not feasible to restore the waterbody to its original condition or to operate such modification in a way that would result in the attainment of the use;
 - v. Natural features of the waterbody, such as cover, flow, depth, pools, riffles, or lack of a proper substrate, that create physical conditions unrelated to water quality, and preclude attainment of aquatic life protection uses; or
 - vi. Controls more stringent than those required by sections 301(b) and 306 of the Federal Act would result in substantial and widespread economic and social impact, as determined in accordance with the USEPA Interim Economic Guidance for Water Quality Standards (EPA-823-B-95-002), Clean Water Act Financial Capability Assessment Guidance (EPA-800-B-21-001), and as supplemented and amended;
 - 5. A WQS variance requested by a new or expanded permittee for an aquatic life criterion specified at N.J.A.C. 7:9B-1.14 that would likely jeopardize the continued existence of any endangered or threatened species, as listed at section 7 of the Federal Endangered Species Act of 1973 (16 U.S.C. §§ 1531 et seq.), or result in the destruction or adverse modification of such species' critical habitat shall not be granted;

- 6. A WQS variance may not be adopted if the designated use and criterion addressed by the WQS variance can be achieved by implementing technology-based effluent limits required pursuant to sections 301(b) and 306 of the Federal Act; and
- 7. A WQS variance for thermal discharge shall be consistent with section 316(a) of the Federal Act and N.J.A.C. 7:9B-1.5(c)9 and (h)2i(3) in lieu of this section.
- (c) A permittee requesting a WQS variance to satisfy one of the conditions listed at (b)4 above must submit the following:
 - 1. Ambient, influent, and effluent data collected, in accordance with a Department-approved quality assurance project plan;
 - 2. For a substance or substances that the permittee alleges is naturally occurring, a justification that includes an investigation of the anthropogenic sources of the substance or substances to the receiving stream upstream of the discharge point;
 - 3. A review of possible sources of the substance or substances in the effluent, including, but not limited to, processes on-site, legacy contamination, and influent sources, such as industrial users discharging to a sanitary treatment plant;
 - 4. A review of existing technology installed on-site to treat the influent for the substance or substances of concern and the date that the existing technology was first implemented;
 - 5. A review of any additional technologies that would lower the effluent concentrations of the substance or substances of concern and the associated cost to implement such technology;
 - 6. Information required to determine the affordability of such technology using the USEPA Interim Economic Guidance for Water Quality Standards (EPA-823-B-95-002), Clean Water Act Financial Capability Assessment Guidance (EPA-800-B-21-001), as supplemented and amended;
 - 7. For a WQS variance to a waterbody or waterbody segment, identification of any costeffective and reasonable best management practices for nonpoint source controls
 related to the substance or substances and waterbody or waterbody segment specified
 in the WQS variance that could be implemented to make progress towards attaining
 the underlying designated use and criterion;
 - 8. Documentation demonstrating the highest attainable condition (HAC) for the substance(s). A HAC must be based on the following:
 - i. For a permittee-specific WQS variance:
 - (1) The highest attainable interim criterion;
 - (2) The interim effluent condition that reflects the greatest pollutant reduction achievable; or
 - (3) The interim criterion or interim effluent condition that reflects the greatest pollutant reduction achievable with the pollutant control technologies installed at the time the Department adopts the WQS variance, and the adoption and implementation of a Pollutant Minimization Program (PMP), if no additional feasible pollutant control technology can be identified; and
 - ii. For a WQS variance applicable to a waterbody or waterbody segment:
 - (1) The highest attainable interim use and interim criterion; or
 - (2) The interim use and interim criterion that reflects the greatest pollutant reduction achievable with the pollutant control technologies installed at the time the Department adopts the WQS variance, and the adoption and

implementation of a PMP, if no additional feasible pollutant control technology can be identified;

- 9. A proposed term, including documentation justifying that the proposed term is only as long as necessary to achieve the HAC;
- 10. A Pollutant Minimization Program, including:
 - i. Pollutant control activities that the permittee proposes to take during the term of the WQS variance, including identification and quantification of source(s) of substance(s) within the permittee's collection system and evaluation of on-site strategies to minimize the discharge of a substance or substances and in the collection system to the maximum extent practicable; and
 - ii. A schedule for implementing the PMP; and
- 11. Where applicable, documentation supporting the WQS variance must be submitted justifying the use and value of the waterbody pursuant to section 131.10(a) of the Federal Act for uses that are not specified at section 101(a)(2) of the Federal Act.
- (d) A permittee requesting a WQS variance to a use specified at section 101(a)(2) of the Federal Act or a sub-category of such a use shall demonstrate that attaining the designated use and criterion is not feasible throughout the term of the WQS variance because:
 - 1. One of the factors listed at (b)4 above is met; or
 - 2. Actions necessary to facilitate lake, wetland, or stream restoration through dam removal or other significant reconfiguration activities preclude attainment of the designated use and criterion while the actions are being implemented.
- (e) For a WQS variance term longer than five years, the Department shall reevaluate the WQS variance at least once every five years.
 - 1. A permittee shall submit the following for a reevaluation:
 - i. A report with the submittal requirements listed at (c) above with the NJPDES permit renewal application pursuant to N.J.A.C 7:9B-1.14;
 - ii. Documentation of whether, and to what extent, the PMP was implemented and the water quality progress achieved; and
 - iii. An updated PMP for the subsequent five-year permit cycle.
 - 2. The Department shall take the following actions in response to reevaluation submittals:
 - i. Approve and authorize the WQS variance for an additional five years, if the reevaluation submittal is satisfactory;
 - ii. Propose a permit action to revise the WQS variance if the submittal fails to meet the requirements or the submittal indicates a revised HAC is appropriate; or
 - iii. Suspend the WQS variance if the permittee does not submit the information required for the revaluation of the WQS variance at the frequency specified at N.J.A.C. 7:9B. The variance may be reinstated when this information is submitted and approved by the Department.